



# PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1997 - 2006  
Compiled January, 2007

District Six

Prepared by:  
Idaho Transportation Department  
Division of Planning and Programming



# DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

**D:** The Idaho Transportation Department maintenance district number. It can be 1 - 6.

**Route:** The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

**MACS Code (Segment Code):** six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

**Beginning Milepost:** The milepost at the beginning of the test section of highway.

**Ending Milepost:** The milepost at the ending of the test section of highway.

**DIR:** Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

**YEAR:** Shows the year to which the indices correspond.

**RI (Roughness Index):** Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

**CI (Crack Index):** The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

**SN (Skid Number):** A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

**FINAL INDEX:** This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

**REMARKS:** This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
6	I-15	001330	111.859	117.247	ASC	1997	3.80	3.50	45	3.65	0.09	SEALCOAT	1997
						1998	3.90	3.00	54	3.45	0.07		
						1999	3.90	3.00	49	3.45	0.11		
						2000	3.90	5.00	49	4.43	0.12	PLANT MIX OVERLAY	2000
						2001	3.90	5.00	56	4.43	0.11		
						2002	3.70	5.00	56	4.33	0.12		
						2003	3.70	4.60	56	4.14	0.13		
						2004	3.60	4.60	56	4.08	0.16		
						2005	3.70	4.60	00	4.14	0.18		
						2006	3.70	4.60	00	4.14	0.16		
6	I-15	001330	111.859	117.247	DES	1997	3.80	2.50	47	3.16	0.12	SEALCOAT	1997
						1998	3.80	2.50	54	3.16	0.11		
						1999	3.80	2.50	51	3.16	0.11		
						2000	4.00	5.00	51	4.49	0.09	PLANT MIX OVERLAY	2000
						2001	4.00	5.00	51	4.49	0.08		
						2002	3.80	4.80	51	4.29	0.09		
						2003	3.70	4.00	51	3.84	0.13		
						2004	3.70	4.00	51	3.84	0.15		
						2005	3.70	4.00	00	3.84	0.15		
						2006	3.70	4.00	00	3.84	0.14		
6	I-15	001330	117.247	119.500	ASC	1997	3.80	5.00	49	4.39	0.09	SEALCOAT	1997
						1998	3.80	4.90	59	4.34	0.07		
						*1999	3.80	4.90	53	4.34	0.09		
						2000	3.90	5.00	49	4.44	0.07	PLANT MIX OVERLAY	2000
						2001	4.00	5.00	57	4.49	0.08		
						2002	3.70	5.00	57	4.34	0.09		
						2003	3.70	5.00	57	4.34	0.09		
						2004	3.70	5.00	57	4.34	0.11		
						2005	3.70	5.00	58	4.34	0.12		
						2006	3.70	5.00	58	4.34	0.12		
6	I-15	001330	117.247	119.500	DES	1997	3.70	5.00	48	4.34	0.13	SEALCOAT	1997
						1998	3.70	5.00	48	4.34	0.13		
						*1999	3.70	5.00	59	4.34	0.13		
						2000	3.80	5.00	49	4.39	0.08	PLANT MIX OVERLAY	2000
						2001	3.90	5.00	48	4.44	0.07		
						2002	3.70	5.00	48	4.34	0.09		
						2003	3.60	4.80	48	4.19	0.10		
						2004	3.60	4.80	48	4.19	0.11		
						2005	3.70	4.80	56	4.24	0.14		
						2006	3.70	4.80	56	4.24	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
6	I-15	001330	119.500	121.092	ASC	1997	3.80	5.00	49	4.39		0.09
						1998	3.80	4.90	59	4.34		0.07
						*1999	3.80	4.90	53	4.34		0.09
						2000	3.90	4.90	53	4.39		0.08
						2001	4.00	4.40	59	4.19		0.08
						2002	3.80	4.40	59	4.09		0.08
						2003	3.80	4.40	59	4.09		0.09
						2004	3.70	4.40	59	4.04		0.07
						2005	3.80	4.40	56	4.09		0.11
						2006	3.80	4.40	56	4.09		0.08
6	I-15	001330	119.500	121.092	DES	1997	3.70	5.00	48	4.34		0.13
						1998	3.70	5.00	48	4.34		0.13
						*1999	3.70	5.00	59	4.34		0.13
						2000	3.80	5.00	61	4.39		0.14
						2001	3.80	4.50	57	4.14		0.16
						2002	3.80	4.50	57	4.14		0.15
						2003	3.70	4.40	57	4.04		0.15
						2004	3.70	3.20	57	3.45		0.10
						2005	3.70	3.20	54	3.45		0.14
						2006	3.70	3.20	54	3.45		0.14
6	I-15	001330	121.092	128.000	ASC	*1997	3.10	2.30	37	2.70		0.12
						1998	3.90	5.00	64	4.44		0.06
						1999	3.90	5.00	58	4.44		0.07
						2000	4.00	5.00	58	4.49		0.07
						2001	4.00	5.00	61	4.49		0.08
						2002	3.80	5.00	61	4.39		0.08
						2003	3.80	4.60	61	4.19		0.09
						2004	3.70	4.60	61	4.14		0.07
						2005	3.70	4.60	60	4.14		0.11
						2006	3.80	4.60	60	4.19		0.10
6	I-15	001330	121.092	128.000	DES	*1997	3.00	2.00	44	2.50		0.11
						1998	3.80	5.00	56	4.39		0.13
						1999	3.80	5.00	60	4.39		0.13
						2000	3.90	5.00	60	4.44		0.14
						2001	3.90	5.00	56	4.44		0.15
						2002	3.80	5.00	56	4.39		0.15
						2003	3.80	4.60	56	4.19		0.15
						2004	3.70	4.60	56	4.14		0.15
						2005	3.70	4.60	56	4.14		0.17
						2006	3.70	4.60	56	4.14		0.16

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	I-15	001330	128.000	135.148	ASC	*1997	3.50	2.00	19	2.75	0.25							
						*1998	3.40	2.00	58	2.70	0.26	C.R.A.B.S.	1998					
						*1999	4.10	5.00	52	4.54	0.11	C.R.A.B.S.	1999					
						2000	3.60	5.00	47	4.29	0.05	C.R.A.B.S.	2000					
						2001	3.60	5.00	59	4.29	0.06							
						2002	3.40	5.00	59	4.19	0.06							
						2003	3.40	4.70	59	4.04	0.06							
						2004	3.40	4.00	59	3.69	0.06							
						2005	3.30	4.00	62	3.64	0.08							
						2006	3.40	3.70	62	3.54	0.07							
						6	I-15	001330	128.000	135.148	DES	*1997	3.40	2.90	41	3.15	0.27	
												*1998	3.30	2.80	58	3.05	0.13	C.R.A.B.S.
*1999	4.00	5.00	57	4.49	0.07							C.R.A.B.S.	1999					
2000	4.20	5.00	53	4.59	0.08							C.R.A.B.S.	2000					
2001	4.30	5.00	52	4.64	0.09													
2002	3.90	5.00	52	4.44	0.11													
2003	3.90	3.00	52	3.45	0.10													
2004	3.80	2.40	52	3.10	0.11													
2005	3.80	2.40	50	3.10	0.13													
2006	3.80	2.40	50	3.10	0.12													
6	I-15	001330	135.148	143.400	ASC							*1997	3.50	2.00	19	2.75	0.25	
												*1998	3.40	2.00	58	2.70	0.26	
						*1999	4.10	5.00	52	4.54	0.11	C.R.A.B.S.	1999					
						2000	4.20	5.00	54	4.59	0.13							
						2001	4.20	5.00	59	4.59	0.13							
						2002	3.90	4.60	59	4.24	0.13							
						2003	3.90	4.10	59	3.99	0.14							
						2004	3.80	3.80	59	3.80	0.15							
						2005	3.80	3.80	57	3.80	0.15							
						2006	3.80	3.60	57	3.70	0.15							
						6	I-15	001330	135.148	143.400	DES	*1997	3.40	2.90	41	3.15	0.27	
												*1998	3.30	2.80	58	3.05	0.13	
*1999	4.00	5.00	57	4.49	0.07							C.R.A.B.S.	1999					
2000	4.00	5.00	57	4.49	0.09													
2001	4.10	5.00	60	4.54	0.08													
2002	3.80	5.00	60	4.39	0.10													
2003	3.80	4.90	60	4.34	0.10													
2004	3.70	4.80	60	4.24	0.11													
2005	3.70	4.60	54	4.14	0.13													
2006	3.80	4.60	54	4.19	0.11													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	I-15	001330	143.400	149.920	ASC	1997	3.60	3.30	37	3.45	0.08	C.R.A.B.S.	1999
						1998	3.40	3.00	60	3.20	0.11		
						1999	4.00	5.00	56	4.49	0.13		
						2000	4.00	5.00	56	4.49	0.15		
						2001	4.00	4.80	59	4.39	0.16		
						2002	3.70	4.20	59	3.94	0.17		
						2003	3.60	2.90	59	3.25	0.17		
						2004	3.50	2.40	59	2.95	0.16		
						2005	3.50	2.40	54	2.95	0.16		
						2006	3.40	2.40	54	2.90	0.19		
6	I-15	001330	143.400	149.920	DES	1997	3.70	5.00	52	4.34	0.09	C.R.A.B.S.	1999
						1998	3.70	5.00	63	4.34	0.11		
						1999	3.70	5.00	59	4.34	0.11		
						2000	3.70	4.50	59	4.09	0.13		
						2001	3.70	3.30	63	3.50	0.14		
						2002	3.30	3.30	63	3.30	0.16		
						2003	3.30	3.10	63	3.20	0.17		
						2004	3.20	2.40	63	2.80	0.16		
						2005	3.20	2.40	55	2.80	0.20		
						2006	3.20	2.40	55	2.80	0.20		
6	I-15	001330	149.920	158.860	ASC	1997	3.80	3.00	43	3.40	0.10	C.R.A.B.S.	1999
						1998	3.70	3.00	54	3.35	0.13		
						1999	3.60	2.80	51	3.20	0.13		
						2000	3.50	2.80	51	3.15	0.14		
						2001	3.50	2.40	59	2.95	0.15		
						2002	3.10	2.30	59	2.70	0.15		
						2003	2.80	2.30	59	2.55	0.16		
						2004	2.90	2.10	59	2.50	0.15		
						2005	3.40	5.00	55	4.19	0.09		
						2006	4.00	5.00	55	4.49	0.07		
6	I-15	001330	149.920	158.860	DES	1997	3.90	3.00	47	3.45	0.10	C.R.A.B.S.	1999
						1998	3.80	3.00	59	3.40	0.11		
						1999	3.80	3.00	56	3.40	0.11		
						2000	3.80	3.00	56	3.40	0.12		
						2001	3.80	3.00	60	3.40	0.14		
						2002	3.50	3.00	60	3.25	0.13		
						2003	3.40	2.90	60	3.15	0.14		
						2004	3.40	2.90	60	3.15	0.13		
						2005	3.40	2.40	52	2.90	0.16		
						2006	3.30	2.40	52	2.85	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	I-15	001330	158.860	163.500	ASC	1997	3.80	3.40	41	3.60	0.10	
						1998	3.70	3.00	52	3.35	0.12	
						1999	3.70	2.50	48	3.10	0.13	
						2000	3.60	2.50	48	3.05	0.13	
						2001	3.60	2.40	56	3.00	0.14	
						2002	3.20	2.30	56	2.75	0.15	
						2003	3.00	2.30	56	2.65	0.16	
						2004	3.00	2.30	56	2.65	0.14	
						2005	3.80	5.00	49	4.39	0.06	
						2006	4.00	5.00	49	4.49	0.04	
6	I-15	001330	158.860	163.500	DES	1997	4.20	4.50	49	4.34	0.08	
						1998	4.10	4.50	62	4.29	0.07	
						1999	4.10	4.50	57	4.29	0.07	
						2000	4.10	4.50	57	4.29	0.07	
						2001	4.10	4.50	60	4.29	0.08	
						2002	3.80	4.50	60	4.14	0.08	
						2003	3.80	4.50	60	4.14	0.07	
						2004	3.80	4.50	60	4.14	0.06	
						2005	3.90	3.40	59	3.65	0.09	
						2006	3.90	3.40	59	3.65	0.08	
6	I-15	001330	163.500	166.503	ASC	1997	4.00	4.00	22	4.00	0.14	
						1998	4.00	4.00	34	4.00	0.18	
						1999	4.00	4.00	35	4.00	0.22	
						2000	4.00	4.00	35	4.00	0.24	
						2001	4.00	3.80	48	3.90	0.27	
						2002	3.70	2.80	48	3.25	0.26	
						2003	3.70	2.80	48	3.25	0.26	
						2004	3.60	2.60	48	3.10	0.29	
						2005	3.50	5.00	41	4.24	0.09	
						2006	4.00	5.00	41	4.49	0.03	
6	I-15	001330	163.500	166.503	DES	1997	4.00	4.00	48	4.00	0.08	
						1998	4.00	4.00	57	4.00	0.11	
						1999	4.00	4.00	53	4.00	0.11	
						2000	4.00	4.00	53	4.00	0.12	
						2001	4.00	4.00	57	4.00	0.12	
						2002	3.70	4.00	57	3.84	0.12	
						2003	3.70	4.00	57	3.84	0.11	
						2004	3.60	4.00	57	3.79	0.11	
						2005	3.70	4.00	61	3.84	0.13	
						2006	3.70	4.00	61	3.84	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS		
										INDEX	DEPTH			
6	I-15	001330	166.503	167.660	ASC	1997	3.90	3.50	17	3.70	0.13	C.R.A.B.S.	1997	
						1998	4.00	3.50	28	3.75	0.18			
						1999	3.90	3.50	20	3.70	0.22			
						2000	3.90	3.50	20	3.70	0.24			
						2001	3.90	3.50	39	3.70	0.27			
						2002	3.70	3.20	39	3.45	0.30			
						2003	3.60	3.20	39	3.40	0.27			
						2004	3.50	3.20	39	3.35	0.26			
						2005	3.20	3.20	61	3.20	0.07			
						2006	3.90	3.20	61	3.55	0.04			
6	I-15	001330	166.503	167.660	DES	1997	3.70	3.00	33	3.35	0.21	C.R.A.B.S.	1997	
						1998	3.60	3.00	43	3.30	0.19			
						1999	3.60	3.00	50	3.30	0.30			
						2000	3.60	3.00	50	3.30	0.30			
						2001	3.60	5.00	56	4.29	0.30			
						2002	3.20	5.00	56	4.09	0.16			
						2003	3.20	5.00	56	4.09	0.14			
						2004	3.10	5.00	56	4.04	0.13			
						2005	3.20	5.00	63	4.09	0.16			
						2006	3.10	5.00	63	4.04	0.14			
6	I-15	001330	167.660	173.000	ASC	1997	4.20	5.00	48	4.59	0.09	C.R.A.B.S.	1997	
						1998	4.20	5.00	62	4.59	0.07			
						1999	4.20	4.80	54	4.49	0.09			
						2000	4.20	4.80	54	4.49	0.09			
						2001	4.20	4.80	59	4.49	0.11			
						2002	3.90	4.40	59	4.14	0.11			
						2003	3.80	4.30	59	4.04	0.12			
						2004	3.80	2.40	59	3.10	0.10			
						2005	3.70	2.40	63	3.05	0.13			
						2006	3.80	2.40	63	3.10	0.12			
6	I-15	001330	167.660	173.000	DES	1997	4.10	4.50	39	4.29	0.11	C.R.A.B.S.	1997	
						1998	4.10	4.50	57	4.29	0.09			
						1999	4.10	4.50	56	4.29	0.17			
						2000	4.00	4.50	56	4.24	0.16			
						2001	4.10	4.50	60	4.29	0.22			
						2002	3.70	4.50	60	4.09	0.21			
						2003	3.70	4.50	60	4.09	0.24			
						2004	3.70	3.90	60	3.79	0.20			
						2005	3.70	2.90	52	3.30	0.25			
						2006	3.70	2.80	52	3.25	0.23			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
6	I-15	001330	173.000	178.750	ASC	1997	2.20	5.00	38	3.59	0.11	C.R.A.B.S.	1997
						1998	3.60	5.00	64	4.29	0.08		
						1999	3.70	5.00	58	4.34	0.09		
						2000	3.70	5.00	58	4.34	0.11		
						2001	3.70	4.70	62	4.19	0.11		
						2002	3.60	4.70	62	4.14	0.12		
						2003	3.50	4.70	62	4.09	0.12		
						2004	3.50	4.70	62	4.09	0.11		
						2005	3.40	4.00	64	3.69	0.14		
						2006	3.50	2.40	64	2.95	0.14		
6	I-15	001330	173.000	178.750	DES	1997	4.30	5.00	44	4.64	0.08	C.R.A.B.S.	1997
						1998	4.20	5.00	61	4.59	0.11		
						1999	4.20	5.00	55	4.59	0.13		
						2000	4.20	5.00	55	4.59	0.13		
						2001	4.20	4.80	60	4.49	0.14		
						2002	3.90	4.80	60	4.34	0.16		
						2003	3.90	4.80	60	4.34	0.17		
						2004	3.80	4.80	60	4.29	0.17		
						2005	3.80	4.80	48	4.29	0.21		
						2006	3.90	3.80	48	3.85	0.19		
6	I-15	001330	178.750	179.500	ASC	1997	2.90	5.00	37	3.94	0.09	C.R.A.B.S.	1997
						1998	3.60	5.00	64	4.29	0.06		
						1999	3.70	5.00	57	4.34	0.05		
						2000	3.70	5.00	57	4.34	0.06		
						2001	3.70	4.60	65	4.14	0.07		
						2002	3.50	4.60	65	4.04	0.09		
						2003	3.50	4.60	65	4.04	0.08		
						2004	3.50	4.00	65	3.74	0.05		
						2005	3.40	3.90	48	3.64	0.11		
						2006	3.40	3.20	48	3.30	0.12		
6	I-15	001330	178.750	179.500	DES	1997	4.40	4.50	45	4.44	0.07	C.R.A.B.S.	1997
						1998	4.30	4.50	58	4.39	0.11		
						1999	4.30	4.50	40	4.39	0.12		
						2000	4.30	4.50	40	4.39	0.12		
						2001	4.30	4.50	55	4.39	0.12		
						2002	3.90	4.50	55	4.19	0.14		
						2003	3.90	4.50	55	4.19	0.17		
						2004	3.90	4.50	55	4.19	0.14		
						2005	3.80	4.50	48	4.14	0.18		
						2006	3.90	4.50	48	4.19	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	I-15	001330	179.500	181.210	ASC	1997	3.00	2.50	27	2.75	0.07							
						1998	2.90	2.40	46	2.65	0.09							
						1999	2.90	2.40	37	2.65	0.10							
						2000	2.80	2.40	37	2.60	0.11							
						2001	2.80	5.00	55	3.89	0.11							
						2002	3.40	5.00	55	4.19	0.15							
						2003	3.30	5.00	55	4.14	0.14							
						2004	3.30	5.00	55	4.14	0.14							
						2005	3.30	5.00	48	4.14	0.14							
						2006	3.40	5.00	48	4.19	0.13							
						6	I-15	001330	179.500	181.210	DES	1997	3.10	3.00	37	3.05	0.08	
												1998	3.10	3.00	48	3.05	0.08	
1999	3.00	2.90	38	2.95	0.07													
2000	3.00	2.60	38	2.80	0.08													
2001	3.00	2.60	57	2.80	0.09													
2002	3.40	2.60	57	3.00	0.12													
2003	3.40	2.60	57	3.00	0.11													
2004	3.40	5.00	57	4.19	0.10													
2005	3.30	5.00	48	4.14	0.12													
2006	3.40	5.00	48	4.19	0.11													
6	I-15	001330	181.210	183.900	ASC							1997	3.60	3.00	34	3.30	0.11	
												*1998	3.50	3.00	45	3.25	0.12	
						*1999	3.60	3.00	41	3.30	0.13							
						2000	3.50	3.00	41	3.25	0.12	C.R.A.B.S.						
						2001	3.60	5.00	54	4.29	0.12	2000						
						2002	3.40	5.00	54	4.19	0.18							
						*2003	3.40	5.00	54	4.19	0.15							
						2004	3.40	5.00	55	4.19	0.13							
						2005	3.40	5.00	48	4.19	0.13							
						2006	3.50	5.00	48	4.24	0.10							
						6	I-15	001330	181.210	183.900	DES	1997	3.60	4.50	42	4.04	0.08	
												*1998	3.60	4.50	54	4.04	0.09	
*1999	3.70	4.50	52	4.09	0.08													
2000	3.60	4.50	53	4.04	0.10							C.R.A.B.S.						
2001	3.70	4.50	54	4.09	0.11							2000						
2002	3.50	4.50	54	3.99	0.13													
*2003	3.50	4.50	54	3.99	0.14													
2004	3.40	4.50	55	3.94	0.15													
2005	3.40	4.50	48	3.94	0.19													
2006	3.50	4.50	48	3.99	0.17													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	I-15	001330	183.900	184.900	ASC	1997	3.60	3.00	34	3.30	0.11							
						*1998	3.50	3.00	45	3.25	0.12							
						1999	3.30	3.00	32	3.15	0.16							
						2000	3.70	5.00	32	4.34	0.10	C.R.A.B.S.						
						2001	3.60	5.00	63	4.29	0.10							
						2002	3.60	5.00	63	4.29	0.09							
						2003	3.50	5.00	63	4.24	0.09							
						2004	3.50	5.00	63	4.24	0.09							
						2005	3.50	5.00	48	4.24	0.10							
						2006	3.60	5.00	48	4.29	0.09							
						6	I-15	001330	183.900	184.900	DES	1997	3.60	4.50	42	4.04	0.08	
												*1998	3.60	4.50	54	4.04	0.09	
1999	3.00	2.00	37	2.50	0.10													
2000	2.90	2.00	37	2.45	0.10							C.R.A.B.S.						
2001	2.90	2.00	49	2.45	0.12													
2002	3.40	2.00	49	2.70	0.13													
2003	3.40	5.00	49	4.19	0.08													
2004	3.40	4.80	49	4.09	0.08													
2005	3.40	4.80	48	4.09	0.09													
2006	3.40	4.80	48	4.09	0.08													
6	I-15	001330	184.900	189.860	ASC							1997	3.50	3.90	36	3.69	0.29	
												*1998	3.50	3.90	46	3.69	0.32	
						*1999	3.40	3.90	41	3.64	0.30							
						2000	3.70	5.00	42	4.34	0.15	C.R.A.B.S.						
						2001	3.80	5.00	59	4.39	0.14							
						2002	3.60	4.80	59	4.19	0.15							
						2003	3.60	4.80	59	4.19	0.15							
						2004	3.60	4.80	59	4.19	0.15							
						2005	3.50	4.80	48	4.14	0.16							
						2006	3.60	4.00	48	3.79	0.14							
						6	I-15	001330	184.900	189.860	DES	1997	4.00	5.00	40	4.49	0.08	
												*1998	3.90	5.00	50	4.44	0.12	
*1999	3.80	4.80	48	4.29	0.10													
2000	3.90	4.50	47	4.19	0.13							C.R.A.B.S.						
2001	3.90	4.50	49	4.19	0.15													
2002	3.70	4.50	49	4.09	0.18													
2003	3.70	4.50	49	4.09	0.16													
2004	3.60	4.50	49	4.04	0.17													
2005	3.70	4.50	48	4.09	0.20													
2006	3.70	4.50	48	4.09	0.18													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS									
										INDEX	DEPTH										
6	I-15	001330	189.860	196.000	ASC	1997	3.50	3.90	36	3.69	0.29	C.R.A.B.S.	1999								
						*1998	3.50	3.90	46	3.69	0.32										
							3.60	5.00	50	4.29	0.07										
							3.80	5.00	50	4.39	0.08										
							3.70	4.00	60	3.84	0.08										
							3.40	4.00	60	3.69	0.08										
							3.40	4.00	60	3.69	0.08										
							3.30	3.70	60	3.49	0.08										
							3.30	3.70	48	3.49	0.10										
							3.30	3.60	48	3.44	0.09										
						6	I-15	001330	189.860	196.000	DES			1997	4.00	5.00	40	4.49	0.08	C.R.A.B.S.	1999
														*1998	3.90	5.00	50	4.44	0.12		
	3.70	5.00	49	4.34	0.08																
	4.00	5.00	49	4.49	0.16																
	4.00	5.00	54	4.49	0.16																
	3.70	5.00	54	4.34	0.18																
	3.50	5.00	54	4.24	0.19																
	3.40	5.00	54	4.19	0.19																
	3.50	5.00	48	4.24	0.23																
	3.50	5.00	48	4.24	0.20																
6	I-15	001380	004.526	005.104	N							1997	3.50	3.00	52	3.23	0.06	C.R.A.B.S.	1999		
												1998	3.30	3.00	52	3.13	0.09				
							3.40	3.00	52	3.18	0.09										
							3.40	3.00	49	3.18	0.11										
							3.50	3.00	54	3.23	0.12										
							3.20	3.00	54	3.09	0.11										
							3.30	4.50	54	3.93	0.13										
							3.20	4.50	54	4.02	0.09										
							3.30	4.50	48	3.93	0.16										
							3.30	4.50	48	3.93	0.13										
						6	I-15	001380	005.104	005.536	N	1997	3.40	3.00	48	3.18	0.08			C.R.A.B.S.	1999
												1998	3.40	3.00	48	3.18	0.03				
	3.40	5.00	48	4.25	0.03																
	3.50	5.00	49	4.29	0.05																
	3.50	5.00	54	4.29	0.04																
	3.30	5.00	54	4.19	0.03																
	3.40	5.00	54	4.24	0.06																
	3.30	5.00	54	4.36	0.03																
	3.20	5.00	48	4.14	0.05																
	3.20	5.00	48	4.14	0.06																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	I-15	001380	005.536	005.888	N	1997	2.70	3.00	44	2.86	0.06	C.R.A.B.S.	1999
						1998	2.70	3.00	44	2.86	0.06		
						1999	2.40	5.00	44	3.86	0.07		
						2000	2.50	5.00	49	3.91	0.08		
						2001	2.60	5.00	54	3.95	0.10		
						2002	2.50	5.00	54	3.91	0.08		
						2003	2.40	5.00	54	3.87	0.11		
						2004	2.30	5.00	54	4.13	0.11		
						2005	2.20	5.00	48	3.77	0.15		
						2006	2.20	5.00	48	3.77	0.14		
6	I-15	001380	005.888	006.315	N	1997	2.30	3.00	50	2.69	0.07	C.R.A.B.S.	1999
						1998	2.30	3.00	50	2.69	0.05		
						1999	2.30	5.00	50	3.82	0.06		
						2000	2.40	5.00	49	3.86	0.08		
						2001	2.30	5.00	54	3.82	0.10		
						2002	2.50	5.00	54	3.91	0.07		
						2003	2.80	5.00	54	4.04	0.08		
						2004	2.70	5.00	54	4.25	0.08		
						2005	2.70	5.00	48	3.99	0.09		
						2006	2.70	5.00	48	3.99	0.12		
6	I-15	001380	006.315	006.589	N	1997	0.90	2.20	41	1.61	0.27	MILL AND INLAY	1999
						1998	0.70	2.20	41	1.52	0.41		
						1999	1.20	5.00	41	3.27	0.10		
						2000	1.50	5.00	49	3.40	0.11		
						2001	1.60	4.50	54	3.18	0.11		
						2002	1.80	4.50	54	3.27	0.11		
						2003	1.30	4.50	54	3.04	0.09		
						2004	1.60	4.50	54	3.50	0.09		
						2005	1.60	4.50	48	3.18	0.11		
						2006	1.70	4.50	48	3.23	0.10		
6	I-15	001380	006.589	006.850	N	1997	1.70	4.00	38	2.97	0.13		
						1998	1.60	4.00	38	2.92	0.18		
						1999	1.70	4.00	38	2.95	0.16		
						2000	2.00	4.00	49	3.09	0.15		
						2001	1.90	3.80	54	2.94	0.16		
						2002	2.00	3.80	54	2.99	0.15		
						2003	1.90	3.80	54	2.94	0.16		
						2004	1.80	3.80	54	3.11	0.15		
						2005	1.90	3.80	48	2.94	0.17		
						2006	1.90	3.80	48	2.94	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
6	I-15	001380	006.850	007.230	N	1997	2.10	4.00	40	3.14		0.12
						1998	1.80	4.00	40	3.01		0.13
						1999	1.80	4.00	40	3.01		0.15
						2000	1.70	4.00	49	2.96		0.16
						2001	1.70	3.50	54	2.69		0.16
						2002	1.80	3.50	54	2.73		0.17
						2003	2.10	3.50	54	2.87		0.19
						2004	2.10	3.20	54	2.82		0.17
						2005	1.70	2.40	48	2.08		0.21
						2006	1.90	2.40	48	2.17		0.19
6	U.S.-20	000852	100.000	100.152	N	2002	3.20	5.00	39	4.24		0.09
						2003	2.90	5.00	54	4.12		0.11
						2004	2.90	5.00	54	4.12		0.10
						2005	3.00	5.00	40	4.16		0.12
						2006	3.00	5.00	40	4.16		0.13
6	U.S.-20	001396	100.000	100.065	N	2006	2.10	3.00	40	2.65		0.14
6	U.S.-20	002070	263.770	267.426	N	1997	3.00	3.50	50	3.26		0.24
						1998	2.90	3.50	50	3.21		0.26
						1999	2.90	3.30	59	3.10		0.27
						2000	2.90	3.30	59	3.10		0.27
						2001	2.80	3.30	59	3.06		0.28
						2002	2.70	3.30	59	3.01		0.25
						2003	2.60	3.30	54	2.96		0.25
						2004	2.60	2.50	54	2.54		0.24
						2005	2.50	2.40	38	2.44		0.29
						2006	2.70	2.40	38	2.54		0.28
6	U.S.-20	002070	267.426	276.044	N	1997	3.10	3.50	46	3.30		0.17
						1998	3.10	3.50	46	3.30		0.22
						1999	3.00	2.90	58	2.94		0.22
						2000	3.00	2.90	58	2.94		0.24
						2001	3.00	2.90	58	2.94		0.21
						2002	2.90	2.90	58	2.90		0.20
						2003	2.80	2.90	54	2.85		0.21
						2004	2.80	2.80	54	2.80		0.19
						2005	2.70	2.80	57	2.75		0.25
						2006	2.80	2.40	57	2.59		0.23

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	276.044	282.837	N	1997	3.10	3.50	49	3.30	0.19	
						1998	3.00	3.50	49	3.26	0.21	
						1999	3.00	3.30	59	3.15	0.18	
						2000	2.90	3.30	59	3.10	0.23	
						2001	2.90	3.30	59	3.10	0.17	
						2002	2.90	3.30	59	3.10	0.18	
						2003	2.80	3.30	54	3.06	0.19	
						2004	2.80	3.30	54	3.06	0.15	
						2005	2.70	3.30	58	3.01	0.18	
						2006	2.80	3.20	58	3.00	0.19	
6	U.S.-20	002070	282.837	284.000	N	1997	3.50	5.00	51	4.28	0.10	C.R.A.B.S.
						1998	3.40	5.00	51	4.23	0.08	1997
						1999	3.50	5.00	66	4.28	0.08	
						2000	3.50	5.00	66	4.28	0.07	
						2001	3.40	4.40	66	3.92	0.07	
						2002	3.20	4.00	66	3.61	0.07	
						2003	3.20	3.90	54	3.56	0.07	
						2004	3.10	3.30	54	3.20	0.07	
						2005	3.10	3.30	65	3.20	0.07	
						2006	3.30	3.30	65	3.30	0.06	
6	U.S.-20	002070	284.000	288.700	N	1997	3.60	5.00	43	4.33	0.07	C.R.A.B.S.
						1998	3.50	5.00	43	4.28	0.07	1997
						1999	3.60	5.00	65	4.33	0.06	
						2000	3.60	5.00	65	4.33	0.06	
						2001	3.60	4.70	65	4.17	0.07	
						2002	3.30	4.70	65	4.03	0.06	
						2003	3.30	4.60	54	3.98	0.06	
						2004	3.20	4.40	54	3.82	0.07	
						2005	3.20	4.30	60	3.77	0.07	
						2006	3.40	4.30	60	3.87	0.06	
6	U.S.-20	002070	288.700	291.000	N	1997	3.80	5.00	50	4.42	0.06	C.R.A.B.S.
						1998	3.60	5.00	50	4.33	0.06	1997
						1999	3.60	5.00	65	4.33	0.05	
						2000	3.60	5.00	65	4.33	0.07	
						2001	3.60	5.00	65	4.33	0.06	
						2002	3.40	4.80	65	4.13	0.06	
						2003	3.30	4.80	54	4.08	0.06	
						2004	3.30	4.00	54	3.66	0.05	
						2005	3.30	4.00	59	3.66	0.08	
						2006	3.40	4.00	59	3.71	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS							
6	U.S.-20	002070	291.000	294.000	N	1997	3.20	3.30	41	3.25	0.26	C.R.A.B.S.	1997							
						1998	3.10	3.30	41	3.20	0.29									
						1999	3.10	2.90	50	2.99	0.35									
						*2000	3.10	2.90	50	2.99	0.37									
						2001	3.50	5.00	62	4.28	0.05									
						2002	3.20	4.50	62	3.88	0.05									
						2003	3.20	4.50	54	3.88	0.05									
						2004	3.20	3.00	54	3.09	0.05									
						2005	3.10	2.90	62	2.99	0.06									
						2006	3.20	2.90	62	3.04	0.07									
						6	U.S.-20	002070	294.000	301.105	N	1997		3.20	3.30	41	3.25	0.26		2001
												1998		3.10	3.30	41	3.20	0.29		
1999	3.10	2.90	50	2.99	0.35															
*2000	3.10	2.90	50	2.99	0.37															
2001	3.30	5.00	50	4.18	0.11							C.R.A.B.S.								
2002	3.30	5.00	50	4.19	0.13															
2003	3.20	5.00	54	4.14	0.13															
2004	3.20	5.00	54	4.14	0.11															
2005	3.20	5.00	57	4.14	0.15															
2006	3.30	5.00	57	4.18	0.14															
6	U.S.-20	002070	301.105	301.350	N							1997	3.20	3.30	41	3.25	0.26			
												1998	3.10	3.30	41	3.20	0.29			
						1999	3.10	2.90	50	2.99	0.35									
						*2000	3.10	2.90	50	2.99	0.37									
						2001	3.30	2.90	50	3.09	0.06									
						2002	3.30	2.90	50	3.09	0.08									
						2003	3.20	2.90	54	3.04	0.10									
						2004	3.40	2.90	54	3.13	0.08									
						2005	3.40	2.90	57	3.13	0.11									
						2006	3.40	2.90	57	3.13	0.08									
						6	U.S.-20	002070	301.350	303.600	N	1997	3.90	5.00	54	4.47	0.06			
												1998	3.90	5.00	54	4.47	0.08			
1999	3.90	5.00	41	4.47	0.09															
2000	4.00	5.00	41	4.52	0.13															
2001	4.00	5.00	41	4.52	0.13															
2002	3.80	5.00	41	4.42	0.14															
2003	3.80	5.00	54	4.42	0.17															
2004	3.60	5.00	54	4.32	0.11															
2005	3.60	5.00	33	4.32	0.19															
2006	3.80	5.00	33	4.42	0.17															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	303.600	305.011	N	1997	4.00	5.00	43	4.51	0.06	
						1998	3.30	5.00	43	4.18	0.09	
						1999	3.90	5.00	56	4.47	0.07	
						2000	3.90	5.00	56	4.47	0.10	
						2001	3.90	5.00	56	4.47	0.09	
						2002	3.60	5.00	56	4.32	0.10	
						2003	3.50	5.00	54	4.27	0.10	
						2004	3.40	5.00	54	4.22	0.09	
						2005	3.40	5.00	37	4.27	0.13	
						2006	3.50	5.00	37	4.31	0.11	
6	U.S.-20	002070	305.011	305.566	N	1997	3.10	5.00	40	4.13	0.08	
						1998	3.10	5.00	40	4.13	0.04	
						1999	2.70	5.00	40	3.95	0.12	
						2000	3.10	5.00	56	4.13	0.14	
						2001	3.00	5.00	56	4.08	0.13	
						2002	2.90	5.00	56	4.03	0.13	
						2003	2.90	5.00	54	4.03	0.14	
						2004	2.90	5.00	54	4.03	0.14	
						2005	3.00	5.00	37	4.08	0.17	
						2006	2.90	5.00	37	4.03	0.17	
6	U.S.-20	002070	305.566	306.056	N	1997	3.30	5.00	41	4.22	0.08	
						1998	3.00	5.00	41	4.08	0.19	
						1999	3.00	5.00	50	4.08	0.04	
						2000	3.20	5.00	50	4.17	0.06	
						2001	3.10	5.00	50	4.12	0.03	
						2002	3.30	4.80	50	4.10	0.04	
						2003	3.30	4.80	54	4.15	0.03	
						2004	3.20	4.40	54	3.87	0.06	
						2005	3.10	4.40	37	3.83	0.05	
						2006	3.30	4.40	37	3.92	0.06	
6	U.S.-20	002070	306.056	306.514	N	1997	2.90	4.50	34	3.80	0.12	
						1998	2.20	4.50	34	3.49	0.13	
						1999	2.80	4.50	40	3.76	0.20	
						2000	2.80	4.50	40	3.75	0.28	
						2001	2.60	4.50	40	3.66	0.26	
						2002	2.50	4.50	40	3.62	0.30	
						2003	2.40	4.50	54	3.57	0.31	
						2004	2.40	3.50	54	3.01	0.32	
						2005	2.20	3.50	37	2.92	0.33	
						2006	2.20	3.50	37	2.92	0.31	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-20	002070	306.514	306.900	N	1997	2.40	4.50	35	3.56	0.11		
						1998	2.40	4.50	35	3.56	0.11		
						1999	2.50	4.50	35	3.60	0.13		
						2000	2.50	4.50	40	3.60	0.13		
						2001	2.50	4.50	40	3.60	0.13		
						2002	2.40	4.40	40	3.51	0.21		
						2003	2.40	4.40	54	3.51	0.14		
						2004	2.40	4.20	54	3.40	0.20		
						2005	2.40	4.20	37	3.40	0.12		
						2006	2.30	4.20	37	3.35	0.20		
6	U.S.-20	002070	307.450	307.695	N	1997	2.40	3.00	33	2.73	0.11		
						1998	2.50	3.00	33	2.77	0.13		
						1999	2.40	3.00	47	2.73	0.15		
						2000	2.30	3.00	47	2.68	0.20		
						2001	3.20	3.00	47	3.08	1.23		
						2002	2.30	3.00	47	2.68	0.19	SEALCOAT	2002
						2003	2.40	3.00	54	2.72	0.18		
						2004	2.40	3.00	54	2.72	0.24		
						2005	2.30	3.00	37	2.68	0.27		
						2006	2.30	3.00	37	2.68	0.25		
6	U.S.-20	002070	307.695	308.709	ASC	1997	2.50	4.00	35	3.31	0.06		
						1998	2.30	4.00	35	3.22	0.08		
						1999	2.30	4.00	46	3.21	0.10		
						2000	2.40	3.50	46	2.98	0.11		
						2001	2.30	3.50	46	2.94	0.10		
						2002	2.50	3.50	46	3.03	0.14	SEALCOAT	2002
						2003	2.40	3.50	54	2.99	0.14		
						2004	2.30	3.50	54	2.94	0.11		
						2005	2.30	3.50	37	2.93	0.13		
						2006	2.50	3.50	37	3.03	0.12		
6	U.S.-20	002070	307.695	308.709	DES	1997	2.80	4.00	34	3.44	0.11		
						1998	2.80	4.00	34	3.44	0.11		
						1999	2.80	4.00	50	3.44	0.13		
						2000	2.80	4.00	50	3.44	0.14		
						2001	3.90	4.00	50	3.95	1.47		
						2002	2.90	4.00	50	3.49	0.14	SEALCOAT	2002
						2003	2.40	4.00	54	3.26	0.15		
						2004	2.40	4.00	54	3.25	0.14		
						2005	2.40	4.00	37	3.24	0.14		
						2006	2.90	4.00	37	3.49	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-20	002070	308.709	309.134	ASC	1997	3.30	3.50	37	3.40	0.12	
						1998	3.30	3.50	37	3.40	0.14	
						1999	3.30	3.50	47	3.40	0.15	
						2000	3.30	3.50	47	3.40	0.17	
						2001	3.30	2.60	47	2.91	0.16	
						2002	3.30	2.50	47	2.86	0.20	SEALCOAT 2002
						2003	3.20	2.50	54	2.81	0.14	
						2004	3.20	5.00	54	4.18	0.09	PLANT MIX OVERLAY 2004
						2005	3.20	5.00	37	4.17	0.12	
						2006	3.60	4.00	37	3.81	0.10	PLANT MIX OVERLAY 2006
6	U.S.-20	002070	308.709	309.134	DES	1997	3.40	3.50	34	3.45	0.16	
						1998	3.30	3.50	34	3.40	0.18	
						1999	3.30	3.50	49	3.40	0.19	
						2000	3.40	3.50	49	3.45	0.19	
						2001	4.40	3.50	49	3.90	1.60	
						2002	3.40	3.50	49	3.45	0.25	SEALCOAT 2002
						2003	3.30	3.50	54	3.40	0.21	
						2004	3.30	3.50	54	3.40	0.20	PLANT MIX OVERLAY 2004
						2005	3.40	3.50	37	3.45	0.22	
						2006	3.30	5.00	37	4.21	0.26	PLANT MIX OVERLAY 2006
6	U.S.-20	002070	309.134	310.635	ASC	1997	3.80	4.00	51	3.90	0.13	
						1998	3.70	4.00	51	3.85	0.15	
						1999	3.80	4.00	53	3.90	0.14	
						2000	3.80	4.00	53	3.90	0.15	
						2001	3.80	4.00	53	3.90	0.17	
						2002	3.60	4.00	53	3.80	0.17	SEALCOAT 2002
						2003	3.60	4.00	54	3.80	0.14	
						*2004	3.60	5.00	54	4.32	0.10	PLANT MIX OVERLAY 2004
						2005	3.80	5.00	37	4.41	0.03	
						2006	3.80	5.00	37	4.41	0.03	PLANT MIX OVERLAY 2006
6	U.S.-20	002070	309.134	310.635	DES	1997	3.30	4.00	48	3.66	0.12	
						1998	3.30	4.00	48	3.66	0.15	
						1999	3.30	4.00	49	3.66	0.16	
						2000	3.30	4.00	49	3.66	0.19	
						2001	4.50	4.00	49	4.24	1.58	
						2002	3.20	4.00	49	3.61	0.24	SEALCOAT 2002
						2003	3.10	4.00	54	3.56	0.26	
						*2004	3.10	4.00	54	3.56	0.27	PLANT MIX OVERLAY 2004
						2005	3.10	4.40	36	3.77	0.26	
						2006	3.40	5.00	36	4.22	0.31	PLANT MIX OVERLAY 2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS					
										INDEX	DEPTH							
6	U.S.-20	002070	310.635	312.007	ASC	1997	3.20	3.50	44	3.35	0.20							
						1998	3.20	3.50	44	3.35	0.23							
						1999	3.20	3.50	49	3.35	0.25							
						2000	3.20	3.50	49	3.35	0.31							
						*2001	3.20	3.50	49	3.35	0.26							
						2002	3.00	3.50	49	3.25	0.31							
						2003	3.00	3.50	54	3.25	0.36							
						*2004	3.50	5.00	54	4.27	0.13	PLANT MIX OVERLAY	2004					
						2005	3.70	5.00	40	4.36	0.21	NEW CONST OR RECONST (FLEX)	2005					
						2006	3.50	5.00	40	4.27	0.11	PLANT MIX OVERLAY	2006					
						6	U.S.-20	002070	310.635	312.007	DES	1997	3.80	4.00	43	3.90	0.09	
												1998	3.70	4.00	43	3.85	0.13	
1999	3.80	4.00	47	3.90	0.16													
2000	3.80	4.00	47	3.90	0.16													
*2001	4.70	4.00	47	4.33	1.50													
2002	3.60	4.00	47	3.80	0.17													
2003	3.60	4.00	54	3.80	0.20													
*2004	3.50	4.00	54	3.75	0.21							PLANT MIX OVERLAY	2004					
2005	3.60	5.00	40	4.32	0.12							NEW CONST OR RECONST (FLEX)	2005					
2006	3.50	5.00	40	4.27	0.06							PLANT MIX OVERLAY	2006					
6	U.S.-20	002070	312.007	317.360	ASC							1997	3.20	3.50	44	3.35	0.20	
												1998	3.20	3.50	44	3.35	0.23	
						1999	3.20	3.50	49	3.35	0.25	SEALCOAT	1999					
						2000	3.20	3.50	49	3.35	0.31							
						*2001	3.20	3.50	49	3.35	0.26							
						2002	3.00	3.50	49	3.25	0.31							
						2003	3.00	3.50	54	3.25	0.36							
						*2004	3.50	5.00	54	4.27	0.13	PLANT MIX OVERLAY	2004					
						2005	3.60	5.00	40	4.31	0.13	NEW CONST OR RECONST (FLEX)	2005					
						2006	3.80	5.00	40	4.41	0.09	PLANT MIX OVERLAY	2006					
						6	U.S.-20	002070	312.007	317.360	DES	1997	3.80	4.00	43	3.90	0.09	
												1998	3.70	4.00	43	3.85	0.13	
1999	3.80	4.00	47	3.90	0.16							SEALCOAT	1999					
2000	3.80	4.00	47	3.90	0.16													
*2001	4.70	4.00	47	4.33	1.50													
2002	3.60	4.00	47	3.80	0.17													
2003	3.60	4.00	54	3.80	0.20													
*2004	3.50	4.00	54	3.75	0.21							PLANT MIX OVERLAY	2004					
2005	3.50	4.50	35	4.01	0.14							NEW CONST OR RECONST (FLEX)	2005					
2006	3.50	4.50	35	4.01	0.16							PLANT MIX OVERLAY	2006					

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS					
6	U.S.-20	002070	317.360	318.550	ASC	1997	3.20	3.50	44	3.35	0.20							
						1998	3.20	3.50	44	3.35	0.23	SEALCOAT	1999					
						1999	3.20	3.50	49	3.35	0.25							
						2000	3.20	3.50	49	3.35	0.31							
						*2001	3.20	3.50	49	3.35	0.26							
						2002	3.00	5.00	45	4.02	0.16	NEW CONST OR RECONST (FLEX)	2002					
						2003	3.00	5.00	54	4.02	0.18							
						2004	3.00	5.00	54	4.02	0.09	PLANT MIX OVERLAY	2004					
						2005	3.00	5.00	35	4.02	0.09							
						2006	3.10	4.80	35	3.97	0.10	PLANT MIX OVERLAY	2006					
						6	U.S.-20	002070	317.360	318.550	DES	1997	3.80	4.00	43	3.90	0.09	
												1998	3.70	4.00	43	3.85	0.13	SEALCOAT
1999	3.80	4.00	47	3.90	0.16													
2000	3.80	4.00	47	3.90	0.16													
*2001	4.70	4.00	47	4.33	1.50													
2002	3.40	5.00	46	4.22	0.10							NEW CONST OR RECONST (FLEX)	2002					
2003	3.50	5.00	54	4.26	0.09													
2004	3.50	5.00	54	4.27	0.10							PLANT MIX OVERLAY	2004					
2005	3.50	4.70	56	4.11	0.08													
2006	3.50	4.70	56	4.11	0.09							PLANT MIX OVERLAY	2006					
6	U.S.-20	002070	318.550	320.088	ASC							1997	3.50	4.00	31	3.75	0.26	
												1998	3.30	4.00	31	3.66	0.39	SEALCOAT
						1999	3.40	4.00	45	3.70	0.35							
						2000	3.40	4.00	45	3.70	0.40							
						*2001	3.00	4.00	45	3.51	0.21							
						2002	3.30	4.00	46	3.65	0.37							
						2003	3.30	4.00	54	3.65	0.40							
						2004	4.10	5.00	54	4.56	0.04	PLANT MIX OVERLAY	2004					
						2005	4.10	5.00	48	4.55	0.04							
						2006	4.20	5.00	48	4.60	0.05	PLANT MIX OVERLAY	2006					
						6	U.S.-20	002070	318.550	320.088	DES	1997	3.60	4.00	34	3.80	0.12	
												1998	3.50	4.00	34	3.75	0.17	SEALCOAT
1999	3.60	4.00	46	3.80	0.19													
2000	3.60	4.00	46	3.80	0.21													
*2001	4.40	4.00	46	4.19	1.53													
2002	3.30	4.00	46	3.65	0.25													
2003	3.30	4.00	54	3.65	0.27													
2004	3.20	4.00	54	3.60	0.26							PLANT MIX OVERLAY	2004					
2005	3.30	3.70	44	3.50	0.28													
2006	3.30	5.00	44	4.16	0.31							PLANT MIX OVERLAY	2006					

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-20	002070	320.088	321.092	ASC	1997	3.30	2.00	29	2.62	0.12		
						1998	3.40	2.00	29	2.67	0.17	SEALCOAT	1999
						1999	3.40	2.00	39	2.67	0.15		
						2000	3.30	2.00	39	2.62	0.18		
						2001	3.30	2.00	39	2.62	0.19		
						2002	3.00	2.00	39	2.48	0.21		
						2003	3.00	2.00	54	2.48	0.17		
						2004	2.90	2.00	54	2.43	0.07	PLANT MIX OVERLAY	2004
						2005	2.70	1.90	44	2.28	0.07		
						2006	2.70	1.90	44	2.28	0.07	PLANT MIX OVERLAY	2006
6	U.S.-20	002070	320.088	321.092	DES	1997	2.80	2.40	31	2.59	0.09		
						1998	2.70	2.40	31	2.54	0.08	SEALCOAT	1999
						1999	2.70	2.20	40	2.44	0.07		
						2000	2.70	2.20	40	2.44	0.08		
						2001	4.50	2.20	40	3.30	1.32		
						2002	2.40	2.20	40	2.29	0.09		
						2003	2.40	2.20	54	2.29	0.07		
						2004	2.30	2.20	54	2.24	0.07	PLANT MIX OVERLAY	2004
						2005	2.40	2.20	26	2.29	0.08		
						2006	2.40	2.20	26	2.29	0.09	PLANT MIX OVERLAY	2006
6	U.S.-20	002070	321.092	322.052	ASC	1997	3.00	2.00	27	2.48	0.09		
						1998	3.00	2.00	27	2.48	0.06		
						1999	3.10	2.00	36	2.52	0.08		
						2000	3.10	2.00	36	2.53	0.07		
						2001	3.10	2.00	36	2.53	0.09		
						2002	2.70	2.00	36	2.33	0.05		
						2003	2.70	2.00	54	2.33	0.07		
						2004	2.60	2.00	54	2.29	0.09		
						2005	2.50	2.00	26	2.24	0.09		
						2006	2.40	2.00	26	2.19	0.08		
6	U.S.-20	002070	321.092	322.052	DES	1997	3.00	2.40	27	2.68	0.09		
						1998	2.90	2.40	27	2.64	0.08		
						1999	3.00	2.20	36	2.58	0.07		
						2000	2.80	2.20	36	2.48	0.07		
						2001	4.60	2.20	36	3.35	1.28		
						2002	2.30	2.20	36	2.24	0.09		
						2003	2.50	2.10	54	2.29	0.09		
						2004	2.40	2.10	54	2.24	0.08		
						2005	2.30	2.00	22	2.14	0.11		
						2006	2.30	1.90	22	2.09	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	U.S.-20	002070	322.052	325.860	ASC	1997	3.20	1.90	30	2.52	0.04							
						1998	3.20	1.90	30	2.52	0.03							
						1999	3.30	1.90	43	2.57	0.03							
						2000	3.10	1.80	43	2.42	0.04							
						2001	3.20	1.80	43	2.47	0.05							
						2002	2.70	1.80	43	2.23	0.04							
						2003	2.70	1.80	54	2.23	0.04							
						2004	2.60	1.80	54	2.18	0.03							
						2005	2.50	1.80	36	2.14	0.04							
						2006	2.30	1.80	36	2.04	0.05							
						6	U.S.-20	002070	322.052	325.860	DES	1997	3.40	1.90	25	2.62	0.08	
												1998	3.30	1.90	25	2.57	0.05	
1999	3.30	1.90	35	2.57	0.05													
2000	3.10	1.90	35	2.48	0.05													
2001	4.70	1.90	35	3.25	1.31													
2002	2.50	1.90	35	2.19	0.05													
2003	2.60	1.90	54	2.23	0.04													
2004	2.50	1.90	54	2.19	0.05													
2005	2.60	1.90	28	2.24	0.05													
2006	2.50	1.90	28	2.19	0.05													
6	U.S.-20	002070	325.860	326.274	ASC							1997	2.60	1.90	37	2.23	0.05	
												1998	2.60	1.80	37	2.18	0.05	
						1999	2.60	1.80	34	2.18	0.04							
						2000	2.50	1.80	34	2.13	0.06							
						2001	2.80	1.80	34	2.28	0.04							
						2002	2.50	1.80	34	2.13	0.04							
						2003	2.40	1.80	54	2.09	0.05							
						2004	2.40	1.80	54	2.09	0.03							
						2005	2.40	1.80	28	2.09	0.06							
						2006	2.30	1.80	28	2.04	0.06							
						6	U.S.-20	002070	325.860	326.274	DES	1997	3.00	1.90	29	2.43	0.04	
												1998	2.90	1.90	29	2.38	0.06	
1999	2.80	1.90	31	2.33	0.06													
2000	2.80	1.90	31	2.33	0.06													
2001	4.20	1.90	31	3.01	1.27													
2002	2.60	1.90	31	2.23	0.05													
2003	2.60	1.90	54	2.23	0.04													
2004	2.50	1.90	54	2.19	0.06													
2005	2.40	1.90	23	2.14	0.06													
2006	2.30	1.90	23	2.09	0.05													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS									
										INDEX	DEPTH										
6	U.S.-20	002070	326.274	327.640	ASC	1997	3.30	2.00	31	2.62	0.04	GRIND AND JOINT SEAL (CONC)	1997								
						1998	3.20	2.00	31	2.57	0.04										
						1999	3.00	2.00	35	2.48	0.04										
						2000	3.00	2.00	35	2.48	0.05										
						2001	3.10	1.90	35	2.47	0.05										
						2002	2.90	1.90	35	2.38	0.05										
						2003	2.70	1.90	54	2.28	0.05										
						2004	2.20	1.90	54	2.04	0.07										
						2005	2.30	1.90	23	2.09	0.06										
						2006	2.00	1.90	23	1.94	0.07										
						6	U.S.-20	002070	326.274	327.640	DES			1997	3.80	2.00	28	2.86	0.04	GRIND AND JOINT SEAL (CONC)	1997
														1998	3.70	2.00	28	2.82	0.04		
1999	3.80	2.00	32	2.86	0.04																
2000	3.80	2.00	32	2.86	0.04																
2001	4.70	2.00	32	3.30	1.39																
2002	3.30	2.00	32	2.62	0.04																
2003	3.30	2.00	54	2.62	0.06																
2004	3.00	2.00	54	2.48	0.06																
2005	2.80	2.00	26	2.38	0.05																
2006	2.60	2.00	26	2.29	0.05																
6	U.S.-20	002070	327.640	331.427	ASC							1997	3.50	4.00	35	3.75	0.05	GRIND AND JOINT SEAL (CONC)	1997		
												1998	3.50	4.00	35	3.75	0.03				
						1999	3.60	4.00	40	3.80	0.03										
						2000	3.70	4.00	40	3.85	0.03										
						2001	3.90	4.00	40	3.95	0.03										
						2002	3.60	4.00	40	3.80	0.03										
						2003	3.60	2.70	54	3.13	0.02										
						2004	3.50	2.40	54	2.93	0.03										
						2005	3.50	2.40	31	2.93	0.02										
						2006	3.50	2.40	31	2.93	0.02										
						6	U.S.-20	002070	327.640	331.427	DES	1997	3.50	3.00	27	3.24	0.05			GRIND AND JOINT SEAL (CONC)	1997
												1998	3.50	3.00	27	3.24	0.03				
1999	3.50	3.00	34	3.24	0.03																
2000	3.90	3.00	34	3.43	0.03																
2001	4.90	3.00	34	3.91	1.33																
2002	3.60	3.00	34	3.28	0.03																
2003	3.60	2.60	54	3.08	0.03																
2004	3.60	2.60	54	3.08	0.02																
2005	3.50	2.40	26	2.93	0.03																
2006	3.40	2.40	26	2.88	0.03																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
6	U.S.-20	002070	331.427	333.435	ASC	1997	2.90	4.50	32	3.78	0.05	
						1998	2.90	4.50	32	3.78	0.04	
						1999	2.90	4.50	43	3.78	0.04	
						2000	3.10	4.50	43	3.86	0.04	
						2001	3.90	4.50	43	4.22	0.03	
						2002	3.70	4.40	43	4.08	0.02	
						2003	3.70	4.40	54	4.08	0.03	
						2004	3.50	4.40	54	3.99	0.03	
						2005	3.50	4.40	37	3.99	0.03	
						2006	3.50	4.40	37	3.99	0.02	
6	U.S.-20	002070	331.427	333.435	DES	1997	3.00	4.30	25	3.71	0.05	
						1998	2.90	4.30	25	3.67	0.04	
						1999	3.00	4.30	42	3.71	0.04	
						2000	3.70	4.30	42	4.02	0.03	
						2001	4.80	4.30	42	4.52	1.35	
						2002	3.70	4.10	42	3.91	0.02	
						2003	3.80	3.90	54	3.85	0.03	
						2004	3.70	3.50	54	3.59	0.03	
						2005	3.60	3.40	29	3.49	0.03	
						2006	3.70	3.40	29	3.53	0.02	
6	U.S.-20	002070	333.435	334.438	ASC	1997	2.80	4.50	32	3.73	0.06	
						1998	2.70	4.50	32	3.69	0.04	
						1999	2.90	4.50	42	3.78	0.04	
						2000	2.80	4.50	42	3.73	0.04	
						2001	2.80	4.50	42	3.73	0.04	
						2002	3.40	4.50	42	4.00	0.02	
						2003	3.20	4.50	54	3.91	0.02	
						2004	3.30	2.70	54	2.96	0.03	
						2005	3.30	2.70	33	2.97	0.03	
						2006	3.30	2.70	33	2.97	0.02	
6	U.S.-20	002070	333.435	334.438	DES	1997	2.80	4.50	30	3.73	0.04	
						1998	2.80	4.50	30	3.73	0.03	
						1999	2.80	4.50	38	3.73	0.04	
						2000	2.60	4.50	38	3.64	0.04	
						2001	4.60	4.50	38	4.54	1.28	
						2002	3.50	4.00	38	3.77	0.03	
						2003	3.20	2.80	54	2.98	0.04	
						2004	3.20	2.80	54	2.97	0.03	
						2005	3.20	2.80	34	2.98	0.04	
						2006	3.20	2.80	34	2.98	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	334.438	334.984	ASC	1997	2.90	3.50	32	3.21	0.05	
						1998	2.80	3.50	32	3.18	0.03	
						1999	3.00	3.50	41	3.26	0.07	
						2000	2.80	3.50	41	3.18	0.04	
						2001	2.90	3.50	41	3.23	0.03	
						2002	3.40	3.50	41	3.45	0.02	
						2003	3.50	3.50	54	3.50	0.02	
						2004	3.40	3.50	54	3.45	0.03	
						2005	3.40	3.50	34	3.45	0.02	
						2006	3.50	3.50	34	3.50	0.01	
6	U.S.-20	002070	334.438	334.984	DES	1997	2.90	3.50	30	3.21	0.09	
						1998	2.90	3.50	30	3.23	0.08	
						1999	2.70	3.50	41	3.11	0.06	
						2000	2.60	3.50	41	3.09	0.09	
						2001	4.80	3.50	41	4.08	1.31	
						2002	3.50	3.50	41	3.50	0.03	
						2003	3.60	3.50	54	3.54	0.04	
						2004	3.60	3.50	54	3.54	0.03	
						2005	3.70	3.50	43	3.59	0.03	
						2006	3.80	3.50	43	3.63	0.06	
6	U.S.-20	002070	334.984	335.361	ASC	1997	2.80	5.00	40	3.94	0.05	
						1998	2.80	5.00	40	4.01	0.03	
						1999	2.80	5.00	43	3.94	0.06	
						2000	2.70	4.50	43	3.69	0.04	
						2001	2.80	4.50	43	3.73	0.04	
						2002	3.40	4.50	43	4.00	0.02	
						2003	3.50	4.50	54	4.04	0.02	
						2004	3.40	3.50	54	3.45	0.03	
						2005	3.40	3.50	43	3.45	0.01	
						2006	3.40	3.50	43	3.45	0.01	
6	U.S.-20	002070	334.984	335.361	DES	1997	2.90	4.50	33	3.73	0.03	
						1998	2.90	4.50	33	3.78	0.04	
						1999	2.90	4.50	35	3.73	0.03	
						2000	2.70	4.50	35	3.69	0.05	
						2001	4.70	4.00	35	4.31	1.39	
						2002	3.60	4.00	35	3.82	0.02	
						2003	3.60	3.10	54	3.32	0.03	
						2004	3.60	3.10	54	3.32	0.01	
						2005	3.70	3.10	41	3.37	0.03	
						2006	3.40	3.00	41	3.18	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	U.S.-20	002070	335.361	336.859	ASC	*1997	3.00	2.00	31	2.48	0.06							
						1998	2.90	4.50	35	3.77	0.05							
						1999	3.00	4.50	39	3.77	0.05							
						2000	2.80	4.50	39	3.73	0.04							
						2001	2.80	4.50	39	3.73	0.04							
						2002	3.00	4.50	39	3.82	0.03							
						2003	3.50	4.50	54	4.04	0.03	GRIND AND JOINT SEAL (CONC)	2003					
						2004	3.50	3.50	54	3.50	0.04							
						2005	3.60	3.30	41	3.43	0.03							
						2006	3.50	3.30	41	3.39	0.03							
						6	U.S.-20	002070	335.361	336.859	DES	*1997	2.90	3.50	28	3.21	0.07	
												1998	2.90	3.50	28	3.22	0.04	
1999	2.90	3.50	38	3.21	0.04													
2000	2.70	3.50	38	3.13	0.07													
2001	4.80	3.50	38	4.08	1.32													
2002	2.60	3.50	38	3.09	0.04													
2003	2.80	3.50	54	3.18	0.05							GRIND AND JOINT SEAL (CONC)	2003					
2004	3.60	3.50	54	3.54	0.02													
2005	3.50	3.50	35	3.50	0.03													
2006	3.70	3.50	35	3.59	0.03													
6	U.S.-20	002070	336.859	338.165	ASC							*1997	3.00	2.00	31	2.48	0.06	
												1998	3.10	1.80	27	2.42	0.05	
						1999	3.10	1.80	39	2.42	0.06							
						2000	3.00	1.80	39	2.37	0.05							
						2001	3.10	1.80	39	2.42	0.04							
						2002	2.50	1.80	39	2.13	0.07							
						2003	3.30	1.80	54	2.52	0.04	GRIND AND JOINT SEAL (CONC)	2003					
						2004	3.60	1.80	54	2.66	0.05							
						2005	3.70	1.80	35	2.71	0.04							
						2006	3.70	1.80	35	2.71	0.04							
						6	U.S.-20	002070	336.859	338.165	DES	*1997	2.90	3.50	28	3.21	0.07	
												1998	2.80	3.50	28	3.16	0.06	
1999	2.90	2.30	40	2.58	0.06													
2000	2.70	2.30	40	2.49	0.06													
2001	4.70	2.30	40	3.45	1.39													
2002	2.20	2.30	40	2.25	0.05													
2003	2.20	2.00	54	2.09	0.04							GRIND AND JOINT SEAL (CONC)	2003					
2004	3.80	2.00	54	2.86	0.05													
2005	3.80	2.00	32	2.86	0.06													
2006	3.90	2.00	32	2.91	0.06													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	338.165	338.332	ASC	1997	3.40	1.90	27	2.62	0.05	
						1998	3.50	1.90	27	2.66	0.06	
						1999	3.60	1.90	27	2.71	0.05	
						2000	3.40	1.90	40	2.62	0.05	
						2001	3.70	1.90	40	2.76	0.04	
						2002	3.10	1.90	40	2.47	0.07	
						2003	3.40	1.90	54	2.62	0.07	GRIND AND JOINT SEAL (CONC)
						2004	3.70	1.90	54	2.76	0.06	
						2005	3.90	1.90	32	2.86	0.05	
						2006	3.90	1.90	32	2.86	0.08	
6	U.S.-20	002070	338.165	338.332	DES	1997	2.60	2.00	31	2.28	0.08	
						1998	2.70	2.00	31	2.33	0.05	
						1999	2.70	2.00	31	2.33	0.07	
						2000	2.60	2.00	40	2.28	0.07	
						2001	4.60	2.00	40	3.24	1.41	
						2002	2.20	2.00	40	2.09	0.05	
						2003	2.40	1.90	54	2.14	0.05	GRIND AND JOINT SEAL (CONC)
						2004	4.00	1.90	54	2.90	0.05	
						2005	3.90	1.90	32	2.86	0.06	
						2006	4.00	1.90	32	2.90	0.06	
6	U.S.-20	002070	338.332	338.927	ASC	1997	2.90	2.00	26	2.43	0.09	
						1998	3.10	2.00	26	2.52	0.09	
						1999	3.10	2.00	34	2.52	0.05	
						2000	2.90	2.00	34	2.43	0.07	
						2001	3.30	2.00	34	2.62	0.06	
						2002	2.40	2.00	34	2.19	0.08	
						2003	3.20	2.00	54	2.57	0.05	GRIND AND JOINT SEAL (CONC)
						2004	3.50	2.00	54	2.72	0.06	
						2005	3.60	2.00	39	2.76	0.06	
						2006	3.60	2.00	39	2.76	0.06	
6	U.S.-20	002070	338.332	338.927	DES	1997	2.80	2.00	28	2.38	0.06	
						1998	2.90	2.00	28	2.43	0.06	
						1999	2.90	1.90	39	2.38	0.07	
						2000	2.70	1.90	39	2.28	0.08	
						2001	4.60	1.90	39	3.19	1.43	
						2002	2.30	1.90	39	2.09	0.08	
						2003	2.20	1.70	54	1.94	0.08	GRIND AND JOINT SEAL (CONC)
						2004	3.70	1.70	54	2.66	0.05	
						2005	3.70	1.70	36	2.66	0.06	
						2006	3.80	1.70	36	2.70	0.05	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	338.927	340.080	ASC	1997	3.00	1.90	24	2.42	0.08	
						1998	3.00	1.80	24	2.37	0.04	
						1999	3.10	1.80	37	2.42	0.05	
						2000	2.90	1.50	37	2.17	0.04	
						2001	3.10	1.50	37	2.26	0.04	
						2002	2.40	1.50	37	1.93	0.06	
						2003	3.30	1.50	54	2.36	0.05	GRIND AND JOINT SEAL (CONC)
						2004	3.60	1.50	54	2.50	0.05	
						2005	3.70	1.50	36	2.55	0.05	
						2006	3.70	1.50	36	2.55	0.05	
6	U.S.-20	002070	338.927	340.080	DES	1997	3.00	2.00	28	2.47	0.06	
						1998	3.00	2.00	28	2.47	0.06	
						1999	3.00	2.00	40	2.47	0.07	
						2000	2.90	2.00	40	2.43	0.05	
						2001	4.60	2.00	40	3.24	1.41	
						2002	2.40	2.00	40	2.19	0.07	
						2003	2.40	2.00	54	2.19	0.07	GRIND AND JOINT SEAL (CONC)
						2004	3.80	1.60	54	2.65	0.04	
						2005	3.80	1.60	31	2.65	0.05	
						2006	3.80	1.60	31	2.65	0.04	
6	U.S.-20	002070	340.080	343.350	ASC	1997	4.10	5.00	44	4.56	0.09	
						1998	4.00	4.40	44	4.20	0.13	
						1999	4.00	4.40	34	4.20	0.13	
						2000	4.00	4.00	34	4.00	0.16	
						2001	4.00	4.00	34	4.00	0.16	
						2002	3.60	3.00	34	3.28	0.19	
						2003	3.50	2.40	54	2.92	0.21	SEALCOAT
						2004	3.40	2.40	54	2.87	0.20	
						2005	3.40	2.40	49	2.87	0.20	GRIND AND JOINT SEAL (CONC)
						2006	3.40	2.40	49	2.87	0.23	
6	U.S.-20	002070	340.080	343.350	DES	1997	3.70	4.00	35	3.85	0.03	
						1998	3.60	4.00	35	3.80	0.06	
						1999	3.60	4.00	46	3.80	0.04	
						2000	3.50	4.00	46	3.76	0.05	
						2001	4.80	3.90	46	4.33	1.38	
						2002	2.90	3.60	46	3.26	0.04	
						2003	3.00	3.20	54	3.10	0.04	SEALCOAT
						2004	3.60	3.00	54	3.28	0.08	
						2005	4.00	3.00	37	3.47	0.07	GRIND AND JOINT SEAL (CONC)
						2006	4.10	2.60	37	3.31	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-20	002070	343.350	344.308	ASC	1997	3.30	4.50	34	3.92	0.04		
						1998	3.40	4.50	34	3.97	0.04		
						1999	3.30	4.50	47	3.92	0.04		
						2000	3.20	4.50	47	3.87	0.04		
						2001	3.30	4.50	47	3.92	0.05		
						2002	2.80	4.10	47	3.47	0.05		
						2003	2.80	3.70	54	3.26	0.04	SEALCOAT	2003
						2004	2.80	3.70	54	3.26	0.04		
						2005	3.50	2.40	37	2.92	0.05	GRIND AND JOINT SEAL (CONC)	2005
						2006	3.60	2.30	37	2.92	0.06		
6	U.S.-20	002070	343.350	344.308	DES	1997	3.50	4.50	25	4.02	0.05		
						1998	3.50	4.50	25	4.02	0.06		
						1999	3.50	4.50	35	4.02	0.05		
						2000	3.30	4.50	35	3.92	0.06		
						2001	4.80	4.50	35	4.64	1.38		
						2002	2.70	4.30	35	3.53	0.02		
						2003	3.00	2.30	54	2.63	0.05	SEALCOAT	2003
						2004	3.00	2.30	54	2.63	0.07		
						2005	3.70	2.30	38	2.97	0.06	GRIND AND JOINT SEAL (CONC)	2005
						2006	3.90	2.30	38	3.06	0.06		
6	U.S.-20	002070	344.308	345.357	ASC	1997	3.60	4.50	39	4.07	0.05		
						1998	3.60	4.50	39	4.07	0.04		
						1999	3.60	4.50	43	4.07	0.04		
						2000	3.40	4.50	43	3.97	0.05		
						2001	3.50	4.50	43	4.02	0.05		
						2002	3.00	3.50	43	3.26	0.04		
						2003	3.00	3.00	54	3.00	0.05		
						2004	3.00	2.30	54	2.63	0.04		
						2005	3.70	2.20	38	2.91	0.04	GRIND AND JOINT SEAL (CONC)	2005
						2006	3.90	2.20	38	3.01	0.05		
6	U.S.-20	002070	344.308	345.357	DES	1997	3.20	3.90	27	3.56	0.05		
						1998	3.20	3.90	27	3.56	0.04		
						1999	3.20	3.90	40	3.56	0.04		
						2000	3.10	3.90	40	3.51	0.04		
						2001	4.60	3.90	40	4.23	1.36		
						2002	2.70	3.30	40	3.01	0.04		
						2003	2.80	2.40	54	2.59	0.04		
						2004	2.80	2.40	54	2.59	0.04		
						2005	3.80	2.40	37	3.07	0.03	GRIND AND JOINT SEAL (CONC)	2005
						2006	4.00	2.40	37	3.16	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-20	002070	345.357	345.833	ASC	1997	3.50	4.50	37	4.02	0.05		
						1998	3.50	4.50	37	4.02	0.02		
						1999	3.50	4.50	53	4.02	0.03		
						2000	3.50	4.50	53	4.02	0.03		
						2001	3.40	4.30	53	3.87	0.03		
						2002	2.90	4.20	53	3.57	0.03		
						2003	3.00	2.40	54	2.68	0.02		
						2004	3.00	2.40	54	2.68	0.02		
						2005	3.60	2.30	37	2.92	0.04	GRIND AND JOINT SEAL (CONC)	2005
						2006	3.80	2.30	37	3.01	0.02		
6	U.S.-20	002070	345.357	345.833	DES	1997	3.60	4.00	39	3.80	0.05		
						1998	3.50	4.00	39	3.76	0.03		
						1999	3.60	4.00	52	3.80	0.04		
						2000	3.50	4.00	52	3.76	0.04		
						2001	4.80	4.00	52	4.38	1.39		
						2002	3.00	3.40	52	3.20	0.05		
						2003	2.90	3.00	54	2.95	0.04		
						2004	3.00	2.40	54	2.68	0.04		
						2005	3.80	2.40	57	3.06	0.02	GRIND AND JOINT SEAL (CONC)	2005
						2006	4.00	2.40	57	3.16	0.02		
6	U.S.-20	002070	345.833	348.082	ASC	1997	3.10	2.00	28	2.52	0.07		
						1998	3.00	2.00	28	2.47	0.05		
						1999	3.10	2.00	41	2.52	0.05		
						2000	2.90	2.00	41	2.43	0.05		
						2001	3.00	2.00	41	2.47	0.05		
						2002	2.40	2.00	41	2.19	0.04		
						2003	2.40	2.00	54	2.19	0.05		
						2004	2.40	2.00	54	2.19	0.06		
						2005	3.40	2.00	57	2.66	0.05	GRIND AND JOINT SEAL (CONC)	2005
						2006	3.60	1.90	57	2.71	0.05		
6	U.S.-20	002070	345.833	348.082	DES	1997	3.10	1.80	30	2.42	0.07		
						1998	3.10	1.80	30	2.42	0.05		
						1999	3.00	1.80	40	2.37	0.06		
						2000	3.00	1.80	40	2.37	0.05		
						2001	4.80	1.80	40	3.23	1.43		
						2002	2.40	1.80	40	2.08	0.07		
						2003	2.40	1.80	54	2.08	0.07		
						2004	2.50	1.80	54	2.13	0.08		
						2005	3.50	1.80	43	2.61	0.06	GRIND AND JOINT SEAL (CONC)	2005
						2006	3.70	1.80	43	2.70	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	349.000	352.938	ASC	1997	2.90	2.40	31	2.63	0.24	
						1998	2.80	2.40	31	2.59	0.29	
						1999	2.70	2.40	52	2.54	0.29	
						2000	2.70	2.40	52	2.54	0.33	
						2001	2.70	2.40	52	2.54	0.29	
						2002	2.40	2.30	52	2.34	0.30	
						2003	2.20	2.30	54	2.25	0.38	
						2004	2.90	5.00	54	3.99	0.25	NEW CONST OR RECONST (FLEX)
						2005	3.60	5.00	43	4.33	0.08	GRIND AND JOINT SEAL (CONC)
						2006	3.70	5.00	43	4.38	0.11	
6	U.S.-20	002070	349.000	352.938	DES	1997	3.30	2.50	29	2.88	0.20	
						1998	3.20	2.50	29	2.83	0.26	
						1999	3.00	2.30	44	2.63	0.29	
						2000	3.10	2.00	44	2.52	0.31	
						2001	4.50	2.00	44	3.19	1.71	
						2002	2.70	2.00	44	2.33	0.28	
						2003	2.60	2.00	54	2.28	0.32	
						2004	2.60	1.80	54	2.18	0.33	NEW CONST OR RECONST (FLEX)
						2005	2.50	1.80	37	2.13	0.33	GRIND AND JOINT SEAL (CONC)
						2006	2.50	1.70	37	2.08	0.35	
6	U.S.-20	002070	352.938	360.343	N	1997	3.50	2.40	42	2.92	0.19	
						1998	3.40	2.40	42	2.87	0.22	
						1999	3.30	2.40	56	2.82	0.21	
						2000	3.40	2.20	56	2.77	0.23	
						2001	3.30	2.20	56	2.72	0.24	
						2002	3.10	2.10	56	2.57	0.25	
						2003	3.00	2.10	54	2.53	0.27	
						2004	3.00	2.10	54	2.53	0.25	NEW CONST OR RECONST (FLEX)
						2005	3.60	5.00	37	4.32	0.05	C.R.A.B.S.
						2006	3.40	5.00	37	4.23	0.06	
6	U.S.-20	002070	360.343	360.572	N	1997	3.40	4.00	49	3.71	0.09	
						1998	3.50	4.00	49	3.76	0.09	
						1999	3.40	4.00	61	3.71	0.09	
						2000	3.50	4.00	61	3.76	0.11	
						2001	3.50	4.00	61	3.76	0.11	
						2002	3.30	3.50	61	3.40	0.05	
						2003	3.40	3.50	54	3.45	0.11	
						2004	3.40	3.00	54	3.19	0.10	
						2005	3.30	2.40	37	2.83	0.14	
						2006	3.30	2.30	37	2.77	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-20	002070	360.572	360.856	N	1997	3.40	5.00	45	4.23	0.07	
						1998	3.40	5.00	45	4.23	0.08	
						1999	3.50	5.00	45	4.28	0.06	
						2000	3.40	5.00	61	4.23	0.06	
						2001	3.40	5.00	61	4.23	0.06	
						2002	3.30	4.00	61	3.66	0.06	
						2003	3.30	4.00	54	3.66	0.08	
						2004	3.30	4.00	54	3.66	0.08	
						2005	3.30	4.00	37	3.66	0.10	
						2006	3.30	3.70	37	3.50	0.10	
6	U.S.-20	002070	360.856	361.063	N	1997	4.20	5.00	48	4.61	0.05	
						1998	3.80	5.00	48	4.42	0.03	
						1999	4.00	4.80	53	4.41	0.05	
						2000	3.60	4.80	53	4.22	0.07	
						2001	3.60	4.80	53	4.22	0.08	
						2002	3.30	3.80	53	3.56	0.09	
						2003	3.40	3.50	54	3.45	0.10	
						2004	3.30	3.50	54	3.40	0.11	
						2005	3.20	3.40	37	3.30	0.19	
						2006	3.30	3.40	37	3.35	0.24	PLANT MIX OVERLAY
6	U.S.-20	002070	361.063	363.500	N	1997	3.90	4.50	47	4.21	0.09	
						*1998	3.90	4.30	47	4.11	0.06	
						1999	3.90	5.00	62	4.47	0.04	
						2000	3.90	4.00	62	3.95	0.05	
						2001	3.90	3.40	62	3.63	0.05	
						2002	3.60	3.40	62	3.49	0.07	
						2003	3.60	2.50	54	3.02	0.06	
						2004	3.30	2.40	54	2.83	0.07	
						2005	3.40	2.40	53	2.87	0.08	
						2006	3.40	5.00	53	4.23	0.10	PLANT MIX OVERLAY
6	U.S.-20	002070	363.500	364.957	N	1997	3.90	4.50	47	4.21	0.09	
						*1998	3.90	4.30	47	4.11	0.06	
						1999	3.70	3.90	61	3.80	0.08	
						2000	3.70	3.90	61	3.80	0.09	
						2001	3.60	3.50	61	3.54	0.08	
						2002	3.10	3.40	61	3.25	0.08	
						2003	2.80	2.80	54	2.80	0.13	SEALCOAT
						2004	2.90	2.80	54	2.84	0.08	
						2005	3.00	2.80	53	2.89	0.09	
						2006	3.10	5.00	53	4.09	0.10	PLANT MIX OVERLAY

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-20	002070	364.957	366.000	N	1997	3.30	5.00	34	4.18	0.06		
						1998	3.20	5.00	34	4.14	0.09		
						1999	3.10	4.70	47	3.93	0.08		
						2000	3.20	3.50	47	3.35	0.10		
						2001	3.20	3.10	47	3.14	0.09		
						2002	2.90	3.10	47	3.00	0.11		
						2003	2.80	2.80	54	2.80	0.11	SEALCOAT	2003
						2004	2.90	2.80	54	2.84	0.10		
						2005	3.00	2.80	53	2.89	0.12		
						2006	3.20	5.00	53	4.14	0.11	PLANT MIX OVERLAY	2006
6	U.S.-20	002070	366.000	369.000	N	1997	3.30	5.00	34	4.18	0.06		
						1998	3.20	5.00	34	4.14	0.09		
						1999	3.10	4.70	47	3.93	0.08		
						2000	3.20	3.50	47	3.35	0.10		
						2001	3.20	3.10	47	3.14	0.09		
						2002	2.90	3.10	47	3.00	0.11		
						2003	2.80	2.80	54	2.80	0.11	SEALCOAT	2003
						2004	2.90	2.80	54	2.84	0.10		
						2005	3.00	2.80	53	2.89	0.12		
						2006	2.90	2.70	53	2.79	0.13		
6	U.S.-20	002070	369.000	374.200	N	1997	2.90	5.00	36	3.99	0.13	C.R.A.B.S.	1997
						1998	4.20	5.00	36	4.61	0.06		
						1999	4.00	5.00	66	4.52	0.05		
						2000	4.00	5.00	66	4.52	0.07		
						2001	4.00	5.00	66	4.52	0.08		
						2002	3.70	5.00	66	4.38	0.09		
						2003	3.60	5.00	54	4.33	0.10		
						2004	3.50	2.70	54	3.08	0.09		
						2005	3.50	2.70	59	3.08	0.14		
						2006	3.40	2.70	59	3.03	0.15		
6	U.S.-20	002070	374.200	377.100	N	1997	3.00	2.10	44	2.53	0.19	C.R.A.B.S.	1997
						1998	3.10	2.10	44	2.57	0.17		
						1999	3.40	2.10	57	2.71	0.15		
						*2000	3.00	2.10	57	2.52	0.19		
						2001	4.00	4.80	67	4.41	0.05		
						2002	3.80	4.80	67	4.32	0.05		
						2003	3.70	4.80	54	4.27	0.05		
						2004	3.60	2.90	54	3.23	0.06		
						2005	3.70	2.90	59	3.28	0.07		
						2006	3.60	2.90	59	3.23	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002070	377.100	378.412	N	1997	3.00	2.10	44	2.53	0.19	
						1998	3.10	2.10	44	2.57	0.17	
						1999	3.40	2.10	57	2.71	0.15	
						*2000	3.00	2.10	57	2.52	0.19	C.R.A.B.S.
						2001	3.10	5.00	63	4.09	0.23	
						2002	3.30	5.00	63	4.19	0.08	
						2003	3.40	4.90	54	4.18	0.12	
						2004	3.40	4.90	54	4.18	0.07	
						2005	3.50	4.90	59	4.23	0.07	
						2006	3.40	4.90	59	4.18	0.13	
6	U.S.-20	002070	378.412	379.856	N	1997	3.00	2.10	44	2.53	0.19	
						1998	3.10	2.10	44	2.57	0.17	
						1999	3.40	2.10	57	2.71	0.15	
						*2000	3.00	2.10	57	2.52	0.19	
						2001	4.00	5.00	52	4.52	0.20	NEW CONST OR RECONST (FLEX)
						2002	3.10	5.00	52	4.09	0.08	
						2003	3.20	5.00	54	4.13	0.09	
						2004	3.10	5.00	54	4.09	0.08	
						2005	3.20	5.00	59	4.14	0.08	
						2006	3.20	5.00	59	4.14	0.09	
6	U.S.-20	002070	379.856	390.700	N	1997	3.10	2.00	14	2.52	0.11	
						1998	3.00	2.00	14	2.47	0.14	
						1999	2.90	2.00	34	2.42	0.14	
						*2000	2.70	2.00	34	2.33	0.17	
						2001	3.70	5.00	32	4.37	0.17	C.R.A.B.S.
						2002	3.50	5.00	32	4.28	0.10	
						2003	3.50	5.00	54	4.28	0.10	
						2004	3.50	4.80	54	4.17	0.09	
						2005	3.50	4.80	30	4.17	0.10	
						2006	3.50	4.80	30	4.17	0.10	
6	U.S.-20	002070	390.700	394.700	N	1997	3.20	2.50	18	2.83	0.17	
						1998	3.10	2.50	18	2.78	0.20	
						1999	3.00	2.40	30	2.68	0.20	
						*2000	3.00	2.40	30	2.68	0.22	
						2001	3.80	5.00	31	4.42	0.27	C.R.A.B.S.
						2002	3.30	5.00	31	4.18	0.11	
						2003	3.40	4.90	54	4.18	0.09	
						2004	3.30	4.90	54	4.13	0.07	
						2005	3.40	4.90	29	4.18	0.09	
						2006	3.40	4.90	29	4.18	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
6	U.S.-20	002070	394.700	398.600	N	1997	4.30	5.00	30	4.66	0.11	
						1998	4.10	5.00	30	4.57	0.13	
						1999	4.10	5.00	39	4.57	0.14	SEALCOAT
						2000	4.10	5.00	39	4.57	0.15	
						2001	4.10	4.80	39	4.46	0.15	
						2002	3.90	4.80	39	4.37	0.15	
						2003	3.90	4.80	54	4.36	0.18	SEALCOAT
						2004	3.70	4.80	54	4.27	0.20	
						2005	3.80	4.80	37	4.32	0.19	
						2006	3.80	4.80	37	4.32	0.19	
6	U.S.-20	002070	398.600	402.270	N	1997	3.80	4.50	29	4.16	0.10	
						1998	3.80	4.50	29	4.16	0.13	
						1999	3.70	4.50	39	4.11	0.14	SEALCOAT
						2000	3.70	4.50	39	4.11	0.16	
						2001	3.60	4.50	39	4.07	0.16	
						2002	3.50	4.50	39	4.02	0.17	
						2003	3.50	4.50	54	4.02	0.20	SEALCOAT
						2004	3.40	4.50	54	3.97	0.20	
						2005	3.40	4.50	37	3.97	0.20	
						2006	3.50	4.50	37	4.02	0.20	
6	U.S.-20	002070	402.270	406.300	N	1997	3.90	5.00	32	4.47	0.07	
						1998	3.90	4.70	32	4.31	0.07	
						1999	3.90	4.70	39	4.31	0.08	SEALCOAT
						2000	3.90	4.70	39	4.31	0.09	
						2001	3.90	4.70	39	4.31	0.09	
						2002	3.70	4.70	39	4.22	0.09	
						2003	3.80	4.70	54	4.27	0.12	SEALCOAT
						2004	3.80	4.70	54	4.27	0.11	
						2005	3.70	4.70	40	4.22	0.10	
						2006	3.70	4.50	40	4.11	0.11	
6	U.S.-20	002073	002.270	002.751	N	1997	2.00	5.00	50	3.82	0.09	
						1998	1.40	5.00	50	3.59	0.08	
						1999	1.40	5.00	50	3.58	0.08	
						2000	1.20	5.00	39	3.50	0.09	
						2001	1.20	5.00	39	3.50	0.08	
						2002	1.60	4.80	39	3.52	0.09	
						2003	1.60	4.40	54	3.28	0.10	
						2004	1.50	4.40	54	3.24	0.08	
						2005	1.60	4.00	40	3.04	0.11	
						2006	1.30	4.00	40	2.83	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
6	U.S.-20	002073	002.751	003.294	N	1997	3.40	5.00	44	4.31	0.08	
						1998	2.90	5.00	44	4.10	0.10	
						1999	2.90	5.00	44	4.10	0.10	
						2000	2.80	5.00	39	4.05	0.10	
						2001	3.00	5.00	39	4.14	0.10	
						2002	3.20	4.50	39	3.93	0.12	
						2003	3.30	3.90	54	3.64	0.12	
						2004	3.10	5.00	54	4.17	0.05	
						2005	3.20	5.00	40	4.22	0.06	
						2006	3.20	5.00	40	4.16	0.07	
6	U.S.-20	002073	003.294	003.717	N	1997	3.60	5.00	46	4.40	0.06	
						1998	3.40	5.00	46	4.31	0.09	
						1999	3.10	5.00	46	4.18	0.10	
						2000	3.30	5.00	39	4.27	0.10	
						2001	3.50	5.00	39	4.35	0.11	
						2002	3.10	4.40	39	3.84	0.11	
						2003	3.10	4.40	54	3.84	0.11	
						2004	3.40	5.00	54	4.31	0.15	
						2005	3.10	5.00	40	4.18	0.08	
						2006	3.10	5.00	40	4.13	0.12	
6	U.S.-20	002075	320.860	321.092	N	1997	3.10	4.50	39	3.96	0.06	
						1998	2.90	4.50	39	3.88	0.07	
						1999	3.20	4.50	39	4.00	0.07	
						2000	3.00	4.50	39	3.92	0.07	
						2001	3.10	4.50	39	3.96	0.07	
						2002	2.60	4.50	39	3.77	0.08	SEALCOAT
						2003	2.60	4.50	54	3.75	0.07	
						2004	2.30	4.50	54	3.65	0.10	
						2005	2.10	4.50	40	3.58	0.06	
						2006	2.70	4.50	40	3.81	0.06	
6	U.S.-20	002075	321.092	321.372	N	1997	2.40	4.00	42	3.38	0.09	
						1998	2.00	4.00	42	3.22	0.11	
						1999	2.30	4.00	42	3.34	0.11	
						2000	2.30	4.00	39	3.34	0.09	
						2001	2.30	4.00	39	3.34	0.10	
						2002	2.50	3.70	39	3.23	0.09	SEALCOAT
						2003	2.40	3.70	54	3.19	0.10	
						2004	2.30	3.70	54	3.15	0.09	
						2005	2.30	3.70	40	3.15	0.10	
						2006	2.30	3.70	40	3.15	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
6	U.S.-20	002075	321.372	321.615	N	1997	1.30	3.00	44	2.35	0.13	
						1998	1.70	3.00	44	2.50	0.15	
						1999	1.10	3.00	44	2.27	0.18	
						2000	1.30	3.00	39	2.35	0.15	
						2001	1.30	3.00	39	2.35	0.19	
						2002	1.30	3.00	39	2.35	0.19	SEALCOAT
						2003	1.40	3.00	54	2.39	0.15	
						2004	1.50	3.00	54	2.42	0.17	
						2005	1.50	3.00	40	2.42	0.17	
						2006	1.20	3.00	40	2.31	0.23	
6	U.S.-20	002075	321.615	322.139	N	1997	2.90	4.50	37	3.88	0.21	
						1998	2.80	4.50	37	3.84	0.26	
						1999	2.90	4.50	37	3.88	0.26	
						2000	2.90	4.50	39	3.88	0.26	
						2001	2.90	4.50	39	3.88	0.28	
						2002	2.70	4.50	39	3.80	0.29	SEALCOAT
						2003	2.70	4.50	54	3.81	0.27	
						2004	2.80	4.50	54	3.84	0.27	
						2005	2.80	4.50	40	3.84	0.25	
						2006	2.70	4.50	40	3.80	0.28	
6	U.S.-20	002075	322.139	322.544	N	1997	2.80	4.50	31	3.78	0.13	
						1998	2.90	4.50	31	3.83	0.14	
						1999	2.80	4.50	31	3.78	0.15	
						2000	2.90	4.50	39	3.83	0.16	
						*2001	2.90	4.50	39	3.83	0.18	
						2002	2.30	4.50	39	3.58	0.15	SEALCOAT
						2003	2.20	4.50	54	3.54	0.15	
						2004	2.40	4.50	54	3.62	0.14	
						2005	2.50	4.50	40	3.65	0.12	
						2006	2.40	4.50	40	3.61	0.15	
6	U.S.-20	002075	345.971	346.261	N	1997	1.60	2.70	35	2.26	0.11	
						1998	0.90	2.70	35	1.99	0.09	
						1999	1.50	2.70	35	2.22	0.10	
						2000	1.50	2.70	39	2.22	0.10	
						2001	1.70	2.50	39	2.18	0.11	
						2002	0.90	2.20	39	1.68	0.12	
						2003	1.80	2.20	54	2.04	0.11	
						2004	1.80	1.90	54	1.86	0.10	
						2005	1.60	1.90	40	1.78	0.13	
						2006	1.60	1.90	40	1.78	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
6	U.S.-20	002075	346.261	346.565	N	1997	2.60	2.70	39	2.66	0.12		
						*1998	2.50	2.70	39	2.62	0.12		
						1999	2.60	2.70	39	2.66	0.11	NEW CONST OR RECONST (FLEX)	1999
						2000	2.60	2.50	39	2.53	0.14		
						*2001	2.70	2.50	39	2.57	0.12		
						2002	2.70	2.20	39	2.38	0.12		
						2003	2.00	2.20	54	2.12	0.13		
						2004	2.00	1.90	54	1.93	0.13		
						2005	1.80	1.90	40	1.86	0.15		
						2006	2.10	1.90	40	1.97	0.14		
6	U.S.-20	002075	346.632	346.756	N	1997	2.90	2.50	33	2.66	0.51		
						*1998	2.80	2.50	33	2.62	0.57		
						1999	2.20	5.00	29	3.93	0.10	NEW CONST OR RECONST (FLEX)	1999
						2000	2.20	5.00	39	3.93	0.10		
						*2001	2.20	5.00	39	3.93	0.11		
						2002	2.50	5.00	39	4.05	0.09		
						2003	2.50	5.00	54	4.05	0.09		
						2004	2.50	5.00	54	4.05	0.09		
						2005	1.80	5.00	40	3.79	0.15		
						2006	2.10	5.00	40	3.90	0.14		
6	U.S.-20	002075	346.756	346.800	N	1997	2.90	2.50	33	2.66	0.51		
						*1998	2.80	2.50	33	2.62	0.57		
						1999	2.20	5.00	30	3.93	0.10		
						2000	2.20	5.00	39	3.93	0.10		
						2001	2.20	5.00	39	3.93	0.11		
						2002	2.50	5.00	39	4.05	0.09		
						2003	2.50	5.00	54	4.05	0.09		
						2004	2.50	5.00	54	4.05	0.09		
						2005	1.80	5.00	40	3.79	0.15		
						2006	2.10	2.40	40	2.28	0.14		
6	U.S.-20	002075	346.800	347.150	N	1997	2.90	2.50	33	2.66	0.51		
						*1998	2.80	2.50	33	2.62	0.57		
						1999	3.00	2.50	39	2.70	0.56		
						2000	3.00	2.50	39	2.70	0.52		
						2001	3.10	2.50	39	2.74	0.56		
						2002	2.90	2.50	39	2.66	0.51	SEALCOAT	2002
						2003	2.90	2.50	54	2.66	0.53		
						2004	2.90	2.40	54	2.60	0.48		
						2005	2.90	2.40	40	2.60	0.52		
						2006	2.80	2.30	40	2.50	0.55		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002075	347.150	348.850	N	1997	2.60	2.50	47	2.54	0.34	
						1998	2.50	2.50	47	2.50	0.33	
						1999	2.50	2.50	47	2.50	0.35	
						2000	2.60	2.50	39	2.54	0.38	
						2001	2.60	2.50	39	2.54	0.42	
						2002	2.50	2.40	39	2.44	0.35	SEALCOAT
						2003	2.20	2.40	54	2.31	0.32	
						2004	2.30	2.30	54	2.30	0.27	
						2005	2.20	2.30	40	2.25	0.29	
						2006	2.20	2.30	40	2.25	0.32	
6	U.S.-20	002240	248.555	248.808	N	1997	1.60	2.50	15	2.09	0.17	
						1998	1.80	2.50	15	2.18	0.24	
						1999	1.70	2.40	15	2.08	0.15	
						2000	1.50	2.40	49	1.99	0.35	
						2001	1.50	2.30	54	1.93	0.44	
						2002	1.80	2.30	54	2.07	0.32	
						2003	1.70	2.30	54	2.02	0.32	C.R.A.B.S.
						2004	2.90	5.00	54	4.05	0.13	
						2005	3.20	5.00	48	4.19	0.10	
						2006	3.20	5.00	48	4.19	0.18	
6	U.S.-20	002240	248.808	249.091	N	1997	2.60	2.70	29	2.65	0.16	
						1998	2.70	2.60	29	2.64	0.22	
						1999	2.50	2.50	26	2.50	0.20	
						2000	2.60	2.50	26	2.54	0.23	
						2001	2.50	2.40	26	2.44	0.25	
						2002	2.70	2.30	26	2.49	0.29	
						2003	2.60	2.30	54	2.44	0.31	C.R.A.B.S.
						2004	3.60	5.00	54	4.33	0.07	
						2005	3.70	5.00	48	4.37	0.09	
						2006	3.70	5.00	48	4.38	0.09	
6	U.S.-20	002240	249.091	252.900	N	1997	3.10	2.00	47	2.52	0.18	
						1998	3.00	2.00	47	2.47	0.25	
						1999	2.90	2.00	34	2.42	0.26	
						2000	3.00	2.00	34	2.47	0.28	
						2001	2.90	2.00	34	2.42	0.30	
						2002	2.80	2.00	34	2.38	0.29	
						*2003	2.70	2.00	54	2.33	0.31	C.R.A.B.S.
						2004	3.60	5.00	54	4.33	0.09	
						2005	3.70	5.00	48	4.38	0.13	
						2006	3.70	5.00	48	4.38	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	002240	252.900	253.900	N	1997	3.10	2.00	47	2.52	0.18	
						1998	3.00	2.00	47	2.47	0.25	
						1999	2.90	2.00	34	2.42	0.26	
						2000	3.00	2.00	34	2.47	0.28	SEALCOAT
						2001	2.90	2.00	34	2.42	0.30	
						2002	2.80	2.00	34	2.38	0.29	
						*2003	2.70	2.00	54	2.33	0.31	
						2004	3.10	5.00	54	4.09	0.13	
						2005	3.20	2.50	48	2.83	0.18	
						2006	3.10	2.50	48	2.78	0.17	
6	U.S.-20	002240	253.900	256.073	N	1997	3.80	3.80	35	3.80	0.19	
						1998	3.80	3.80	35	3.80	0.24	
						1999	3.70	2.90	47	3.28	0.21	
						2000	3.60	2.90	47	3.23	0.17	SEALCOAT
						2001	3.70	2.90	47	3.28	0.20	
						2002	3.40	2.90	47	3.13	0.22	
						2003	3.40	2.90	54	3.13	0.23	
						2004	3.20	2.40	54	2.78	0.20	
						2005	3.30	2.40	48	2.82	0.25	
						2006	3.40	2.40	48	2.87	0.24	
6	U.S.-20	002240	256.073	265.043	N	1997	3.60	4.00	38	3.80	0.15	
						1998	3.60	4.00	38	3.80	0.18	
						1999	3.60	3.20	50	3.38	0.18	
						2000	3.50	3.20	50	3.34	0.17	SEALCOAT
						2001	3.50	3.20	50	3.34	0.21	
						2002	3.30	3.20	50	3.24	0.18	
						2003	3.20	3.20	54	3.20	0.20	
						2004	3.10	2.40	54	2.73	0.14	
						2005	3.10	2.40	38	2.73	0.21	
						2006	3.30	2.40	38	2.82	0.22	
6	U.S.-20	002240	265.043	272.000	N	1997	3.30	3.50	42	3.40	0.26	
						1998	3.30	3.50	42	3.40	0.30	
						1999	3.20	3.30	56	3.25	0.30	
						2000	3.30	3.30	56	3.30	0.31	
						2001	3.20	3.20	56	3.20	0.30	
						2002	3.10	3.20	56	3.15	0.26	
						2003	3.00	3.20	54	3.10	0.26	
						2004	3.00	2.90	54	2.94	0.29	
						2005	2.90	2.90	38	2.90	0.31	
						2006	3.00	2.50	38	2.73	0.30	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-20	002240	333.044	333.341	N	1997	1.80	2.00	33	1.91	0.17	C.R.A.B.S.	1999
						*1998	2.30	4.00	32	3.25	0.05		
						1999	2.20	5.00	39	3.76	0.11		
						2000	2.50	4.50	39	3.61	0.10		
						2001	2.60	4.50	39	3.66	0.08		
						2002	2.20	4.50	39	3.48	0.11		
						2003	1.80	4.50	54	3.30	0.15		
						2004	2.10	4.50	54	3.43	0.09		
						2005	1.90	4.50	40	3.34	0.13		
						2006	1.70	4.50	40	3.25	0.14		
6	U.S.-20	002240	333.341	333.659	ASC	*1998	1.70	2.00	32	1.87	0.17	C.R.A.B.S.	2002
						1999	1.20	1.80	39	1.54	0.27		
						2000	1.10	1.80	39	1.49	0.27		
						2001	1.40	1.80	39	1.62	0.22		
						2002	3.00	5.00	39	4.14	0.10		
						2003	2.50	5.00	54	3.92	0.10		
						2004	2.30	5.00	54	3.83	0.10		
						2005	2.20	5.00	40	3.80	0.12		
						2006	2.60	5.00	40	3.97	0.11		
						6	U.S.-20	002240	333.341	333.659	DES		
1999	1.20	2.00	39	1.65	0.27								
2000	1.10	2.00	39	1.61	0.27								
2001	1.40	2.00	39	1.74	0.22								
2002	3.00	5.00	39	4.14	0.10								
2003	2.50	5.00	54	3.92	0.10								
2004	2.30	5.00	54	3.83	0.10								
2005	2.20	5.00	40	3.80	0.12								
2006	2.60	5.00	40	3.97	0.11								
6	U.S.-20	002240	333.659	334.374	N							1997	2.20
						1998	2.30	2.00	32	2.13	0.20		
						1999	2.20	2.00	39	2.08	0.25		
						2000	2.20	2.00	39	2.09	0.26		
						2001	2.30	2.00	39	2.13	0.17		
						2002	3.20	5.00	39	4.20	0.09		
						2003	2.90	5.00	54	4.06	0.11		
						2004	2.90	5.00	54	4.06	0.10		
						2005	3.00	5.00	40	4.11	0.12		
						2006	3.00	5.00	40	4.11	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-20	004140	001.430	001.472	N	1997	3.60	3.00	46	3.25	0.06	
						1998	3.40	3.00	46	3.16	0.09	
						1999	3.10	3.00	46	3.04	0.10	
						2000	3.30	3.00	39	3.12	0.10	
						2001	3.50	3.00	39	3.20	0.11	
						2002	3.10	3.00	39	3.04	0.11	
						2003	3.10	3.00	54	3.04	0.11	
						2005	3.10	3.00	40	3.04	0.08	
						2006	3.10	3.00	40	3.04	0.12	
						6	S.H.-22	002470	024.670	031.500	N	1997
						1998	2.60	2.00	42	2.24	0.24	
						1999	2.60	2.00	55	2.24	0.22	
						2000	3.10	2.00	55	2.44	0.21	
						2001	2.90	2.00	48	2.36	0.23	
						2002	3.90	2.50	48	3.06	0.05	
						2003	3.70	2.50	48	2.98	0.10	
						2004	3.70	2.50	48	2.98	0.07	
						2005	3.60	2.50	40	2.94	0.10	
						2006	3.70	2.50	40	2.98	0.11	
6	S.H.-22	002470	031.500	037.070	N	1997	3.20	2.00	38	2.48	0.17	
						1998	3.00	2.00	38	2.40	0.32	
						1999	3.10	2.00	41	2.45	0.27	
						2000	3.20	2.00	41	2.48	0.25	
						2001	3.10	2.00	44	2.44	0.25	
						2002	4.00	3.00	44	3.40	0.03	
						2003	3.80	3.00	44	3.32	0.08	
						2004	3.90	3.00	44	3.36	0.08	
						2005	3.80	3.00	40	3.32	0.11	
						2006	3.90	3.00	40	3.36	0.12	
6	S.H.-22	002470	037.070	038.258	N	1997	2.80	2.40	30	2.56	0.25	
						1998	2.70	2.40	30	2.52	0.34	
						1999	2.80	2.40	38	2.56	0.29	
						2000	2.90	2.40	38	2.60	0.28	
						2001	2.80	2.40	28	2.56	0.32	
						2002	3.70	2.40	28	2.92	0.04	
						2003	3.70	3.40	28	3.52	0.10	
						2004	3.90	3.40	28	3.60	0.06	
						2005	3.80	3.40	40	3.56	0.09	
						2006	3.90	3.40	40	3.60	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	S.H.-22	002470	038.258	042.744	N	1997	2.80	2.30	38	2.50	0.18							
						1998	2.70	2.30	38	2.46	0.21							
						1999	2.70	2.30	37	2.46	0.21							
						2000	2.80	2.30	37	2.50	0.22							
						2001	2.70	2.30	39	2.46	0.23							
						2002	3.80	2.30	39	2.91	0.08							
						2003	3.40	3.30	39	3.34	0.11							
						2004	3.50	3.30	39	3.38	0.10							
						2005	3.50	3.30	40	3.38	0.12							
						2006	3.50	3.30	40	3.38	0.12							
						6	S.H.-22	002470	042.744	045.438	N	1997	2.70	2.50	42	2.58	0.19	
												1998	2.50	2.50	42	2.50	0.17	
1999	2.40	2.50	47	2.45	0.21													
2000	3.10	2.50	47	2.74	0.19													
2001	2.90	2.50	46	2.66	0.20													
2002	3.90	2.50	46	3.07	0.09													
2003	3.80	3.00	46	3.32	0.10													
2004	3.80	3.00	46	3.32	0.08													
2005	3.70	3.00	40	3.28	0.11													
2006	3.80	3.00	40	3.32	0.11													
6	S.H.-22	002470	045.438	052.292	N							1997	3.10	3.00	48	3.04	0.19	
												1998	2.90	3.00	48	2.95	0.23	
						1999	3.00	3.00	52	3.00	0.22							
						2000	3.10	3.00	52	3.04	0.23							
						2001	2.90	3.00	50	2.95	0.24							
						2002	3.30	3.00	50	3.12	0.17							
						2003	3.30	3.00	50	3.12	0.19							
						2004	3.30	3.00	50	3.12	0.16							
						2005	3.20	3.00	40	3.08	0.19							
						2006	3.20	3.00	40	3.08	0.21							
						6	S.H.-22	002470	052.292	060.059	N	1997	3.50	2.40	46	2.85	0.24	
												1998	3.40	2.40	46	2.80	0.25	
1999	3.50	2.40	55	2.84	0.27													
2000	3.60	2.40	55	2.88	0.28													
2001	3.60	2.40	47	2.88	0.27													
2002	3.40	2.40	47	2.80	0.27													
2003	3.40	2.40	47	2.80	0.29													
2004	3.40	2.40	47	2.80	0.28													
2005	3.30	2.40	40	2.76	0.30													
2006	3.30	2.40	40	2.76	0.30													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-22	002470	060.059	068.606	N	1997	3.30	2.00	48	2.53	0.26		
						1998	3.30	2.00	48	2.53	0.30	PLANT MIX OVERLAY	1999
						1999	3.30	5.00	50	4.29	0.31		
						2000	3.90	5.00	50	4.54	0.13		
						2001	3.90	5.00	59	4.54	0.14		
						2002	3.80	5.00	59	4.50	0.13		
						2003	3.80	4.80	59	4.38	0.14		
						2004	3.80	4.60	59	4.26	0.13		
						2005	3.70	4.60	40	4.22	0.16		
						2006	3.80	4.60	40	4.26	0.16		
6	U.S.-26	002240	334.374	334.910	N	1997	2.40	2.30	41	2.34	0.23		
						1998	2.10	2.20	41	2.15	0.28	C.R.A.B.S.	2002
						1999	2.20	2.20	49	2.20	0.25		
						2000	2.20	2.20	49	2.20	0.35		
						2001	2.10	2.20	49	2.15	0.32		
						2002	3.00	5.00	49	4.12	0.08		
						2003	2.90	5.00	59	4.07	0.08		
						2004	3.00	5.00	59	4.12	0.10		
						2005	3.10	4.90	40	4.11	0.10		
						2006	3.00	4.90	40	4.07	0.10		
6	U.S.-26	002240	334.910	335.364	N	1997	2.40	5.00	52	3.89	0.05		
						1998	2.30	5.00	52	3.84	0.05		
						1999	2.10	5.00	47	3.75	0.05		
						2000	2.20	5.00	47	3.79	0.05		
						2001	2.20	5.00	47	3.79	0.04		
						2002	3.30	4.10	47	3.75	0.06		
						2003	2.20	3.60	59	3.00	0.06		
						2004	2.20	2.60	59	2.42	0.07		
						2005	2.10	2.40	40	2.27	0.07		
						2006	2.20	2.40	40	2.31	0.07		
6	U.S.-26	002240	335.364	336.596	N	1997	1.70	2.40	35	2.07	0.14		
						1998	1.70	2.40	35	2.07	0.17		
						1999	1.60	2.40	45	2.03	0.18		
						2000	1.80	2.40	45	2.12	0.19		
						2001	1.60	2.40	45	2.03	0.18		
						2002	2.30	2.40	45	2.35	0.16		
						2003	2.10	2.40	59	2.26	0.20		
						2004	2.20	2.40	59	2.30	0.19		
						2005	2.10	2.30	40	2.20	0.21		
						2006	2.20	2.20	40	2.20	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-26	002240	336.596	338.440	N	1997	2.60	2.80	35	2.70	0.09	
						1998	2.50	2.80	35	2.65	0.11	
						1999	2.40	2.80	46	2.60	0.11	
						2000	2.60	2.80	46	2.70	0.15	
						2001	2.50	2.60	46	2.55	0.12	
						2002	2.50	2.60	46	2.55	0.12	
						2003	2.60	2.60	59	2.60	0.13	
						2004	2.60	2.40	59	2.49	0.14	
						2005	2.50	2.40	40	2.44	0.14	
						2006	2.50	2.40	40	2.44	0.20	
6	U.S.-26	002240	338.440	343.355	N	1997	4.10	5.00	36	4.56	0.09	
						1998	4.10	5.00	36	4.56	0.12	
						1999	4.00	5.00	37	4.51	0.14	
						2000	4.10	5.00	37	4.56	0.14	
						2001	4.00	5.00	37	4.51	0.16	
						2002	3.70	4.80	37	4.26	0.16	
						2003	3.70	4.70	59	4.21	0.19	
						2004	3.70	4.00	59	3.85	0.18	
						2005	3.50	4.00	40	3.75	0.23	
						2006	3.60	4.00	40	3.80	0.26	
6	U.S.-26	002240	343.355	347.500	N	1997	4.20	5.00	37	4.61	0.07	
						1998	4.30	5.00	37	4.66	0.10	
						1999	4.20	5.00	41	4.61	0.11	
						2000	4.30	5.00	41	4.66	0.12	
						2001	4.20	4.90	41	4.56	0.13	
						2002	3.90	4.90	41	4.42	0.15	
						2003	3.90	4.90	59	4.42	0.17	
						2004	3.80	4.00	59	3.90	0.16	
						2005	3.60	4.00	40	3.80	0.20	
						2006	3.80	4.00	40	3.90	0.21	
6	U.S.-26	002240	347.500	348.000	N	1997	2.60	3.20	44	2.91	0.09	
						1998	2.80	3.20	44	3.00	0.11	
						1999	2.90	3.20	47	3.05	0.10	SEALCOAT
						2000	3.00	3.20	47	3.10	0.10	1999
						2001	2.80	3.20	47	3.00	0.11	
						2002	2.80	3.20	47	3.00	0.12	
						2003	2.70	3.20	59	2.96	0.12	
						2004	2.70	3.00	59	2.85	0.13	
						2005	2.60	3.00	40	2.80	0.15	
						2006	2.70	3.00	40	2.85	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-26	002240	348.000	352.284	N	1997	3.30	3.50	38	3.40	0.12		
						1998	3.30	3.50	38	3.40	0.15	SEALCOAT	1999
						1999	3.30	3.50	56	3.40	0.16		
						2000	3.40	3.50	56	3.45	0.16		
						2001	3.30	3.50	56	3.40	0.18		
						2002	3.00	3.50	56	3.26	0.18		
						2003	2.90	3.50	59	3.21	0.18		
						2004	3.00	2.40	59	2.68	0.20		
						2005	2.90	2.30	40	2.58	0.19		
						2006	2.90	2.30	40	2.58	0.21		
6	U.S.-26	002240	352.284	356.750	N	1997	3.30	2.90	36	3.09	0.16		
						1998	3.30	2.90	36	3.09	0.17	SEALCOAT	1999
						1999	3.20	2.40	58	2.78	0.18		
						2000	3.30	2.40	58	2.83	0.17		
						2001	3.30	2.40	58	2.83	0.17		
						2002	3.00	2.40	58	2.68	0.18		
						2003	2.80	2.40	59	2.59	0.21		
						2004	2.90	2.30	59	2.58	0.17		
						2005	2.70	2.30	43	2.49	0.21		
						2006	2.80	2.30	43	2.53	0.21		
6	U.S.-26	002240	356.750	358.300	N	1997	3.20	2.70	45	2.93	0.15		
						1998	3.20	2.70	45	2.93	0.17	SEALCOAT	1999
						1999	3.20	2.50	59	2.83	0.17		
						2000	3.30	2.50	59	2.88	0.17		
						2001	3.40	2.40	59	2.87	0.14		
						2002	3.00	2.40	59	2.68	0.15		
						2003	2.80	2.40	59	2.59	0.19		
						2004	2.90	2.40	59	2.63	0.15		
						2005	2.60	2.40	57	2.49	0.21		
						2006	2.80	2.30	57	2.53	0.20		
6	U.S.-26	002240	358.300	362.228	N	1997	3.30	3.00	44	3.14	0.15		
						1998	3.40	3.00	44	3.19	0.19	SEALCOAT	1999
						1999	3.20	3.00	59	3.09	0.19		
						2000	3.40	3.00	59	3.19	0.20		
						2001	3.30	3.00	59	3.14	0.20		
						2002	3.00	3.00	59	3.00	0.19		
						2003	2.90	3.00	59	2.95	0.23		
						2004	3.00	3.00	59	3.00	0.21		
						2005	2.90	2.90	46	2.90	0.26		
						2006	3.00	2.90	46	2.94	0.26		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-26	002240	362.228	367.500	N	1997	3.30	3.00	35	3.14	0.21		
						1998	3.30	3.00	35	3.14	0.23	SEALCOAT	1999
						1999	3.20	3.00	59	3.09	0.28		
						2000	3.30	3.00	59	3.14	0.28		
						2001	3.30	3.00	59	3.14	0.29		
						2002	3.00	3.00	59	3.00	0.30		
						2003	2.90	3.00	59	2.95	0.31		
						2004	3.00	2.90	59	2.94	0.33		
						2005	2.90	2.70	42	2.79	0.36		
						2006	3.00	2.40	42	2.68	0.36		
6	U.S.-26	002240	367.500	368.520	N	1997	3.10	3.30	39	3.20	0.27		
						1998	3.20	3.30	35	3.25	0.31	SEALCOAT	1999
						1999	3.00	3.30	58	3.15	0.39		
						2000	3.20	3.30	58	3.25	0.36		
						2001	3.10	3.30	58	3.20	0.36	SEALCOAT	2001
						2002	3.00	3.30	58	3.15	0.26		
						2003	2.80	3.30	59	3.06	0.39		
						2004	2.90	3.20	59	3.05	0.38		
						2005	2.80	3.20	44	3.00	0.43		
						2006	2.90	3.20	44	3.05	0.39		
6	U.S.-26	002240	372.900	374.500	N	1997	2.70	4.00	43	3.37	0.13		
						1998	2.70	4.00	43	3.37	0.14		
						1999	2.60	4.00	55	3.33	0.17		
						2000	2.60	4.00	55	3.33	0.15		
						2001	2.60	4.00	55	3.33	0.15	SEALCOAT	2001
						2002	2.60	4.00	55	3.33	0.13		
						2003	2.50	4.00	59	3.28	0.17		
						2004	2.50	3.00	59	2.76	0.17		
						2005	2.80	3.00	44	2.90	0.17		
						2006	2.80	2.40	44	2.59	0.12		
6	U.S.-26	002240	374.500	374.940	N	1997	2.40	2.40	43	2.40	0.28		
						1998	2.40	2.40	43	2.40	0.26		
						1999	2.90	2.40	58	2.63	0.26		
						2000	2.80	2.40	58	2.59	0.24		
						2001	2.90	2.40	58	2.63	0.24	SEALCOAT	2001
						2002	2.80	2.40	58	2.59	0.20		
						2003	2.70	2.40	59	2.54	0.28		
						2004	2.80	2.40	59	2.59	0.25		
						2005	2.90	2.40	44	2.63	0.35		
						2006	2.80	3.00	44	2.90	0.26		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-26	002240	375.000	376.950	N	1997	2.80	2.40	39	2.59	0.18		
						1998	2.70	2.40	39	2.54	0.19		
						1999	2.60	2.40	47	2.49	0.23		
						2000	2.60	2.40	47	2.49	0.24		
						2001	2.50	2.40	47	2.44	0.23	SEALCOAT	2001
						2002	2.60	2.40	47	2.49	0.23		
						2003	2.60	2.40	59	2.49	0.24		
						2004	2.60	2.40	59	2.49	0.25		
						2005	2.70	2.40	44	2.54	0.33		
						2006	2.70	3.00	44	2.85	0.33		
6	U.S.-26	002240	376.950	381.419	N	1997	3.90	5.00	39	4.47	0.23		
						1998	3.90	5.00	39	4.47	0.22		
						1999	3.90	5.00	50	4.47	0.27		
						2000	3.70	5.00	50	4.38	0.30		
						2001	3.80	5.00	50	4.42	0.30	SEALCOAT	2001
						2002	3.60	5.00	50	4.33	0.34		
						2003	3.50	5.00	59	4.28	0.41		
						2004	3.50	4.80	59	4.18	0.39		
						2005	3.50	4.80	35	4.18	0.47		
						2006	3.50	4.80	35	4.18	0.45		
6	U.S.-26	002240	381.419	386.970	N	1997	4.00	5.00	41	4.52	0.25		
						1998	4.00	5.00	41	4.52	0.24		
						1999	3.90	5.00	52	4.47	0.34		
						2000	3.70	5.00	52	4.38	0.38		
						2001	3.80	5.00	52	4.42	0.40	SEALCOAT	2001
						2002	3.50	5.00	52	4.28	0.43		
						2003	3.50	5.00	59	4.28	0.60		
						2004	3.30	5.00	59	4.19	0.18		
						2005	3.20	5.00	44	4.14	0.25		
						2006	3.20	5.00	44	4.14	0.26		
6	U.S.-26	002240	386.970	389.200	N	1997	3.80	5.00	41	4.42	0.17		
						1998	3.80	5.00	41	4.42	0.16		
						1999	3.80	5.00	55	4.42	0.26		
						2000	3.80	5.00	55	4.42	0.29		
						2001	3.80	5.00	55	4.42	0.29	SEALCOAT	2001
						2002	3.30	5.00	55	4.19	0.28		
						2003	3.50	3.60	59	3.55	0.30		
						2004	3.50	3.00	59	3.23	0.30		
						2005	3.50	3.00	29	3.23	0.35		
						2006	3.50	3.00	29	3.23	0.34		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-26	002240	389.200	391.793	N	1997	3.80	5.00	39	4.42	0.11	
						1998	3.80	5.00	39	4.42	0.12	
						1999	3.70	5.00	57	4.38	0.15	
						2000	3.70	5.00	57	4.38	0.17	
						2001	3.70	5.00	57	4.38	0.18	
						2002	3.60	4.00	57	3.80	0.18	
						2003	3.50	2.40	59	2.92	0.19	
						2004	3.50	2.40	59	2.92	0.17	
						2005	3.50	2.40	29	2.92	0.21	
						2006	3.50	2.40	29	2.92	0.17	
6	U.S.-26	002240	391.793	395.000	N	1997	3.80	5.00	43	4.42	0.12	
						1998	3.80	5.00	43	4.42	0.14	
						1999	3.70	4.70	55	4.22	0.19	
						2000	3.70	4.70	55	4.22	0.19	
						2001	3.70	4.70	55	4.22	0.22	
						2002	3.60	4.70	55	4.17	0.20	
						2003	3.50	4.50	59	4.02	0.24	
						2004	3.50	2.40	59	2.92	0.20	
						2005	3.40	2.40	55	2.87	0.25	
						2006	3.50	2.40	55	2.92	0.23	
6	U.S.-26	002240	395.000	397.538	N	1997	3.80	5.00	39	4.42	0.09	
						1998	3.80	5.00	39	4.42	0.13	
						1999	3.70	4.60	55	4.17	0.16	
						2000	3.70	4.60	55	4.17	0.17	
						2001	3.70	4.00	55	3.85	0.19	
						2002	3.50	4.10	55	3.81	0.20	
						2003	3.50	4.10	59	3.81	0.20	
						2004	3.50	2.90	59	3.18	0.20	
						2005	3.40	2.90	46	3.13	0.22	
						2006	3.50	2.90	46	3.18	0.21	
6	U.S.-26	002240	397.538	402.500	N	1997	3.90	5.00	41	4.47	0.16	
						1998	3.90	5.00	41	4.47	0.21	
						1999	3.80	4.80	56	4.32	0.23	
						2000	3.80	4.50	56	4.16	0.26	
						2001	3.70	4.40	56	4.06	0.27	
						2002	3.50	4.10	56	3.81	0.29	
						2003	3.40	4.00	59	3.71	0.29	
						2004	3.50	2.90	59	3.18	0.30	
						2005	3.40	2.90	57	3.13	0.29	
						2006	3.40	2.90	57	3.13	0.34	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-26	002241	000.000	001.996	N	1997	2.90	3.50	41	3.27	0.22		
						1998	2.80	3.50	41	3.23	0.27		
						1999	2.90	3.50	56	3.27	0.25	SEALCOAT	1999
						2000	2.90	3.50	56	3.27	0.27		
						2001	2.90	3.50	56	3.27	0.24		
						2002	2.70	3.50	56	3.19	0.26		
						2003	2.80	3.50	59	3.23	0.25		
						2004	2.80	3.40	59	3.17	0.24		
						2005	2.70	3.40	57	3.13	0.27		
						2006	2.70	3.40	57	3.13	0.32		
6	U.S.-26	002241	001.996	002.974	N	1997	2.30	3.90	41	3.29	0.17		
						1998	2.40	3.90	41	3.33	0.19		
						1999	2.20	3.90	56	3.25	0.19	SEALCOAT	1999
						2000	2.20	3.90	56	3.25	0.20		
						2001	2.30	3.90	56	3.29	0.21		
						2002	2.30	3.90	56	3.29	0.24		
						2003	2.20	3.90	59	3.25	0.23		
						2004	2.60	1.90	59	2.16	0.25		
						2005	2.40	1.90	57	2.08	0.27		
						2006	2.50	1.90	57	2.12	0.27		
6	U.S.-26	002279	368.520	369.950	N	1997	2.90	3.00	48	2.95	0.07		
						1998	2.90	2.80	48	2.84	0.09		
						1999	2.80	2.40	58	2.59	0.08		
						2000	2.80	2.40	58	2.59	0.09		
						2001	2.70	2.40	58	2.54	0.07		
						2002	2.70	2.40	58	2.54	0.07		
						2003	2.60	2.30	59	2.44	0.08		
						2004	2.60	2.30	59	2.44	0.08		
						2005	2.50	2.20	44	2.34	0.10		
						2006	2.50	2.20	44	2.34	0.10		
6	U.S.-26	002279	369.950	372.380	N	1997	3.30	3.40	44	3.35	0.08		
						1998	3.30	3.30	44	3.30	0.10		
						1999	3.20	2.90	57	3.04	0.09		
						2000	3.20	2.90	57	3.04	0.10		
						2001	3.20	2.90	57	3.04	0.09		
						2002	3.10	2.90	57	2.99	0.08		
						2003	3.10	2.90	59	2.99	0.10		
						2004	3.10	2.70	59	2.89	0.11		
						2005	2.90	2.40	44	2.63	0.12		
						2006	3.00	2.40	44	2.68	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
6	S.H.-28	002500	015.150	021.004	N	1997	3.20	2.60	38	2.86	0.15	
						1998	3.10	2.60	38	2.82	0.16	
						1999	3.20	2.60	44	2.86	0.17	SEALCOAT 1999
						2000	3.30	2.60	44	2.91	0.17	
						2001	3.20	4.00	42	3.64	0.18	
						2002	3.00	4.00	42	3.55	0.16	
						2003	2.90	4.00	42	3.51	0.17	PLANT MIX OVERLAY 2003
						2004	3.00	3.90	42	3.49	0.16	
						2005	3.00	3.90	57	3.49	0.16	SEALCOAT 2005
						2006	3.10	3.60	57	3.37	0.15	
6	S.H.-28	002500	021.004	024.000	N	1997	3.50	2.80	31	3.11	0.10	
						1998	3.50	2.80	31	3.11	0.10	
						1999	3.50	2.80	40	3.11	0.12	SEALCOAT 1999
						2000	3.60	2.80	40	3.15	0.10	
						2001	3.50	2.80	43	3.11	0.10	
						2002	3.30	2.80	43	3.02	0.10	
						2003	3.70	5.00	43	4.42	0.03	PLANT MIX OVERLAY 2003
						2004	3.70	5.00	43	4.42	0.05	
						2005	3.70	5.00	57	4.42	0.06	SEALCOAT 2005
						2006	3.70	5.00	57	4.42	0.05	
6	S.H.-28	002500	024.000	028.209	N	1997	3.50	2.50	39	2.94	0.14	
						1998	3.40	2.40	39	2.84	0.13	
						1999	3.40	2.40	42	2.84	0.15	SEALCOAT 1999
						2000	3.50	2.40	42	2.88	0.15	
						2001	3.40	2.40	50	2.84	0.16	
						2002	3.10	2.40	50	2.71	0.16	
						2003	3.70	5.00	50	4.42	0.03	PLANT MIX OVERLAY 2003
						2004	3.70	5.00	50	4.42	0.06	
						2005	3.70	5.00	57	4.42	0.06	
						2006	3.70	5.00	57	4.42	0.06	
6	S.H.-28	002500	028.209	030.600	N	1997	3.40	2.00	43	2.62	0.22	
						1998	3.30	2.00	43	2.57	0.20	
						1999	3.30	2.00	42	2.57	0.21	SEALCOAT 1999
						2000	3.40	2.00	42	2.62	0.22	
						2001	3.40	2.00	44	2.62	0.20	
						2002	3.20	2.00	44	2.53	0.22	
						2003	3.70	5.00	44	4.42	0.05	PLANT MIX OVERLAY 2003
						2004	3.70	5.00	44	4.42	0.05	
						2005	3.70	5.00	57	4.42	0.04	
						2006	3.70	5.00	57	4.42	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-28	002500	030.600	036.500	N	1997	3.90	5.00	47	4.51	0.09	
						1998	3.90	5.00	47	4.51	0.08	
						1999	3.90	5.00	49	4.51	0.12	
						2000	3.80	5.00	49	4.46	0.08	SEALCOAT
						2001	3.80	5.00	48	4.46	0.09	
						2002	3.70	5.00	48	4.42	0.08	
						2003	3.60	4.80	48	4.26	0.09	
						2004	3.70	4.80	48	4.31	0.09	
						2005	3.70	4.80	57	4.31	0.11	
						2006	3.70	4.80	57	4.31	0.10	
6	S.H.-28	002500	036.500	045.000	N	1997	3.90	4.50	46	4.23	0.09	
						1998	3.80	4.50	46	4.18	0.08	
						1999	3.80	4.50	49	4.18	0.09	
						2000	3.80	4.50	49	4.18	0.09	SEALCOAT
						2001	3.80	4.50	49	4.18	0.09	
						2002	3.70	4.50	49	4.14	0.10	
						2003	3.70	4.50	49	4.14	0.10	
						2004	3.70	4.50	49	4.14	0.11	
						2005	3.70	4.50	57	4.14	0.12	
						2006	3.70	4.50	57	4.14	0.12	
6	S.H.-28	002500	045.000	051.875	N	1997	3.90	4.50	37	4.23	0.07	SEALCOAT
						1998	3.80	4.50	37	4.18	0.05	
						1999	3.80	4.50	43	4.18	0.05	
						2000	3.80	4.50	43	4.18	0.06	SEALCOAT
						2001	3.90	4.50	47	4.23	0.06	
						2002	3.60	4.50	47	4.09	0.05	
						2003	3.60	4.50	47	4.09	0.05	
						2004	3.60	4.40	47	4.04	0.05	
						2005	3.60	4.40	57	4.04	0.07	
						2006	3.50	4.40	57	3.99	0.07	
6	S.H.-28	002500	051.875	058.900	N	1997	3.10	2.00	39	2.48	0.28	SEALCOAT
						1998	3.10	2.00	39	2.48	0.29	
						1999	3.10	2.00	24	2.48	0.35	
						2000	3.20	2.00	24	2.53	0.36	SEALCOAT
						2001	4.00	5.00	56	4.55	0.13	PLANT MIX OVERLAY
						2002	3.70	5.00	56	4.42	0.07	
						2003	3.70	5.00	56	4.42	0.07	
						2004	3.70	5.00	56	4.42	0.07	
						2005	3.70	4.80	57	4.31	0.07	
						2006	3.70	4.80	57	4.31	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
6	S.H.-28	002500	058.900	065.900	N	1997	3.00	2.20	39	2.55	0.22	SEALCOAT	1997
						1998	3.00	2.20	39	2.55	0.22		
						1999	3.00	2.20	28	2.55	0.25		
						2000	3.00	2.20	28	2.55	0.28		
						2001	4.00	5.00	56	4.55	0.13	PLANT MIX OVERLAY	2001
						2002	3.60	5.00	56	4.38	0.10		
						2003	3.70	5.00	56	4.42	0.10		
						2004	3.70	5.00	56	4.42	0.10		
						2005	3.70	5.00	57	4.42	0.10		
						2006	3.70	5.00	57	4.42	0.10		
6	S.H.-28	002500	065.900	073.000	N	1997	3.10	2.00	54	2.48	0.20		
						1998	3.10	2.00	54	2.48	0.18		
						1999	3.00	2.00	31	2.44	0.21		
						2000	3.00	2.00	31	2.44	0.22		
						2001	4.10	5.00	57	4.59	0.06	PLANT MIX OVERLAY	2001
						2002	3.70	5.00	57	4.42	0.07		
						2003	3.80	5.00	57	4.47	0.07		
						2004	3.80	5.00	57	4.47	0.07		
						2005	3.80	5.00	57	4.47	0.06		
						2006	3.80	5.00	57	4.47	0.06		
6	S.H.-28	002500	073.000	082.000	N	1997	3.20	1.90	51	2.47	0.14		
						1998	3.10	1.90	51	2.43	0.13		
						1999	3.10	1.90	38	2.43	0.14		
						2000	3.20	1.90	38	2.47	0.14		
						2001	3.70	5.00	59	4.42	0.11	PLANT MIX OVERLAY	2001
						2002	3.60	5.00	59	4.38	0.05		
						2003	3.80	5.00	59	4.47	0.05		
						2004	3.70	5.00	59	4.42	0.05		
						2005	3.80	5.00	57	4.47	0.05		
						2006	3.80	5.00	57	4.47	0.05		
6	S.H.-28	002500	082.000	088.200	N	1997	4.20	5.00	45	4.64	0.07		
						1998	4.20	5.00	45	4.64	0.06		
						1999	4.20	4.50	49	4.36	0.10		
						2000	4.20	4.20	49	4.20	0.10		
						2001	4.20	4.20	51	4.20	0.14		
						2002	3.60	4.20	51	3.93	0.12	SEALCOAT	2002
						2003	3.80	4.20	51	4.02	0.10		
						2004	3.70	4.20	51	3.98	0.09		
						2005	3.80	4.20	57	4.02	0.12		
						2006	3.80	4.20	57	4.02	0.12		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-28	002500	088.200	097.726	N	1997	3.40	2.00	57	2.62	0.08		
						1998	3.40	2.00	57	2.62	0.08		
						1999	3.30	2.00	47	2.57	0.08		
						2000	3.40	2.00	47	2.61	0.08		
						2001	3.40	2.00	53	2.62	0.10		
						2002	3.70	5.00	53	4.42	0.06	MILL INLAY AND OVERLAY	2002
						2003	3.60	5.00	53	4.37	0.05		
						2004	3.60	5.00	53	4.37	0.04		
						2005	3.70	5.00	57	4.42	0.05		
						2006	3.80	5.00	57	4.46	0.05		
6	S.H.-28	002500	097.726	103.116	N	1997	3.20	2.20	61	2.64	0.11		
						1998	3.10	2.20	61	2.60	0.11		
						1999	3.10	2.00	55	2.48	0.10		
						2000	3.20	2.00	55	2.52	0.11		
						2001	3.10	2.00	58	2.48	0.11		
						2002	3.60	5.00	58	4.38	0.06	MILL INLAY AND OVERLAY	2002
						2003	3.60	5.00	58	4.38	0.04		
						2004	3.60	5.00	58	4.38	0.04		
						2005	3.70	5.00	57	4.42	0.05		
						2006	3.80	5.00	57	4.47	0.04		
6	S.H.-28	002500	103.116	108.126	N	1997	3.10	2.00	60	2.48	0.16		
						1998	3.10	2.00	60	2.48	0.16		
						1999	3.00	2.00	46	2.44	0.19		
						2000	3.10	2.00	46	2.48	0.20		
						2001	3.10	2.00	56	2.48	0.20		
						2002	3.60	5.00	56	4.38	0.04	MILL INLAY AND OVERLAY	2002
						2003	3.70	5.00	56	4.42	0.06		
						2004	3.60	5.00	56	4.38	0.06		
						2005	3.80	5.00	57	4.47	0.05		
						2006	3.80	5.00	57	4.47	0.05		
6	S.H.-28	002500	108.126	116.350	N	1997	3.10	2.30	53	2.65	0.12		
						1998	3.10	2.30	53	2.65	0.15		
						1999	3.10	2.30	50	2.65	0.15		
						2000	3.10	2.30	50	2.65	0.16		
						*2001	3.10	2.30	55	2.65	0.17		
						2002	3.70	5.00	55	4.42	0.05	MILL INLAY AND OVERLAY	2002
						2003	3.80	5.00	55	4.46	0.04		
						2004	3.70	5.00	55	4.42	0.04		
						2005	3.90	5.00	57	4.50	0.04		
						2006	3.90	5.00	57	4.50	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
6	S.H.-28	002500	116.350	121.380	N	1997	3.20	2.70	55	2.92	0.14		
						1998	3.20	2.70	55	2.92	0.16		
						1999	3.10	2.60	46	2.82	0.18		
						2000	3.10	2.60	46	2.82	0.19		
						*2001	3.10	2.60	51	2.82	0.18		
						2002	4.00	5.00	50	4.55	0.07	COLD IN PLACE RECYCLE WITH OVERLAY2002	
						2003	3.80	5.00	50	4.46	0.10		
						2004	3.70	5.00	50	4.42	0.10		
						2005	3.80	5.00	57	4.46	0.14		
						2006	3.80	5.00	57	4.46	0.15		
6	S.H.-28	002500	121.380	126.300	N	*1997	3.20	2.40	57	2.75	0.11		
						1998	3.30	2.40	57	2.80	0.10		
						1999	3.20	2.40	50	2.75	0.12		
						2000	3.20	2.40	50	2.75	0.14		
						2001	3.10	2.40	53	2.71	0.15		
						2002	4.00	5.00	53	4.55	0.07	COLD IN PLACE RECYCLE WITH OVERLAY2002	
						2003	3.90	5.00	53	4.50	0.10		
						2004	3.70	5.00	53	4.42	0.09		
						2005	3.90	5.00	57	4.50	0.10		
						2006	3.90	5.00	57	4.50	0.11		
6	S.H.-28	002500	126.300	130.304	N	*1997	3.20	2.40	57	2.75	0.11	PLANT MIX OVERLAY	1997
						1998	3.70	5.00	49	4.41	0.16		
						1999	3.70	4.00	58	3.86	0.16		
						2000	3.70	4.00	58	3.86	0.17		
						2001	3.50	4.00	57	3.77	0.19		
						2002	3.50	4.00	57	3.77	0.19	COLD IN PLACE RECYCLE WITH OVERLAY2002	
						2003	3.40	3.00	57	3.17	0.18		
						2004	3.30	2.40	57	2.80	0.18		
						2005	3.40	2.40	57	2.84	0.21		
						2006	3.40	2.40	57	2.84	0.21		
6	S.H.-28	002500	130.304	135.106	N	1997	3.10	2.90	49	2.98	0.16	PLANT MIX OVERLAY	1997
						1998	3.70	5.00	49	4.41	0.10		
						1999	3.60	4.00	51	3.82	0.09		
						2000	3.70	4.00	51	3.86	0.10		
						2001	3.50	3.30	57	3.38	0.12		
						2002	3.50	3.30	57	3.38	0.11		
						2003	3.50	3.30	57	3.38	0.10		
						2004	3.40	2.40	57	2.84	0.10		
						2005	3.40	2.40	57	2.84	0.13		
						2006	3.50	2.40	57	2.89	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-28	002500	135.106	135.645	N	1997	2.70	4.00	42	3.45	0.13	
						1998	2.60	4.00	42	3.41	0.12	
						1999	2.50	4.00	28	3.36	0.10	
						2000	2.40	4.00	28	3.32	0.20	
						2001	2.60	3.70	50	3.23	0.15	
						2002	2.80	3.70	50	3.32	0.15	
						2003	2.80	3.70	50	3.32	0.18	
						2004	2.80	3.70	50	3.32	0.11	
						2005	2.90	3.70	57	3.36	0.20	
						2006	2.80	3.70	57	3.32	0.16	
6	S.H.-29	002510	000.000	004.230	N	1997	2.30	1.80	62	1.98	0.18	
						1998	2.30	1.80	62	1.98	0.17	
						1999	2.40	1.80	52	2.01	0.18	
						2000	2.50	1.80	52	2.06	0.19	
						2001	2.50	1.80	53	2.06	0.19	
						2002	2.40	1.80	53	2.02	0.18	
						2003	2.20	1.80	53	1.95	0.18	
						2004	2.30	1.80	53	1.98	0.17	
						2005	2.30	1.70	57	1.92	0.19	
						2006	2.20	1.70	57	1.88	0.19	
6	S.H.-31	002450	000.000	004.735	N	1997	3.50	5.00	30	4.37	0.19	
						1998	3.60	5.00	30	4.42	0.20	
						1999	3.50	4.70	62	4.20	0.20	
						2000	3.50	4.70	62	4.20	0.23	
						2001	3.50	4.50	62	4.08	0.24	
						2002	3.50	4.40	62	4.02	0.26	
						2003	3.40	4.40	53	3.98	0.27	
						2004	3.40	2.50	53	2.87	0.31	
						2005	3.40	2.40	57	2.81	0.32	
						2006	3.40	2.40	57	2.81	0.36	
6	S.H.-31	002450	004.735	005.705	N	1997	2.40	2.10	42	2.22	0.33	
						1998	2.40	2.00	42	2.16	0.34	
						1999	2.30	2.00	63	2.12	0.31	SEALCOAT
						2000	2.40	2.00	63	2.16	0.33	1999
						2001	2.40	2.00	63	2.16	0.35	
						2002	2.60	2.00	63	2.24	0.30	
						*2003	2.60	2.00	53	2.24	0.37	
						2004	2.60	1.90	53	2.19	0.39	
						2005	2.80	1.90	57	2.27	0.29	
						2006	2.80	1.90	57	2.27	0.32	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS						
										INDEX	DEPTH								
6	S.H.-31	002450	005.705	006.528	N	1997	2.40	2.10	42	2.22	0.33								
						1998	2.40	2.00	42	2.16	0.34	SEALCOAT	1999						
						1999	2.30	2.00	63	2.12	0.31								
						2000	2.40	2.00	63	2.16	0.33								
						2001	2.40	2.00	63	2.16	0.35								
						2002	2.60	2.00	63	2.24	0.30								
						*2003	2.60	2.00	53	2.24	0.37								
						2004	4.00	5.00	53	4.58	0.18	NEW CONST OR RECONST (FLEX)	2004						
						2005	3.20	5.00	57	4.25	0.07								
						2006	3.20	5.00	57	4.25	0.06								
						6	S.H.-31	002450	006.535	014.100	N	1997	3.50	5.00	59	4.37	0.12		
												1998	3.40	4.70	59	4.16	0.11	SEALCOAT	1999
1999	3.40	4.20	64	3.86	0.12														
2000	3.40	4.20	64	3.86	0.14														
*2001	3.40	4.20	64	3.86	0.14														
2002	3.30	3.90	64	3.65	0.15														
*2003	3.30	3.00	53	3.12	0.17														
2004	3.30	1.90	53	2.48	0.20							NEW CONST OR RECONST (FLEX)	2004						
2005	3.20	1.90	57	2.43	0.21														
2006	3.20	1.90	57	2.43	0.21														
6	S.H.-31	002450	014.100	021.025	N							1997	3.50	5.00	59	4.37	0.12		
												1998	3.40	4.70	59	4.16	0.11		
						1999	3.40	4.20	64	3.86	0.12								
						2000	3.40	4.20	64	3.86	0.14								
						*2001	3.40	4.20	64	3.86	0.14								
						2002	3.30	5.00	34	4.35	0.10	PLANT MIX OVERLAY	2002						
						2003	3.40	5.00	53	4.39	0.07								
						2004	3.40	5.00	53	4.39	0.08								
						2005	3.40	5.00	57	4.39	0.08								
						2006	3.40	4.50	57	4.08	0.08								
						6	S.H.-32	002480	000.000	007.929	N	1997	3.90	5.00	42	4.57	0.07		
												1998	3.80	4.60	42	4.27	0.09		
1999	3.80	4.60	46	4.27	0.09														
2000	3.80	4.30	46	4.09	0.11														
2001	3.80	4.30	46	4.09	0.12														
2002	3.70	4.20	46	3.99	0.11														
2003	3.60	4.10	53	3.89	0.13							SEALCOAT	2003						
2004	3.60	4.10	53	3.89	0.13														
2005	3.60	4.10	57	3.89	0.14														
2006	3.50	4.10	57	3.85	0.15														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-32	002480	007.929	014.535	N	1997	2.90	1.90	44	2.30	0.17		
						1998	2.90	1.90	44	2.30	0.16		
						1999	2.70	1.90	44	2.22	0.17		
						2000	2.80	1.90	44	2.26	0.17		
						2001	2.70	1.90	44	2.22	0.19		
						2002	2.60	1.90	44	2.18	0.16		
						2003	2.60	1.90	53	2.18	0.18	SEALCOAT	2003
						2004	2.50	1.80	53	2.08	0.17		
						2005	3.50	5.00	57	4.38	0.09		
						2006	3.70	5.00	57	4.46	0.07	MILL INLAY AND OVERLAY	2006
6	S.H.-32	002480	014.535	018.886	N	1997	2.60	2.00	48	2.24	0.24		
						1998	2.50	2.00	48	2.20	0.24		
						1999	2.60	2.00	54	2.24	0.23		
						2000	2.80	2.00	54	2.32	0.19		
						2001	2.70	2.00	54	2.28	0.19		
						2002	2.60	2.00	54	2.24	0.16		
						2003	2.60	2.00	53	2.24	0.19		
						2004	2.50	1.90	53	2.14	0.21		
						2005	3.70	5.00	57	4.46	0.12		
						2006	3.60	5.00	57	4.42	0.11	MILL INLAY AND OVERLAY	2006
6	S.H.-32	002480	018.886	028.386	N	1997	3.00	1.00	46	1.80	0.12	SEALCOAT	1997
						1998	2.90	1.00	46	1.76	0.10		
						1999	2.90	1.00	60	1.76	0.10		
						2000	2.90	1.00	60	1.76	0.09		
						2001	2.80	1.00	60	1.72	0.11		
						2002	2.70	1.00	60	1.68	0.09		
						2003	2.50	1.00	53	1.61	0.12		
						*2004	2.40	1.00	53	1.57	0.13		
						2005	3.60	5.00	57	4.42	0.07		
						2006	3.60	5.00	57	4.42	0.06	MILL INLAY AND OVERLAY	2006
6	S.H.-33	002075	334.200	334.767	N	1997	2.20	2.70	46	2.48	0.23		
						1998	2.00	2.70	46	2.39	0.23		
						1999	1.60	2.70	48	2.21	0.19		
						2000	1.80	2.70	48	2.30	0.19		
						2001	1.70	2.70	48	2.26	0.20		
						2002	1.60	2.60	48	2.16	0.20		
						2003	1.50	2.60	56	2.11	0.21	C.R.A.B.S.	2003
						2004	3.00	2.60	56	2.77	0.06		
						2005	2.90	2.60	57	2.73	0.07		
						2006	2.90	2.60	57	2.73	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-33	002075	334.767	335.318	N	1997	1.40	2.50	39	2.00	0.22	
						1998	1.30	2.10	39	1.74	0.23	
						1999	1.20	2.10	44	1.69	0.32	
						2000	1.30	2.10	44	1.74	0.35	
						2001	1.20	2.10	44	1.69	0.39	
						2002	1.30	2.10	44	1.74	0.39	
						2003	4.00	5.00	56	4.55	0.32	C.R.A.B.S.
						2004	2.80	5.00	56	4.01	0.06	
						2005	2.80	5.00	57	4.01	0.06	
						2006	2.80	5.00	57	4.01	0.05	
6	S.H.-33	002075	335.318	335.762	N	1997	1.40	2.50	39	1.98	0.08	
						1998	1.40	2.50	39	1.98	0.11	
						1999	1.50	2.50	50	2.02	0.13	
						2000	1.50	2.10	50	1.82	0.18	
						2001	1.60	2.10	50	1.86	0.14	
						2002	1.80	2.10	50	1.96	0.13	
						2003	4.00	5.00	56	4.53	0.14	C.R.A.B.S.
						2004	3.10	5.00	56	4.12	0.03	
						2005	3.10	5.00	57	4.12	0.03	
						2006	3.00	5.00	57	4.07	0.03	
6	S.H.-33	002075	335.762	335.853	N	1997	2.90	1.90	45	2.34	0.35	
						1998	2.80	1.90	45	2.30	0.34	
						1999	2.70	1.90	50	2.25	0.32	
						2000	2.70	1.90	50	2.25	0.34	
						2001	2.80	1.90	50	2.30	0.33	
						*2002	2.80	1.90	50	2.30	0.30	SEALCOAT
						2003	4.00	5.00	56	4.54	0.04	C.R.A.B.S.
						2004	3.50	5.00	56	4.32	0.02	
						2005	3.40	5.00	57	4.27	0.02	
						2006	3.40	5.00	57	4.27	0.02	
6	S.H.-33	002075	335.853	338.079	N	1997	2.90	1.90	45	2.34	0.35	
						1998	2.80	1.90	45	2.30	0.34	
						1999	2.70	1.90	50	2.25	0.32	
						2000	2.70	1.90	50	2.25	0.34	
						2001	2.80	1.90	50	2.30	0.33	
						*2002	2.80	1.90	50	2.30	0.30	SEALCOAT
						2003	3.00	1.90	56	2.39	0.30	
						2004	2.60	1.90	56	2.21	0.27	
						2005	2.50	1.90	57	2.16	0.30	
						2006	2.50	1.90	57	2.16	0.31	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-33	002075	338.079	338.405	N	1997	3.20	2.70	43	2.90	0.13		
						1998	3.10	2.10	43	2.51	0.14		
						1999	3.10	2.10	43	2.51	0.17		
						2000	3.20	2.10	50	2.55	0.18		
						2001	3.20	2.10	50	2.55	0.15		
						2002	2.80	2.10	50	2.39	0.13	SEALCOAT	2002
						2003	3.00	2.10	56	2.47	0.17		
						2004	2.90	2.10	56	2.43	0.14		
						2005	2.90	2.10	57	2.43	0.15		
						2006	2.90	2.10	57	2.43	0.19		
6	S.H.-33	002075	338.405	338.696	N	1997	3.20	2.30	48	2.67	0.08		
						1998	2.80	2.00	48	2.33	0.09		
						1999	2.80	2.00	61	2.33	0.12		
						2000	2.90	2.00	61	2.37	0.12		
						2001	2.80	2.00	61	2.33	0.09		
						2002	2.60	2.00	61	2.25	0.16	SEALCOAT	2002
						2003	2.40	2.00	56	2.16	0.13		
						2004	2.30	2.00	56	2.12	0.14		
						2005	2.20	2.00	57	2.08	0.14		
						2006	2.40	2.00	57	2.16	0.17		
6	S.H.-33	002075	338.696	339.265	N	1997	3.00	2.20	42	2.53	0.17		
						1998	3.10	2.20	42	2.57	0.17		
						1999	3.00	2.20	55	2.53	0.17		
						2000	3.10	2.20	55	2.57	0.16		
						2001	3.00	2.20	55	2.53	0.14		
						2002	3.00	2.20	55	2.53	0.15	SEALCOAT	2002
						2003	2.90	2.20	56	2.49	0.17		
						2004	2.90	2.20	56	2.49	0.17		
						2005	2.90	2.20	57	2.49	0.19		
						2006	2.90	2.20	57	2.49	0.19		
6	S.H.-33	002075	339.265	339.765	N	1997	3.00	3.50	39	3.27	0.17		
						1998	3.00	2.00	39	2.44	0.20		
						1999	2.80	2.00	47	2.35	0.22		
						2000	2.80	2.00	47	2.35	0.21		
						2001	2.80	2.00	47	2.35	0.22		
						2002	2.80	2.00	47	2.35	0.17	SEALCOAT	2002
						2003	2.90	2.00	56	2.40	0.17		
						2004	2.90	2.00	56	2.40	0.19		
						2005	2.60	2.00	57	2.26	0.21		
						2006	2.80	2.00	57	2.35	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-33	002460	000.000	008.627	N	1997	3.70	5.00	28	4.42	0.11	
						1998	3.70	5.00	28	4.42	0.10	
						1999	3.70	5.00	53	4.42	0.11	
						2000	3.80	5.00	53	4.47	0.12	
						2001	3.80	5.00	43	4.47	0.13	
						2002	3.60	5.00	43	4.38	0.15	
						2003	3.60	5.00	43	4.38	0.15	
						2004	3.50	4.60	43	4.11	0.14	
						2005	3.50	4.60	57	4.11	0.16	SEALCOAT
						2006	3.50	4.60	57	4.11	0.14	
6	S.H.-33	002460	008.627	017.000	N	1997	3.60	5.00	33	4.37	0.11	
						1998	3.60	5.00	28	4.37	0.10	
						1999	3.60	5.00	44	4.38	0.10	
						2000	3.70	5.00	44	4.42	0.11	
						2001	3.70	5.00	30	4.42	0.12	
						2002	3.50	5.00	30	4.33	0.14	
						2003	3.40	5.00	30	4.28	0.13	
						2004	3.40	5.00	30	4.28	0.12	
						2005	3.40	5.00	57	4.28	0.13	SEALCOAT
						2006	3.40	5.00	57	4.28	0.12	
6	S.H.-33	002460	017.000	020.500	N	1997	3.20	2.50	33	2.80	0.12	
						*1998	3.20	2.50	28	2.81	0.13	
						1999	3.70	5.00	43	4.42	0.08	
						2000	3.70	5.00	43	4.43	0.10	
						2001	3.80	5.00	24	4.47	0.11	
						2002	3.50	5.00	24	4.34	0.11	
						2003	3.50	5.00	24	4.34	0.12	
						2004	3.40	5.00	24	4.29	0.10	
						2005	3.40	5.00	57	4.29	0.11	SEALCOAT
						2006	3.40	5.00	57	4.29	0.09	
6	S.H.-33	002460	020.500	024.680	N	1997	3.20	2.50	33	2.80	0.12	
						*1998	3.20	2.50	28	2.81	0.13	
						1999	3.50	5.00	39	4.34	0.03	C.R.A.B.S.
						2000	3.50	5.00	39	4.34	0.03	
						2001	3.50	5.00	49	4.34	0.03	
						2002	3.50	5.00	49	4.34	0.03	
						2003	3.50	4.00	49	3.78	0.04	
						2004	3.40	4.00	49	3.73	0.04	
						2005	3.50	4.00	57	3.78	0.04	SEALCOAT
						2006	3.50	4.00	57	3.78	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-33	002460	024.680	029.070	N	1997	2.90	2.00	40	2.39	0.16	C.R.A.B.S.	1999
						1998	2.80	2.00	40	2.35	0.16		
						1999	3.20	5.00	48	4.22	0.04		
						2000	3.30	5.00	48	4.24	0.05		
						2001	3.30	5.00	52	4.24	0.05		
						2002	3.20	4.80	52	4.08	0.05		
						2003	3.40	4.80	52	4.18	0.05		
						2004	3.30	4.80	52	4.14	0.05		
						2005	3.30	4.20	57	3.80	0.05		
						2006	3.40	4.00	57	3.73	0.05		
6	S.H.-33	002460	029.070	034.000	N	1997	2.80	2.20	42	2.46	0.13	COLD IN PLACE RECYCLE WITH OVERLAY SEALCOAT	2004 2005
						1998	2.80	2.20	42	2.46	0.11		
						1999	2.60	2.20	54	2.37	0.11		
						2000	2.70	2.20	54	2.42	0.11		
						2001	2.60	2.20	49	2.37	0.13		
						2002	2.70	2.20	49	2.42	0.11		
						*2003	2.60	2.20	49	2.37	0.11		
						2004	3.50	5.00	48	4.34	0.09		
						2005	3.60	5.00	57	4.38	0.09		
						2006	3.70	5.00	57	4.42	0.09		
6	S.H.-33	002460	034.000	038.477	N	1997	2.90	1.80	38	2.28	0.28	COLD IN PLACE RECYCLE WITH OVERLAY SEALCOAT	2004 2005
						1998	2.80	1.80	38	2.23	0.36		
						1999	2.80	1.80	44	2.23	0.33		
						2000	2.80	1.80	44	2.24	0.35		
						2001	2.80	1.80	43	2.24	0.40		
						2002	2.60	1.80	43	2.15	0.38		
						2003	2.30	1.80	43	2.01	0.48		
						2004	3.60	5.00	43	4.38	0.32		
						2005	3.70	5.00	57	4.42	0.09		
						2006	3.70	5.00	57	4.42	0.08		
6	S.H.-33	002460	038.477	043.620	N	1997	2.90	2.50	33	2.67	0.25	SEALCOAT	2000
						1998	2.80	2.50	33	2.63	0.30		
						1999	2.80	2.50	39	2.63	0.28		
						2000	2.80	2.50	39	2.63	0.31		
						2001	2.90	2.50	48	2.67	0.29		
						2002	2.80	2.50	48	2.63	0.27		
						2003	2.70	2.50	48	2.58	0.32		
						2004	2.90	2.40	48	2.61	0.27		
						2005	2.90	2.40	57	2.61	0.26		
						2006	3.00	2.40	57	2.66	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	S.H.-33	002460	043.620	044.730	N	1997	3.90	5.00	29	4.50	0.04							
						1998	3.90	4.90	29	4.45	0.06							
						1999	3.90	4.90	41	4.45	0.04							
						2000	3.80	4.90	41	4.40	0.05	SEALCOAT						
						2001	3.90	4.80	45	4.39	0.05	2000						
						2002	3.60	4.80	45	4.26	0.04							
						2003	3.60	4.50	45	4.09	0.04							
						2004	3.60	4.50	45	4.09	0.04							
						2005	3.70	4.50	57	4.14	0.05							
						2006	3.60	4.50	57	4.09	0.05							
						6	S.H.-33	002460	044.730	051.708	N	1997	3.80	5.00	33	4.46	0.09	
												1998	3.80	4.50	33	4.18	0.12	
1999	3.80	4.50	41	4.18	0.12							C.R.A.B.S.						
2000	3.70	4.50	41	4.14	0.12							SEALCOAT						
2001	3.80	4.40	44	4.13	0.11							1999						
2002	3.50	4.40	44	3.99	0.12							2000						
2003	3.50	4.00	44	3.77	0.10													
2004	3.40	4.00	44	3.73	0.10													
2005	3.50	4.00	57	3.77	0.11													
2006	3.50	4.00	57	3.77	0.11													
6	S.H.-33	002460	051.708	058.911	N							1997	3.20	1.50	32	2.25	0.22	
												*1998	3.10	1.50	32	2.20	0.24	
						1999	3.60	5.00	42	4.38	0.06	C.R.A.B.S.						
						*2000	4.00	5.00	42	4.55	0.05	1999						
						2001	4.00	5.00	56	4.55	0.06							
						2002	3.70	4.80	56	4.30	0.07							
						2003	3.70	4.80	56	4.30	0.06							
						2004	3.60	4.60	56	4.15	0.06							
						2005	3.70	4.60	57	4.19	0.06							
						2006	3.70	4.60	57	4.19	0.08							
						6	S.H.-33	002460	058.911	066.044	N	1997	3.30	2.80	49	3.01	0.20	
												1998	3.30	2.80	49	3.01	0.20	
1999	3.20	2.80	58	2.97	0.21													
2000	3.30	2.80	58	3.02	0.25													
2001	3.40	2.80	58	3.06	0.27													
2002	3.20	2.80	58	2.97	0.29													
2003	3.10	2.80	56	2.93	0.30													
2004	3.00	2.40	56	2.66	0.29													
2005	3.00	2.40	57	2.66	0.28													
2006	3.10	2.40	57	2.71	0.33													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-33	002460	066.044	069.803	N	1997	3.90	4.00	60	3.95	0.16	
						1998	3.80	4.00	60	3.91	0.15	
						1999	3.80	3.80	62	3.80	0.13	
						2000	3.90	3.50	62	3.67	0.15	
						2001	3.90	3.50	62	3.67	0.15	
						2002	3.60	3.30	62	3.43	0.16	
						2003	3.40	3.30	56	3.34	0.19	
						2004	3.30	2.70	56	2.96	0.18	
						2005	3.40	2.70	57	3.01	0.21	
						2006	3.40	2.70	57	3.01	0.21	
6	S.H.-33	002460	069.803	073.436	N	1997	3.90	4.00	61	3.95	0.12	
						1998	3.80	4.00	61	3.91	0.09	
						1999	3.90	3.90	61	3.90	0.09	
						2000	3.90	3.50	61	3.67	0.10	
						2001	4.00	3.50	61	3.72	0.09	
						2002	3.60	3.30	61	3.43	0.08	
						2003	3.50	3.30	56	3.38	0.10	
						2004	3.50	2.90	56	3.16	0.11	
						2005	3.50	2.90	57	3.16	0.12	
						2006	3.50	2.90	57	3.16	0.13	
6	S.H.-33	002460	073.436	077.858	N	1997	2.90	2.30	40	2.56	0.23	
						1998	2.80	2.30	40	2.52	0.24	
						1999	2.70	1.90	50	2.25	0.24	
						2000	2.80	1.90	50	2.30	0.24	
						2001	2.80	1.90	50	2.30	0.27	
						2002	2.80	1.90	50	2.30	0.26	
						2003	2.50	1.90	56	2.17	0.25	
						2004	2.50	1.80	56	2.11	0.23	
						2005	2.30	1.80	57	2.02	0.28	
						2006	2.60	1.80	57	2.15	0.26	
6	S.H.-33	002460	077.858	078.236	N	1997	2.80	2.20	28	2.47	0.15	
						1998	2.60	2.20	28	2.38	0.18	
						1999	2.60	2.00	46	2.27	0.16	
						2000	2.70	2.00	46	2.31	0.19	
						2001	2.50	2.00	46	2.22	0.20	
						2002	2.60	2.00	46	2.27	0.21	
						2003	2.70	2.00	56	2.31	0.29	
						2004	2.60	2.00	56	2.27	0.30	
						2005	2.60	2.00	57	2.27	0.30	
						2006	2.90	5.00	57	4.03	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	S.H.-33	002460	078.236	078.507	N	1997	2.10	4.50	42	3.46	0.15							
						1998	2.00	3.00	42	2.56	0.16							
						1999	1.90	3.00	50	2.52	0.17							
						2000	2.00	3.00	50	2.56	0.19							
						2001	2.20	3.00	50	2.65	0.22							
						*2002	2.20	3.00	50	2.65	0.16							
						2003	3.10	4.00	56	3.60	0.18							
						2004	3.10	4.00	56	3.60	0.08							
						2005	3.10	4.00	57	3.60	0.15							
						2006	3.10	4.00	57	3.60	0.16							
						6	S.H.-33	002460	078.507	079.285	N	1997	2.20	1.90	38	2.02	0.23	
												1998	2.10	1.90	42	1.98	0.23	
1999	2.00	1.90	47	1.94	0.25													
2000	2.40	1.90	47	2.11	0.24													
2001	2.30	1.90	47	2.07	0.21													
*2002	2.10	1.90	47	1.98	0.23													
2003	3.80	5.00	56	4.47	0.27							MILL AND INLAY	2003					
2004	3.10	5.00	56	4.16	0.07													
2005	3.30	5.00	57	4.25	0.10													
2006	3.20	4.50	57	3.93	0.10													
6	S.H.-33	002460	099.335	100.000	N							1997	2.40	2.00	38	2.17	0.13	
												1998	4.00	5.00	38	4.55	0.14	PLANT MIX OVERLAY
						1999	3.20	4.00	58	3.64	0.04							
						2000	3.40	4.00	58	3.73	0.04							
						*2001	3.40	4.00	58	3.73	0.04							
						2002	2.50	2.40	58	2.44	0.13							
						2003	2.30	2.40	56	2.35	0.14	SEALCOAT	2003					
						2004	2.60	2.40	56	2.48	0.13							
						2005	2.60	3.50	57	3.09	0.13							
						2006	2.30	3.50	57	2.96	0.08							
						6	S.H.-33	002460	100.000	102.726	N	1997	3.30	2.00	21	2.58	0.17	
												1998	3.20	2.00	21	2.53	0.19	C.R.A.B.S.
1999	3.20	2.00	50	2.53	0.13													
2000	3.30	2.00	50	2.58	0.16													
2001	3.20	2.00	50	2.53	0.18													
2002	3.00	2.00	50	2.44	0.18													
2003	2.90	2.00	56	2.40	0.20							SEALCOAT	2003					
2004	2.90	2.00	56	2.40	0.20													
2005	3.50	5.00	57	4.32	0.21							C.R.A.B.S.	2005					
2006	3.50	5.00	57	4.32	0.12													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-33	002460	102.726	107.100	N	1997	3.50	2.40	32	2.89	0.16		
						1998	3.40	2.40	32	2.84	0.21		
						1999	3.30	2.40	45	2.80	0.21		
						2000	3.30	2.20	45	2.69	0.23		
						2001	3.30	2.20	45	2.69	0.25		
						2002	3.10	2.20	45	2.60	0.28		
						2003	2.90	2.20	56	2.51	0.30	SEALCOAT	2003
						*2004	2.90	2.10	56	2.45	0.30		
						2005	3.40	5.00	57	4.28	0.32	C.R.A.B.S.	2005
						2006	3.60	5.00	57	4.37	0.11		
6	S.H.-33	002460	107.100	109.220	N	1997	3.50	2.40	32	2.89	0.16		
						1998	3.40	2.40	32	2.84	0.21		
						1999	3.30	2.40	45	2.80	0.21		
						2000	3.30	2.20	45	2.69	0.23		
						2001	3.30	2.20	45	2.69	0.25		
						2002	3.10	2.20	45	2.60	0.28		
						2003	2.90	2.20	56	2.51	0.30		
						*2004	2.90	2.10	56	2.45	0.30		
						2005	2.80	5.00	57	4.01	0.33		
						2006	2.70	5.00	57	3.97	0.34		
6	S.H.-33	002460	109.220	111.287	N	1997	3.30	2.80	39	3.02	0.16		
						1998	3.20	2.50	39	2.81	0.20		
						1999	3.10	2.50	56	2.76	0.20		
						2000	2.90	2.50	56	2.67	0.19		
						2001	2.80	2.40	56	2.57	0.23		
						2002	2.80	2.10	56	2.41	0.21		
						2003	2.40	2.10	56	2.23	0.23		
						2004	2.50	2.10	56	2.27	0.24		
						2005	2.30	2.10	57	2.18	0.28		
						2006	2.30	2.10	57	2.18	0.28		
6	S.H.-33	002460	111.287	115.500	N	1997	3.20	2.90	39	3.03	0.18		
						*1998	3.20	2.50	39	2.81	0.21		
						1999	3.20	5.00	51	4.19	0.22	C.R.A.B.S.	1999
						2000	3.40	5.00	51	4.28	0.09		
						2001	3.40	5.00	51	4.28	0.09		
						2002	3.10	5.00	51	4.15	0.10		
						2003	3.00	5.00	56	4.10	0.10		
						2004	3.00	4.80	56	3.99	0.11		
						2005	2.90	4.80	57	3.94	0.12		
						2006	2.80	4.80	57	3.90	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-33	002460	115.500	118.255	N	1997	3.20	2.90	39	3.03	0.18		
						*1998	3.20	2.50	39	2.81	0.21	SEALCOAT	1999
						1999	3.20	3.40	56	3.31	0.17		
						2000	3.30	3.40	56	3.35	0.18		
						2001	3.30	3.40	56	3.35	0.19		
						2002	3.30	3.40	56	3.35	0.19		
						2003	3.10	3.40	56	3.26	0.20	SEALCOAT	2003
						2004	3.00	3.40	56	3.22	0.19		
						2005	3.10	3.40	57	3.26	0.18		
						2006	3.10	3.40	57	3.26	0.19		
6	S.H.-33	002460	118.255	120.440	N	1997	3.50	2.90	45	3.16	0.17		
						1998	3.50	2.40	45	2.89	0.21	SEALCOAT	1999
						1999	3.40	2.40	55	2.83	0.19		
						2000	3.50	2.40	55	2.88	0.20		
						2001	3.50	2.40	55	2.88	0.21		
						2002	3.40	2.40	55	2.83	0.21		
						2003	3.20	2.40	56	2.75	0.24	SEALCOAT	2003
						2004	3.20	2.40	56	2.75	0.22		
						2005	3.20	2.40	57	2.75	0.25		
						2006	3.10	2.40	57	2.70	0.25		
6	S.H.-33	002460	120.440	125.440	N	1997	3.70	4.00	39	3.86	0.12		
						1998	3.70	4.00	39	3.86	0.16	SEALCOAT	1999
						1999	3.70	4.00	45	3.86	0.16		
						2000	3.70	4.00	45	3.86	0.16		
						2001	3.70	4.00	45	3.86	0.16		
						2002	3.50	4.00	45	3.78	0.16		
						2003	3.40	4.00	56	3.73	0.16		
						2004	3.30	4.00	56	3.69	0.18		
						2005	3.40	4.00	57	3.73	0.18		
						2006	3.20	3.50	57	3.36	0.17		
6	S.H.-33	002460	125.440	131.164	N	1997	4.00	4.80	39	4.44	0.12		
						1998	3.90	4.80	39	4.39	0.14	SEALCOAT	1999
						1999	3.80	4.80	57	4.36	0.14		
						2000	3.90	4.80	57	4.39	0.14		
						2001	3.90	4.70	57	4.34	0.13		
						2002	3.80	4.70	57	4.29	0.14		
						2003	3.80	4.70	56	4.29	0.16		
						2004	3.70	4.20	56	3.97	0.16		
						2005	3.70	3.00	57	3.31	0.18		
						2006	3.80	2.70	57	3.19	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-33	002460	131.164	135.830	N	1997	3.70	4.50	37	4.14	0.08		
						*1998	3.70	4.50	37	4.14	0.11		
						1999	3.70	4.50	50	4.14	0.11	SEALCOAT	1999
						2000	3.70	4.50	50	4.14	0.11		
						2001	3.70	4.50	50	4.14	0.12		
						2002	3.60	4.50	50	4.09	0.14		
						2003	3.60	4.50	56	4.09	0.14		
						2004	3.60	4.50	56	4.09	0.13		
						2005	3.60	4.00	57	3.82	0.15		
						2006	3.60	4.00	57	3.82	0.16		
6	S.H.-33	002460	136.000	140.515	N	1997	3.20	4.00	27	3.64	0.29		
						1998	3.20	4.00	27	3.63	0.34		
						1999	3.10	4.00	35	3.59	0.38	SEALCOAT	1999
						2000	3.20	4.00	35	3.63	0.35		
						2001	3.20	4.00	35	3.63	0.36		
						2002	3.20	4.00	35	3.63	0.38		
						2003	3.10	4.00	56	3.59	0.40		
						2004	3.10	4.00	56	3.59	0.35		
						2005	3.10	4.00	57	3.59	0.44		
						2006	3.10	3.30	57	3.20	0.48		
6	S.H.-33	002460	140.515	141.787	N	1997	3.00	4.00	29	3.55	0.24		
						1998	3.00	4.00	29	3.55	0.29		
						1999	3.00	4.00	48	3.54	0.29	SEALCOAT	1999
						2000	3.10	4.00	48	3.59	0.31		
						2001	3.00	3.90	48	3.49	0.31		
						2002	2.80	3.90	48	3.40	0.33		
						2003	2.80	3.90	56	3.40	0.36		
						2004	2.80	3.90	56	3.40	0.38		
						2005	2.70	3.90	57	3.36	0.42		
						2006	2.70	3.90	57	3.35	0.39		
6	S.H.-33	002460	141.787	149.549	N	1997	3.70	3.50	14	3.58	0.20		
						1998	3.60	3.50	14	3.54	0.27		
						1999	3.50	3.50	43	3.50	0.28	SEALCOAT	1999
						2000	3.60	3.50	43	3.54	0.30		
						2001	3.60	3.50	43	3.54	0.34		
						2002	3.30	3.50	43	3.41	0.36		
						2003	3.40	3.50	56	3.45	0.39		
						2004	3.30	3.00	56	3.12	0.35		
						2005	3.40	3.00	57	3.16	0.42		
						2006	3.30	2.90	57	3.06	0.43		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-33	002460	149.549	149.770	N	1997	3.30	3.50	90	3.41	0.17		
						1998	3.40	3.50	90	3.45	0.19		
						1999	3.30	3.50	90	3.41	0.16	SEALCOAT	1999
						2000	3.30	3.50	43	3.41	0.17		
						2001	3.40	3.50	43	3.45	0.17		
						2002	3.30	3.50	43	3.41	0.19		
						2003	3.10	3.50	56	3.33	0.21		
						2004	3.00	3.50	56	3.28	0.19		
						2005	3.00	3.50	57	3.28	0.19		
						2006	3.20	3.50	57	3.37	0.19		
6	S.H.-33	002460	149.770	155.084	N	1997	2.90	3.00	32	2.95	0.17		
						1998	2.90	3.00	32	2.95	0.21		
						1999	2.90	3.00	39	2.95	0.22	SEALCOAT	1999
						2000	2.90	3.00	39	2.95	0.24		
						2001	2.90	3.00	39	2.95	0.26		
						2002	2.80	3.00	39	2.90	0.26		
						2003	2.90	3.00	56	2.95	0.26		
						2004	2.90	2.90	56	2.90	0.23		
						2005	2.90	2.90	57	2.90	0.28		
						2006	2.90	2.90	57	2.90	0.28		
6	S.H.-43	002400	000.010	003.868	N	1997	3.60	4.50	38	4.16	0.07		
						1998	3.60	4.50	38	4.16	0.08		
						1999	3.50	4.50	41	4.12	0.09		
						2000	3.50	4.50	41	4.12	0.09		
						2001	3.50	4.50	41	4.12	0.10		
						2002	3.30	4.50	41	4.04	0.13		
						2003	3.30	4.50	56	4.04	0.15		
						2004	3.30	4.50	56	4.04	0.15		
						2005	3.30	4.50	57	4.04	0.18		
						2006	3.20	4.00	57	3.69	0.14		
6	S.H.-47	002490	000.000	000.250	N	1997	1.70	2.00	59	1.88	0.13		
						1998	1.50	2.00	59	1.80	0.13		
						1999	1.60	2.00	59	1.84	0.15		
						2000	1.70	2.00	41	1.88	0.21		
						2001	1.80	2.00	41	1.92	0.17		
						2002	1.30	2.00	41	1.73	0.17		
						2003	1.40	2.00	56	1.76	0.20		
						2004	1.40	2.00	56	1.76	0.18		
						2005	1.40	2.00	57	1.76	0.21		
						2006	1.10	5.00	57	3.50	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-47	002490	000.250	000.579	N	1997	2.80	3.00	58	2.92	0.17	
						1998	2.80	3.00	58	2.92	0.19	
						1999	2.70	3.00	47	2.88	0.21	
						2000	2.80	3.00	47	2.92	0.25	
						2001	2.60	3.00	47	2.84	0.19	
						2002	2.60	2.40	47	2.47	0.27	
						2003	2.30	2.40	56	2.36	0.27	
						2004	2.30	1.90	56	2.05	0.30	
						2005	2.10	1.90	57	1.97	0.28	
						2006	2.10	1.90	57	1.97	0.29	
6	S.H.-47	002490	000.579	000.753	N	1997	2.70	3.00	56	2.88	0.28	
						1998	3.00	3.00	56	3.00	0.28	
						1999	2.70	3.00	56	2.88	0.28	
						2000	2.80	3.00	47	2.92	0.31	
						2001	2.80	3.00	47	2.92	0.32	
						2002	2.60	2.50	47	2.53	0.24	
						2003	2.60	2.50	56	2.53	0.24	
						2004	2.50	1.90	56	2.12	0.26	
						2005	2.50	1.90	57	2.12	0.27	
						2006	2.30	1.90	57	2.05	0.29	
6	S.H.-47	002490	000.753	006.138	N	1997	3.10	2.70	56	2.86	0.17	
						1998	3.10	2.70	56	2.86	0.16	
						1999	3.10	2.70	44	2.86	0.17	
						2000	3.20	2.70	44	2.90	0.18	
						2001	3.20	2.70	44	2.90	0.19	
						2002	3.00	2.70	44	2.82	0.17	
						2003	3.00	2.70	56	2.82	0.20	
						2004	3.00	2.40	56	2.64	0.21	
						2005	3.00	2.40	57	2.64	0.21	
						2006	2.90	2.30	57	2.54	0.23	
6	S.H.-47	002490	006.138	007.279	N	1997	2.80	2.70	60	2.74	0.20	
						1998	2.80	2.70	60	2.74	0.17	
						1999	3.00	2.70	48	2.82	0.11	
						2000	2.90	2.70	48	2.78	0.16	
						2001	2.90	2.70	48	2.78	0.17	
						2002	3.00	2.50	48	2.70	0.15	
						2003	2.90	2.50	56	2.66	0.18	
						2004	2.90	2.50	56	2.66	0.19	
						2005	2.90	2.50	57	2.66	0.19	
						2006	2.80	2.50	57	2.62	0.19	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	S.H.-47	002490	007.279	008.200	N	1997	3.00	1.80	61	2.29	0.19	
						1998	2.90	1.80	61	2.25	0.13	
						1999	2.80	1.80	60	2.21	0.14	
						2000	2.90	1.80	60	2.25	0.17	
						2001	2.80	1.80	60	2.20	0.17	
						2002	2.40	1.80	60	2.04	0.16	
						2003	2.60	1.80	56	2.12	0.14	
						2004	2.70	1.80	56	2.17	0.14	
						2005	2.60	1.80	57	2.12	0.13	
						2006	2.60	1.80	57	2.12	0.14	
6	S.H.-47	002490	008.200	008.900	N	1997	3.10	3.50	61	3.33	0.21	
						1998	3.00	3.50	61	3.29	0.20	
						1999	2.90	3.50	58	3.25	0.18	
						2000	3.00	3.50	58	3.29	0.21	
						2001	2.90	3.50	58	3.25	0.21	
						2002	2.80	3.50	58	3.21	0.11	
						2003	3.00	3.50	56	3.29	0.20	
						2004	2.90	2.80	56	2.84	0.21	
						2005	2.90	2.80	57	2.84	0.18	
						2006	2.80	2.80	57	2.80	0.20	
6	S.H.-47	002490	008.900	012.420	N	1997	2.60	1.40	65	1.89	0.24	
						1998	2.50	1.40	65	1.85	0.22	
						1999	2.40	1.40	59	1.81	0.21	
						2000	2.40	1.40	59	1.81	0.24	
						2001	2.30	5.00	59	3.88	0.24	
						2002	2.90	4.30	59	3.72	0.08	
						2003	3.00	4.00	56	3.58	0.10	
						2004	2.90	2.80	56	2.84	0.11	
						2005	2.90	2.80	57	2.84	0.11	
						2006	2.80	2.80	57	2.80	0.11	
6	S.H.-48	002440	000.000	000.478	N	1997	1.80	4.00	37	3.16	0.09	
						1998	1.70	4.00	37	3.12	0.14	
						1999	1.80	4.00	37	3.16	0.12	
						2000	1.90	4.00	59	3.20	0.14	
						2001	1.70	4.00	59	3.12	0.13	
						2002	2.10	4.00	59	3.27	0.10	
						2003	2.10	3.60	56	3.03	0.11	
						2004	2.10	3.40	56	2.90	0.14	
						2005	2.10	3.40	57	2.90	0.13	
						2006	2.10	3.40	57	2.90	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	S.H.-48	002440	000.478	000.720	N	*1997	2.40	2.30	39	2.34	0.18							
						1998	1.50	3.00	37	2.42	0.24							
						1999	1.60	3.00	37	2.46	0.24							
						2000	1.70	3.00	59	2.50	0.28							
						2001	1.60	3.00	59	2.46	0.29							
						2002	1.50	2.50	59	2.12	0.19							
						2003	1.60	2.50	56	2.15	0.17	SEALCOAT	2003					
						2004	1.60	1.90	56	1.78	0.22							
						2005	1.40	1.90	57	1.71	0.16							
						2006	1.50	2.70	57	2.24	0.25							
						6	S.H.-48	002440	000.720	002.270	N	*1997	2.40	2.30	39	2.34	0.18	
												1998	4.10	5.00	38	4.65	0.02	C.R.A.B.S.
1999	3.70	4.50	51	4.19	0.05													
2000	3.70	4.50	51	4.16	0.06													
2001	3.50	4.50	51	4.11	0.06													
2002	3.50	4.50	51	4.12	0.07													
2003	3.50	4.50	56	4.12	0.09							SEALCOAT	2003					
2004	3.60	4.50	56	4.15	0.10													
2005	3.40	4.50	57	4.08	0.08													
2006	3.40	4.50	57	4.08	0.10													
6	S.H.-48	002440	002.270	005.000	N							*1997	2.40	2.30	39	2.34	0.18	
												*1998	3.50	5.00	40	4.37	0.06	C.R.A.B.S.
						1999	3.20	4.50	52	3.95	0.10							
						2000	3.30	4.50	52	4.00	0.11							
						2001	3.30	4.50	52	4.00	0.11							
						2002	3.30	4.50	52	4.00	0.12							
						2003	3.30	4.00	56	3.70	0.14	SEALCOAT	2003					
						2004	3.30	4.00	56	3.70	0.15							
						2005	3.20	4.00	57	3.66	0.13							
						2006	3.20	3.90	57	3.61	0.15							
						6	S.H.-48	002440	005.000	011.000	N	*1997	2.40	2.30	39	2.34	0.18	
												*1998	3.50	5.00	40	4.37	0.06	C.R.A.B.S.
1999	3.60	5.00	48	4.41	0.05													
2000	3.60	5.00	48	4.41	0.06													
2001	3.60	5.00	48	4.41	0.07													
2002	3.50	5.00	48	4.37	0.08													
2003	3.40	5.00	56	4.33	0.07							SEALCOAT	2003					
2004	3.40	5.00	56	4.33	0.09													
2005	3.30	4.60	57	4.06	0.07													
2006	3.30	4.50	57	4.00	0.08													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS			
										INDEX	DEPTH				
6	S.H.-48	002440	011.000	013.000	N	*1997	2.80	2.70	48	2.74	0.18	C.R.A.B.S.	1998		
						1998	3.80	5.00	48	4.50	0.04				
						1999	3.70	5.00	53	4.45	0.05				
						2000	3.70	5.00	53	4.45	0.06				
						2001	3.70	4.90	53	4.40	0.07				
						2002	3.50	4.90	53	4.31	0.09				
						2003	3.50	4.90	56	4.31	0.10			SEALCOAT	2003
						2004	3.40	4.90	56	4.27	0.11				
						2005	3.40	4.60	57	4.09	0.08				
						2006	3.40	4.60	57	4.09	0.10				
6	S.H.-48	002440	013.000	013.971	N	*1997	2.80	2.70	48	2.74	0.18	SEALCOAT	2002		
						1998	2.90	2.70	45	2.78	0.20				
						1999	3.00	2.70	51	2.82	0.16				
						2000	2.90	2.70	51	2.78	0.18				
						2001	2.90	2.70	51	2.78	0.20				
						2002	2.50	2.70	51	2.61	0.18				
						2003	2.40	2.40	56	2.40	0.19				
						2004	2.70	2.40	56	2.52	0.17				
						2005	2.70	2.40	57	2.52	0.19				
						2006	2.60	2.40	57	2.48	0.20				
6	S.H.-48	002440	013.971	014.370	N	1997	3.10	2.50	25	2.73	0.21	SEALCOAT	2002		
						1998	3.00	2.50	25	2.69	0.24				
						1999	2.90	2.40	31	2.59	0.25				
						2000	2.70	2.40	31	2.51	0.27				
						2001	2.50	2.40	31	2.43	0.29				
						2002	2.10	2.40	31	2.28	0.30				
						2003	2.00	2.40	56	2.24	0.31				
						2004	3.00	2.40	56	2.63	0.23				
						2005	2.90	2.40	57	2.59	0.24				
						2006	2.90	2.30	57	2.53	0.24				
6	S.H.-48	002440	014.370	014.800	N	1997	2.40	2.50	32	2.46	0.19	SEALCOAT	2002		
						1998	2.40	2.40	32	2.40	0.16				
						1999	2.20	2.40	39	2.32	0.23				
						2000	2.30	2.40	39	2.36	0.23				
						2001	2.20	2.40	39	2.32	0.21				
						2002	2.20	2.40	39	2.32	0.23				
						2003	2.20	2.40	56	2.32	0.27				
						2004	2.20	2.40	56	2.32	0.22				
						2005	2.10	2.40	57	2.28	0.28				
						2006	1.80	2.40	57	2.16	0.24				

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-48	002440	014.800	015.058	N	1997	1.20	4.00	43	2.92	0.11		
						1998	1.10	4.00	43	2.89	0.11		
						1999	1.10	4.00	43	2.89	0.13		
						2000	1.30	4.00	39	2.96	0.16		
						2001	1.40	4.00	39	3.00	0.16		
						2002	1.30	4.00	39	2.96	0.07	SEALCOAT	2002
						2003	1.10	4.00	56	2.89	0.06		
						2004	1.10	4.00	56	2.89	0.04		
						2005	1.30	4.00	57	2.96	0.07		
						2006	0.90	4.00	57	2.81	0.10		
6	S.H.-48	002440	015.058	015.515	N	1997	3.20	3.00	33	3.08	0.23		
						1998	3.30	3.00	33	3.12	0.23		
						1999	3.00	3.00	42	3.00	0.35		
						2000	3.00	3.00	42	3.00	0.35		
						2001	2.90	3.00	42	2.95	0.42		
						2002	3.00	3.00	42	3.00	0.41	SEALCOAT	2002
						2003	3.00	3.00	56	3.00	0.45		
						2004	3.00	3.00	56	3.00	0.40		
						2005	3.00	3.00	57	3.00	0.44		
						2006	3.00	3.00	57	3.00	0.49		
6	S.H.-48	002440	015.515	021.000	N	1997	3.00	2.50	44	2.70	0.24		
						1998	3.00	2.50	44	2.70	0.27		
						1999	3.00	2.50	47	2.70	0.31		
						2000	2.80	2.50	47	2.62	0.32		
						2001	2.80	2.50	47	2.62	0.37		
						2002	2.50	2.40	47	2.44	0.31	SEALCOAT	2002
						2003	2.40	2.40	56	2.40	0.29		
						2004	2.60	2.40	56	2.48	0.27		
						2005	2.60	2.30	57	2.42	0.30		
						2006	2.50	2.30	57	2.38	0.34		
6	S.H.-48	002440	021.000	022.000	N	1997	3.40	4.00	46	3.75	0.09		
						1998	3.40	4.00	46	3.75	0.11		
						1999	3.40	4.00	51	3.75	0.10		
						2000	3.40	4.00	51	3.75	0.11		
						2001	3.40	4.00	51	3.75	0.11		
						2002	3.10	3.70	51	3.45	0.09	SEALCOAT	2002
						2003	3.00	3.70	56	3.41	0.08		
						2004	3.00	3.70	56	3.41	0.08		
						2005	3.00	3.70	57	3.41	0.09		
						2006	3.00	3.70	57	3.41	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
6	S.H.-48	002440	022.000	024.140	N	1997	3.00	3.00	43	3.00	0.21	
						1998	2.90	3.00	43	2.95	0.26	
						1999	2.90	3.00	47	2.95	0.30	
						2000	2.90	3.00	47	2.95	0.32	
						2001	2.90	3.00	47	2.95	0.30	
						2002	2.60	3.00	47	2.83	0.23	SEALCOAT
						2003	2.70	3.00	56	2.87	0.24	
						2004	2.70	3.00	56	2.87	0.23	
						2005	2.70	2.90	57	2.81	0.24	
						2006	2.70	2.90	57	2.81	0.27	
6	S.H.-48	002440	024.140	024.409	N	1997	2.70	3.00	27	2.87	0.25	
						1998	2.90	3.00	27	2.95	0.33	
						1999	3.40	3.00	27	3.16	0.24	
						2000	3.40	3.00	47	3.15	0.25	
						2001	3.50	3.00	47	3.20	0.22	
						2002	3.20	3.00	47	3.08	0.25	SEALCOAT
						2003	3.20	3.00	56	3.08	0.21	
						2004	3.20	3.00	56	3.08	0.19	
						2005	3.30	3.00	57	3.12	0.22	
						2006	3.20	3.00	57	3.08	0.26	
6	S.H.-75	002230	217.186	222.637	N	1997	3.40	5.00	47	4.28	0.08	
						1998	3.40	5.00	47	4.28	0.09	
						1999	3.40	5.00	51	4.28	0.08	
						2000	3.50	5.00	51	4.38	0.10	
						2001	3.50	5.00	52	4.33	0.09	
						2002	3.40	4.30	52	3.89	0.10	
						2003	3.40	4.30	52	3.89	0.09	
						2004	3.40	2.80	52	3.06	0.08	
						2005	3.40	2.80	57	3.06	0.10	
						2006	3.40	2.40	57	2.84	0.11	
6	S.H.-75	002230	222.637	226.951	N	1997	3.40	5.00	45	4.28	0.10	
						1998	3.30	5.00	45	4.24	0.12	
						1999	3.30	5.00	49	4.24	0.13	
						2000	3.30	5.00	49	4.24	0.12	
						2001	3.30	5.00	52	4.24	0.12	
						2002	3.30	4.40	52	3.91	0.14	
						2003	3.30	3.90	52	3.63	0.14	SEALCOAT
						2004	3.20	3.40	52	3.31	0.11	
						2005	3.20	3.40	57	3.31	0.15	
						2006	3.20	3.20	57	3.20	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	S.H.-75	002230	226.951	232.456	N	1997	3.30	4.50	51	3.96	0.10		
						1998	3.30	4.50	51	3.96	0.06		
						1999	3.30	4.50	54	3.96	0.07		
						2000	3.40	4.50	54	4.00	0.07		
						2001	3.40	4.50	53	4.00	0.07		
						2002	3.50	4.50	53	4.05	0.07		
						2003	3.40	4.50	53	4.00	0.06	SEALCOAT	2003
						2004	3.30	4.40	53	3.90	0.05		
						2005	3.40	4.40	57	3.95	0.06		
						2006	3.40	4.40	57	3.95	0.07		
6	S.H.-75	002230	232.456	236.196	N	1997	3.70	4.50	50	4.14	0.09		
						1998	3.60	4.50	50	4.09	0.04		
						1999	3.60	4.50	54	4.09	0.05		
						2000	3.60	4.50	54	4.09	0.04		
						2001	3.60	4.50	56	4.09	0.05		
						2002	3.70	4.50	56	4.14	0.04		
						2003	3.60	4.50	56	4.09	0.04	SEALCOAT	2003
						2004	3.50	3.50	56	3.50	0.06		
						2005	3.50	3.50	57	3.50	0.06		
						2006	3.50	3.50	57	3.50	0.06		
6	S.H.-75	002230	236.196	240.290	N	1997	3.70	4.50	50	4.14	0.09		
						1998	3.70	4.50	50	4.14	0.05		
						1999	3.70	4.50	55	4.14	0.04		
						2000	3.70	4.50	55	4.14	0.05		
						2001	3.70	4.50	57	4.14	0.05		
						2002	3.60	4.50	57	4.09	0.04		
						2003	3.60	4.50	57	4.09	0.04	SEALCOAT	2003
						2004	3.40	4.50	57	4.00	0.06		
						2005	3.50	4.50	57	4.05	0.06		
						2006	3.50	4.50	57	4.05	0.05		
6	S.H.-75	002230	240.290	244.325	N	1997	3.80	4.00	50	3.91	0.09		
						1998	3.70	4.00	50	3.86	0.05		
						1999	3.70	4.00	55	3.86	0.05		
						2000	3.80	4.00	55	3.91	0.05		
						2001	3.80	4.00	56	3.91	0.05		
						2002	3.60	4.00	56	3.82	0.05		
						2003	3.60	4.00	56	3.82	0.05	SEALCOAT	2003
						2004	3.40	4.00	56	3.73	0.05		
						2005	3.50	4.00	57	3.77	0.05		
						2006	3.50	4.00	57	3.77	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	I-84	004140	001.430	001.472	N	2004	3.40	3.00	56	3.16	0.05	
6	S.H.-87	002520	000.000	004.592	N	1997	3.30	3.00	27	3.13	0.22	
						1998	3.20	3.00	27	3.08	0.27	
						1999	3.20	3.00	33	3.08	0.24	SEALCOAT
						2000	3.20	3.00	33	3.08	0.26	
						2001	3.20	3.00	33	3.08	0.30	
						2002	3.10	3.00	33	3.04	0.28	
						2003	3.00	3.00	56	3.00	0.28	SEALCOAT
						2004	3.10	3.00	56	3.04	0.24	
						2005	3.10	3.00	57	3.04	0.26	
						2006	3.10	3.00	57	3.04	0.27	
6	S.H.-87	002520	004.592	009.145	N	1997	3.50	3.00	37	3.21	0.24	
						1998	3.30	3.00	37	3.13	0.29	
						1999	3.50	3.00	40	3.21	0.26	SEALCOAT
						2000	3.50	3.00	40	3.22	0.25	
						2001	3.40	3.00	40	3.17	0.27	
						2002	3.20	3.00	40	3.08	0.28	
						2003	3.10	3.00	56	3.04	0.29	SEALCOAT
						2004	3.10	3.00	56	3.04	0.28	
						2005	3.20	3.00	57	3.08	0.30	
						2006	3.20	3.00	57	3.08	0.34	
6	U.S.-91	002350	120.561	122.866	N	1997	3.60	3.50	45	3.54	0.30	
						1998	3.50	3.50	45	3.50	0.33	
						1999	3.50	3.50	44	3.50	0.41	
						2000	3.50	3.50	44	3.50	0.41	
						*2001	3.50	3.50	44	3.50	0.35	
						2002	3.40	2.90	44	3.10	0.43	
						2003	3.30	2.90	56	3.06	0.46	
						2004	3.30	2.40	56	2.77	0.41	
						2005	3.20	2.40	57	2.73	0.40	SEALCOAT
						2006	3.30	2.40	57	2.78	0.40	
6	U.S.-93	002220	082.600	082.830	N	1997	3.40	4.50	20	4.00	0.08	
						1998	3.30	4.50	20	3.96	0.13	
						1999	3.40	4.50	27	4.00	0.11	
						2000	3.50	4.00	27	3.77	0.13	
						2001	3.40	3.90	19	3.67	0.13	
						2002	3.40	3.90	19	3.67	0.12	
						*2003	3.40	3.90	19	3.67	0.14	C.R.A.B.S.
						2004	3.60	5.00	18	4.37	0.04	
						2005	3.70	5.00	57	4.41	0.04	
						2006	3.70	5.00	57	4.41	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-93	002220	082.830	083.055	N	1997	3.40	4.50	20	4.00	0.08		
						1998	3.30	4.50	20	3.96	0.13		
						1999	3.40	4.50	27	4.00	0.11		
						2000	3.50	4.00	27	3.77	0.13		
						2001	3.40	3.90	19	3.67	0.13		
						2002	3.40	3.90	19	3.67	0.12		
						*2003	3.40	3.90	19	3.67	0.14	SEALCOAT	2003
						2004	3.40	3.90	19	3.67	0.09		
						2005	3.40	3.90	57	3.67	0.09		
						2006	3.40	3.90	57	3.67	0.10		
6	U.S.-93	002220	083.055	090.700	N	1997	3.90	4.00	27	3.95	0.06		
						1998	3.90	4.00	27	3.95	0.10		
						1999	3.90	4.00	40	3.95	0.09		
						2000	3.90	4.00	40	3.95	0.10		
						2001	3.90	3.40	32	3.63	0.10		
						2002	3.70	3.20	32	3.43	0.10		
						2003	3.70	3.20	32	3.43	0.11	SEALCOAT	2003
						2004	3.50	3.20	32	3.34	0.09		
						2005	3.60	3.20	57	3.39	0.08		
						2006	3.60	3.20	57	3.39	0.09		
6	U.S.-93	002220	090.700	095.330	N	1997	3.20	2.50	47	2.83	0.16		
						1998	3.20	2.50	47	2.83	0.13		
						1999	3.00	2.50	61	2.73	0.18		
						2000	3.00	2.50	61	2.73	0.18		
						2001	2.90	2.40	48	2.63	0.18		
						2002	3.00	2.40	48	2.68	0.15		
						2003	2.90	2.40	48	2.63	0.17		
						2004	2.80	2.40	48	2.59	0.16		
						2005	2.80	2.40	57	2.59	0.18		
						2006	2.70	2.40	57	2.54	0.19		
6	U.S.-93	002220	095.330	096.332	N	1997	3.10	2.50	47	2.78	0.13		
						1998	3.20	2.50	47	2.83	0.12		
						1999	2.90	2.50	43	2.69	0.17		
						2000	3.00	2.50	43	2.73	0.18		
						2001	3.10	2.50	36	2.78	0.17		
						2002	3.00	2.50	36	2.73	0.20		
						2003	3.00	2.50	36	2.73	0.21		
						2004	3.10	2.50	36	2.78	0.18		
						2005	3.00	2.50	57	2.73	0.24		
						2006	3.00	2.50	57	2.73	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-93	002220	096.332	102.100	N	1997	3.20	2.50	43	2.83	0.13	
						1998	3.20	2.50	43	2.83	0.12	
						1999	3.00	2.50	59	2.73	0.15	
						2000	3.20	2.50	59	2.83	0.17	
						2001	3.20	2.50	53	2.83	0.17	
						2002	2.90	2.50	53	2.69	0.15	
						2003	2.80	2.50	53	2.64	0.18	
						2004	2.90	2.40	53	2.63	0.17	
						2005	2.80	2.40	57	2.59	0.18	
						2006	2.90	2.40	57	2.63	0.20	
6	U.S.-93	002220	102.100	108.479	N	1997	3.30	2.50	43	2.88	0.15	
						1998	3.20	2.50	43	2.83	0.16	
						1999	3.20	2.50	59	2.83	0.19	
						2000	3.30	2.50	59	2.88	0.21	
						2001	3.30	2.50	52	2.88	0.21	
						2002	3.00	2.50	52	2.73	0.17	
						2003	2.90	2.40	52	2.63	0.20	
						2004	2.80	2.30	52	2.53	0.16	
						2005	2.90	2.30	57	2.58	0.20	
						2006	3.00	2.30	57	2.63	0.21	
6	U.S.-93	002220	108.479	108.837	N	1997	3.00	3.00	36	3.00	0.15	
						1998	3.00	3.00	36	3.00	0.17	
						*1999	2.90	3.00	53	2.95	0.17	
						2000	3.00	3.00	53	3.00	0.14	
						2001	3.00	2.90	51	2.94	0.14	
						*2002	2.70	2.40	51	2.53	0.15	
						2003	2.40	2.40	55	2.40	0.13	
						2004	2.50	2.30	55	2.38	0.10	
						2005	2.50	2.30	57	2.38	0.13	
						2006	2.40	2.30	57	2.34	0.11	
6	U.S.-93	002220	108.837	109.100	N	1997	3.00	3.00	36	3.00	0.15	
						1998	3.00	3.00	36	3.00	0.17	
						*1999	2.90	3.00	53	2.95	0.17	
						2000	3.00	3.00	53	3.00	0.14	
						2001	3.00	2.90	51	2.94	0.14	
						*2002	2.70	2.40	51	2.53	0.15	
						2003	3.00	5.00	48	4.10	0.13	NEW CONST OR RECONST (FLEX)
						2004	3.00	5.00	48	4.10	0.13	
						2005	3.00	5.00	57	4.10	0.13	
						2006	3.00	5.00	57	4.10	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

2003

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-93	002220	109.100	109.485	N	1997	3.00	3.00	36	3.00	0.15	
						1998	3.00	3.00	36	3.00	0.17	
						*1999	2.90	3.00	53	2.95	0.17	
							2.00	3.50	53	4.33	0.12	COLD IN PLACE RECYCLE
							2.00	3.00	51	4.10	0.12	
							2.00	2.80	51	4.01	0.12	
							2.00	3.00	48	4.10	0.09	NEW CONST OR RECONST (FLEX)
							2.00	3.00	48	4.10	0.11	
							2.00	3.00	57	4.10	0.12	
							2.00	3.00	57	4.10	0.13	
6	U.S.-93	002220	109.485	111.700	N	1997	2.90	2.30	38	2.58	0.16	
						1998	2.90	2.30	38	2.58	0.17	
						*1999	3.00	2.30	53	2.63	0.15	
							2.00	3.50	59	4.28	0.10	COLD IN PLACE RECYCLE
							2.00	3.50	45	4.28	0.09	
							2.00	3.40	45	4.23	0.10	
							2.00	3.30	45	4.08	0.10	
							2.00	3.30	45	3.61	0.09	
							2.00	3.30	57	3.50	0.11	
							2.00	3.30	57	3.50	0.11	
6	U.S.-93	002220	111.700	112.091	N	1997	2.90	2.30	38	2.58	0.16	
						1998	2.90	2.30	38	2.58	0.17	
						*1999	3.00	2.30	53	2.63	0.15	
							2.00	3.50	41	2.86	0.09	
							2.00	3.70	39	2.96	0.06	
							2.00	3.50	39	2.86	0.06	
							2.00	3.40	39	2.82	0.06	
							2.00	3.30	39	2.77	0.06	
							2.00	3.40	57	2.82	0.05	
							2.00	3.40	57	2.82	0.07	
6	U.S.-93	002220	112.091	113.497	N	1997	3.10	2.70	45	2.88	0.12	
						1998	3.10	2.70	45	2.88	0.12	
						1999	3.30	5.00	60	4.19	0.11	
							2.00	3.50	60	4.28	0.12	COLD IN PLACE RECYCLE
							2.00	3.60	42	4.33	0.10	
							2.00	3.40	42	4.24	0.10	
							2.00	3.40	42	3.82	0.11	
							2.00	3.30	42	3.61	0.09	
							2.00	3.30	57	3.61	0.11	
							2.00	3.30	57	3.08	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-93	002220	113.497	115.534	N	1997	3.10	2.30	43	2.67	0.14	
						1998	3.10	2.30	43	2.67	0.15	
						1999	3.20	2.30	63	2.72	0.14	
						2000	3.50	2.30	63	2.86	0.13	SEALCOAT
						2001	3.40	2.30	46	2.82	0.13	
						2002	3.30	2.30	46	2.77	0.14	
						2003	3.30	2.30	46	2.77	0.13	
						2004	3.30	2.30	46	2.77	0.11	
						2005	3.30	2.30	57	2.77	0.13	
						2006	3.30	2.30	57	2.77	0.15	2000
6	U.S.-93	002220	115.534	121.958	N	1997	3.20	2.50	37	2.83	0.11	
						1998	3.20	2.50	37	2.83	0.12	
						1999	3.10	2.50	49	2.78	0.13	
						2000	3.10	2.50	49	2.78	0.13	
						2001	3.00	2.50	42	2.73	0.14	
						2002	2.80	2.40	42	2.58	0.13	
						2003	2.60	2.40	42	2.49	0.14	
						2004	2.70	2.30	42	2.48	0.13	
						2005	2.60	2.20	57	2.38	0.14	
						2006	2.20	5.00	57	3.67	0.19	
6	U.S.-93	002220	121.958	129.180	N	1997	3.30	3.40	38	3.35	0.10	
						1998	3.20	3.40	38	3.30	0.06	
						1999	3.20	3.00	56	3.09	0.06	
						2000	3.20	3.00	56	3.09	0.06	SEALCOAT
						2001	3.20	3.00	53	3.09	0.06	
						2002	2.90	2.60	53	2.74	0.05	
						2003	2.90	2.60	53	2.74	0.06	SEALCOAT
						2004	2.70	2.60	53	2.64	0.07	
						2005	2.70	2.60	57	2.64	0.06	
						2006	2.70	2.60	57	2.64	0.07	2003
6	U.S.-93	002220	129.180	131.267	N	1997	3.40	2.80	49	3.08	0.10	
						1998	3.40	2.40	49	2.87	0.06	
						1999	3.30	2.40	63	2.82	0.06	
						2000	3.40	2.40	63	2.87	0.07	SEALCOAT
						2001	3.50	2.40	51	2.91	0.07	
						2002	3.30	2.40	51	2.82	0.06	
						2003	3.20	2.40	51	2.77	0.06	SEALCOAT
						2004	3.00	2.40	51	2.68	0.08	
						2005	3.20	2.40	57	2.77	0.07	
						2006	3.20	2.40	57	2.77	0.08	2003

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-93	002220	131.267	137.000	N	1997	4.10	4.50	41	4.31	0.08		
						1998	4.10	4.50	41	4.31	0.08		
						1999	4.10	4.50	48	4.31	0.10		
						2000	4.10	4.50	48	4.31	0.13	SEALCOAT	2000
						2001	4.10	4.20	45	4.15	0.14		
						2002	3.80	4.10	45	3.95	0.11		
						2003	3.80	4.10	45	3.95	0.15	SEALCOAT	2003
						2004	3.60	4.10	45	3.86	0.09		
						2005	3.70	4.10	57	3.91	0.13		
						2006	3.70	4.10	57	3.91	0.13		
6	U.S.-93	002220	137.000	140.762	N	1997	3.10	2.50	37	2.78	0.16		
						1998	3.00	2.40	37	2.68	0.15		
						1999	3.00	2.40	56	2.68	0.19	SEALCOAT	1999
						2000	3.20	2.40	56	2.77	0.17		
						2001	3.20	2.40	43	2.77	0.16		
						2002	3.00	2.40	43	2.68	0.16		
						2003	2.90	2.40	43	2.63	0.16		
						2004	3.60	5.00	43	4.33	0.09	MILL INLAY AND OVERLAY	2004
						2005	3.70	5.00	57	4.38	0.09		
						2006	3.70	5.00	57	4.38	0.08		
6	U.S.-93	002220	140.762	148.580	N	1997	3.30	2.00	48	2.61	0.13		
						1998	3.30	2.00	48	2.61	0.10		
						1999	3.30	2.00	62	2.61	0.12	SEALCOAT	1999
						2000	3.40	2.00	62	2.66	0.10		
						2001	3.30	2.00	49	2.61	0.11		
						2002	3.10	2.00	49	2.51	0.10		
						2003	3.00	2.00	49	2.47	0.11		
						2004	3.60	5.00	49	4.33	0.09	MILL INLAY AND OVERLAY	2004
						2005	3.70	5.00	57	4.38	0.09		
						2006	3.80	5.00	57	4.43	0.08		
6	U.S.-93	002220	148.580	150.000	N	1997	2.60	2.50	41	2.54	0.17		
						1998	2.60	2.50	41	2.54	0.14		
						1999	2.60	2.50	56	2.54	0.15	SEALCOAT	1999
						2000	2.70	2.50	56	2.59	0.14		
						2001	2.70	2.50	37	2.59	0.13		
						2002	2.60	2.50	37	2.54	0.14		
						2003	2.50	2.50	37	2.50	0.14		
						2004	3.70	5.00	37	4.38	0.10	MILL INLAY AND OVERLAY	2004
						2005	3.80	5.00	57	4.43	0.10		
						2006	3.70	5.00	57	4.38	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
6	U.S.-93	002220	150.000	153.437	N	1997	2.60	2.50	49	2.54	0.18	
						1998	2.70	2.50	49	2.59	0.13	
						1999	2.60	2.50	61	2.54	0.14	SEALCOAT
						2000	2.70	2.50	61	2.59	0.13	
						2001	2.70	2.50	50	2.59	0.14	
						2002	2.50	2.50	50	2.50	0.14	
						2003	2.30	2.40	50	2.35	0.13	
						2004	3.70	5.00	50	4.38	0.12	MILL INLAY AND OVERLAY
						2005	3.70	5.00	57	4.38	0.12	
						2006	3.80	5.00	57	4.43	0.12	
6	U.S.-93	002220	153.437	159.562	N	1997	2.70	2.30	46	2.48	0.19	
						1998	2.70	2.20	46	2.43	0.15	
						1999	2.60	2.20	59	2.38	0.16	SEALCOAT
						2000	2.70	2.20	59	2.43	0.15	
						2001	2.70	2.20	45	2.43	0.14	
						2002	2.50	2.20	45	2.34	0.15	
						2003	2.40	2.20	45	2.29	0.15	
						2004	3.60	5.00	45	4.33	0.10	MILL INLAY AND OVERLAY
						2005	3.70	5.00	57	4.38	0.10	
						2006	3.70	5.00	57	4.38	0.10	
6	U.S.-93	002220	159.562	160.337	N	1997	3.40	5.00	24	4.23	0.07	
						1998	3.30	5.00	24	4.19	0.06	
						1999	3.20	5.00	55	4.14	0.07	
						2000	3.30	5.00	55	4.19	0.08	
						2001	3.30	5.00	50	4.19	0.08	
						*2002	3.20	5.00	50	4.14	0.08	
						2003	3.00	5.00	50	4.05	0.09	
						2004	3.10	5.00	50	4.10	0.06	
						2005	3.10	5.00	57	4.10	0.08	
						2006	3.20	5.00	57	4.14	0.09	
6	U.S.-93	002220	160.337	160.382	N	1997	3.40	5.00	24	4.23	0.07	
						1998	3.30	5.00	24	4.19	0.06	
						1999	3.20	5.00	55	4.14	0.07	
						2000	3.30	5.00	55	4.19	0.08	
						2001	3.30	5.00	50	4.19	0.08	
						*2002	3.20	5.00	50	4.14	0.08	
						2003	3.00	5.00	50	4.05	0.09	MILL INLAY AND OVERLAY
						2004	3.10	5.00	50	4.16	0.06	
						2005	3.10	5.00	57	4.10	0.08	
						2006	3.20	5.00	57	4.14	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-93	002220	244.325	251.000	N	1997	2.80	2.40	46	2.58	0.17		
						1998	2.80	2.40	46	2.58	0.16		
						1999	2.70	2.40	44	2.54	0.18		
						2000	2.80	2.40	44	2.58	0.17		
						2001	2.80	2.40	45	2.58	0.20		
						2002	2.60	2.30	45	2.44	0.18		
						2003	3.30	5.00	45	4.19	0.19	MILL INLAY AND OVERLAY	2003
						2004	3.50	5.00	45	4.28	0.07		
						2005	3.60	5.00	57	4.33	0.08		
						2006	3.60	5.00	57	4.33	0.08		
6	U.S.-93	002220	251.000	256.464	N	1997	2.90	2.50	50	2.68	0.18		
						1998	2.90	2.50	50	2.68	0.17		
						1999	2.90	2.50	45	2.68	0.19		
						2000	2.90	2.50	45	2.68	0.20		
						2001	2.90	2.40	48	2.63	0.20		
						*2002	2.70	2.40	48	2.54	0.19		
						2003	3.10	5.00	49	4.09	0.19	MILL INLAY AND OVERLAY	2003
						2004	3.50	5.00	49	4.28	0.06		
						2005	3.60	5.00	57	4.33	0.06		
						2006	3.70	5.00	57	4.38	0.06		
6	U.S.-93	002220	256.464	257.196	N	1997	2.70	1.50	53	2.06	0.19		
						1998	2.60	1.50	53	2.02	0.19		
						1999	2.60	1.50	53	2.02	0.20		
						2000	2.70	1.50	53	2.06	0.20		
						2001	2.70	1.50	55	2.06	0.21		
						*2002	2.60	1.50	55	2.02	0.19		
						2003	2.50	1.50	47	1.97	0.17		
						2004	2.50	1.50	47	1.97	0.15		
						2005	2.40	1.50	57	1.92	0.17		
						2006	2.40	1.50	57	1.92	0.16		
6	U.S.-93	002220	257.196	263.851	N	1997	2.70	1.50	53	2.06	0.19		
						1998	2.60	1.50	53	2.02	0.19		
						1999	2.60	1.50	53	2.02	0.20		
						2000	2.70	1.50	53	2.06	0.20		
						2001	2.70	1.50	55	2.06	0.21		
						*2002	2.60	1.50	55	2.02	0.19		
						2003	3.40	5.00	55	4.24	0.21	MILL INLAY AND OVERLAY	2003
						2004	3.50	5.00	55	4.28	0.05		
						2005	3.60	5.00	57	4.33	0.06		
						2006	3.60	5.00	57	4.33	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
6	U.S.-93	002220	263.851	268.663	N	1997	2.60	1.70	53	2.12	0.18							
						1998	2.60	1.70	53	2.12	0.20							
						1999	2.70	1.70	54	2.17	0.19							
						2000	2.70	1.70	54	2.17	0.20							
						2001	2.70	1.70	52	2.17	0.20							
						*2002	2.70	1.70	52	2.17	0.21							
						2003	3.40	5.00	52	4.24	0.21	MILL INLAY AND OVERLAY						
						2004	3.50	5.00	52	4.29	0.05							
						2005	3.50	5.00	57	4.29	0.05							
						2006	3.50	5.00	57	4.29	0.05							
						6	U.S.-93	002220	268.663	269.639	N	1997	3.00	5.00	57	4.05	0.07	
												1998	2.90	5.00	57	4.00	0.08	
1999	3.00	5.00	56	4.05	0.11													
2000	3.10	5.00	56	4.10	0.10													
2001	3.00	5.00	49	4.05	0.12													
2002	3.40	5.00	49	4.24	0.11													
2003	3.40	5.00	49	4.24	0.12													
2004	3.40	5.00	49	4.24	0.09													
2005	3.40	5.00	57	4.24	0.14													
2006	3.40	4.80	57	4.13	0.14													
6	U.S.-93	002220	269.639	273.300	N							1997	2.60	1.00	47	1.75	0.21	
												1998	2.50	1.00	47	1.70	0.22	
						1999	2.50	1.00	51	1.70	0.23							
						2000	2.70	1.00	51	1.80	0.23							
						2001	2.80	1.00	59	1.84	0.22	SEALCOAT						
						2002	2.70	1.00	59	1.80	0.19							
						2003	2.60	1.00	59	1.75	0.20							
						2004	2.60	1.00	59	1.75	0.19							
						2005	2.60	1.00	57	1.75	0.21							
						2006	2.70	2.40	57	2.54	0.20							
						6	U.S.-93	002220	273.300	275.000	N	1997	2.50	3.00	53	2.76	0.26	
												1998	2.50	3.00	53	2.76	0.25	
1999	2.50	3.00	50	2.76	0.23													
2000	2.50	3.00	50	2.76	0.24													
2001	2.50	3.00	62	2.76	0.23							SEALCOAT						
2002	2.40	3.00	62	2.71	0.21													
2003	2.30	3.00	62	2.66	0.21													
2004	2.40	3.00	62	2.71	0.22													
2005	2.40	3.00	57	2.71	0.22													
2006	2.40	2.40	57	2.40	0.22													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-93	002220	275.000	280.821	N	1997	3.00	2.90	53	2.94	0.20		
						1998	2.90	2.90	53	2.90	0.21		
						1999	2.90	2.80	54	2.84	0.22		
						2000	3.00	2.80	54	2.89	0.21		
						2001	2.90	2.80	60	2.84	0.23	SEALCOAT	2001
						2002	2.90	2.80	60	2.84	0.19		
						2003	2.90	2.80	60	2.84	0.20		
						2004	2.90	2.70	60	2.79	0.17		
						2005	2.90	2.40	57	2.63	0.19		
						2006	2.90	2.30	57	2.58	0.21		
6	U.S.-93	002220	280.821	286.000	N	1997	3.00	3.50	47	3.26	0.14		
						1998	3.00	3.00	47	3.00	0.14		
						1999	2.90	3.00	50	2.95	0.17		
						2000	3.00	3.00	50	3.00	0.17		
						2001	3.00	3.00	59	3.00	0.17	SEALCOAT	2001
						2002	2.90	3.00	59	2.95	0.17		
						2003	2.90	3.00	59	2.95	0.17		
						2004	2.90	3.00	59	2.95	0.14		
						2005	2.90	3.00	51	2.95	0.17		
						2006	3.00	3.00	51	3.00	0.17		
6	U.S.-93	002220	286.000	292.421	N	1997	3.80	5.00	59	4.43	0.10		
						1998	3.70	5.00	59	4.38	0.08		
						1999	3.70	5.00	56	4.38	0.07		
						2000	3.80	5.00	56	4.43	0.07		
						2001	3.80	5.00	56	4.43	0.07		
						2002	3.60	5.00	56	4.33	0.08		
						2003	3.60	4.80	56	4.23	0.07	SEALCOAT	2003
						2004	3.50	4.80	56	4.18	0.06		
						2005	3.50	4.80	55	4.18	0.06		
						2006	3.50	4.00	55	3.76	0.06		
6	U.S.-93	002220	292.421	299.000	N	1997	3.80	5.00	57	4.43	0.09		
						1998	3.80	5.00	57	4.43	0.06		
						1999	3.80	5.00	57	4.43	0.06		
						2000	3.80	5.00	57	4.43	0.06		
						2001	3.80	3.70	57	3.74	0.07		
						2002	3.60	3.70	57	3.65	0.07		
						2003	3.70	3.70	57	3.70	0.07	SEALCOAT	2003
						2004	3.50	3.70	57	3.60	0.06		
						2005	3.50	3.60	58	3.55	0.07		
						2006	3.50	3.20	58	3.34	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-93	002220	299.000	304.251	N	1997	4.00	5.00	55	4.52	0.10		
						1998	4.10	5.00	55	4.56	0.10		
						1999	4.10	5.00	52	4.56	0.13		
						2000	4.10	5.00	52	4.56	0.13		
						2001	4.10	5.00	48	4.57	0.13		
						2002	3.80	5.00	48	4.42	0.16		
						2003	3.80	4.80	48	4.32	0.17	SEALCOAT	2003
						2004	3.70	4.80	48	4.27	0.14		
						2005	3.70	4.80	55	4.27	0.15		
						2006	3.70	4.50	55	4.11	0.17		
6	U.S.-93	002220	304.251	304.675	N	1997	2.70	2.60	32	2.64	0.32		
						1998	2.70	2.60	32	2.64	0.35		
						1999	3.50	2.60	56	3.00	0.13		
						2000	3.50	2.60	56	3.00	0.18		
						2001	3.50	5.00	52	4.32	0.19		
						2002	3.20	5.00	52	4.18	0.22		
						2003	3.30	5.00	52	4.23	0.23	SEALCOAT	2003
						2004	3.20	5.00	52	4.18	0.19		
						2005	3.20	5.00	55	4.18	0.21		
						2006	3.10	5.00	55	4.14	0.21		
6	U.S.-93	002220	304.675	304.938	N	1997	1.80	4.50	36	3.25	0.15		
						1998	1.90	4.50	36	3.30	0.16		
						1999	1.80	4.50	36	3.25	0.15		
						2000	2.00	4.50	56	3.35	0.17		
						2001	2.00	4.50	52	3.35	0.14		
						2002	2.10	4.50	52	3.40	0.14		
						2003	1.80	4.50	52	3.26	0.20		
						2004	2.20	4.50	52	3.45	0.16		
						2005	2.20	4.50	55	3.45	0.15		
						2006	2.10	4.50	55	3.40	0.19		
6	U.S.-93	002220	304.938	305.380	N	1997	1.60	2.50	20	2.09	0.26		
						1998	1.60	2.50	20	2.09	0.30		
						*1999	1.50	2.50	34	2.05	0.33		
						2000	2.20	4.50	49	3.46	0.46		
						2001	2.10	4.50	41	3.41	0.41		
						2002	2.20	4.50	41	3.46	0.35		
						2003	2.20	4.50	41	3.46	0.25		
						2004	2.40	4.50	41	3.55	0.20		
						2005	2.20	4.50	55	3.46	0.26		
						2006	2.10	4.50	55	3.42	0.50		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS		
										INDEX	DEPTH			
6	U.S.-93	002220	305.380	305.819	N	1997	1.60	2.50	20	2.09	0.26			
						1998	1.60	2.50	20	2.09	0.30			
						*1999	1.50	2.50	34	2.05	0.33			
							2000	3.60	5.00	34	4.37	0.19	PLANT MIX OVERLAY	2000
							2001	1.60	5.00	44	3.46	0.22		
							2002	2.20	5.00	44	3.73	0.15		
							2003	2.10	5.00	44	3.69	0.15		
							2004	2.50	5.00	44	3.87	0.17		
							2005	2.10	5.00	55	3.69	0.17		
							2006	2.40	5.00	55	3.83	0.18		
6	U.S.-93	002220	305.819	310.000	N	1997	3.00	2.00	43	2.47	0.16			
						1998	3.00	2.00	43	2.47	0.20			
						*1999	3.00	2.00	34	2.47	0.23			
							2000	3.80	5.00	33	4.42	0.14	PLANT MIX OVERLAY	2000
							2001	3.80	5.00	57	4.42	0.13		
							2002	3.60	5.00	57	4.33	0.16		
							2003	3.60	5.00	57	4.33	0.17		
							2004	3.60	5.00	57	4.33	0.16		
							2005	3.60	5.00	55	4.33	0.17		
							2006	3.50	5.00	55	4.28	0.17		
6	U.S.-93	002220	310.000	315.592	N	1997	3.00	2.00	43	2.47	0.16			
						1998	3.00	2.00	43	2.47	0.20			
						*1999	3.00	2.00	34	2.47	0.23			
							2000	3.20	2.00	35	2.57	0.23		
						*2001	3.10	2.00	42	2.52	0.21			
							2002	4.10	5.00	42	4.57	0.07	PLANT MIX OVERLAY	2002
							2003	3.80	5.00	42	4.42	0.09		
							2004	3.70	5.00	42	4.38	0.07		
							2005	3.80	5.00	51	4.42	0.08		
							2006	3.90	5.00	51	4.47	0.09		
6	U.S.-93	002220	315.592	316.000	N	1997	2.80	2.30	44	2.53	0.18			
						1998	2.80	2.30	44	2.53	0.20			
						1999	2.90	2.30	45	2.58	0.20			
						2000	2.90	2.30	45	2.58	0.21			
						*2001	2.90	2.30	45	2.58	0.20			
							2002	4.10	5.00	42	4.57	0.03		
							2003	3.80	5.00	42	4.42	0.03		
							2004	3.70	5.00	42	4.38	0.03		
							2005	3.90	5.00	51	4.47	0.04		
							2006	3.80	5.00	51	4.42	0.03		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
6	U.S.-93	002220	316.000	320.987	N	1997	4.00	5.00	48	4.52	0.18		
						1998	4.00	5.00	48	4.52	0.21		
						1999	4.00	5.00	46	4.52	0.22		
						2000	4.00	5.00	46	4.52	0.23		
						2001	4.00	5.00	51	4.52	0.23		
						2002	3.90	5.00	51	4.47	0.22		
						2003	3.90	5.00	51	4.47	0.24	SEALCOAT	2003
						2004	3.70	5.00	51	4.38	0.20		
						2005	3.80	5.00	49	4.42	0.21		
						2006	3.80	5.00	49	4.42	0.22		
6	U.S.-93	002220	320.987	326.000	N	1997	4.00	5.00	45	4.52	0.17		
						1998	4.00	5.00	45	4.52	0.19		
						1999	4.00	5.00	38	4.52	0.21		
						2000	4.00	5.00	38	4.52	0.22		
						2001	4.00	5.00	48	4.52	0.22		
						2002	3.90	5.00	48	4.47	0.22		
						2003	3.90	5.00	48	4.47	0.23	SEALCOAT	2003
						2004	3.80	5.00	48	4.42	0.20		
						2005	3.80	5.00	49	4.42	0.24		
						2006	3.80	5.00	49	4.42	0.23		
6	U.S.-93	002220	326.000	331.792	N	1997	3.00	2.90	54	2.94	0.25		
						1998	3.10	2.90	54	2.99	0.27		
						1999	3.10	2.90	53	2.99	0.30	SEALCOAT	1999
						2000	3.20	2.90	53	3.04	0.28		
						2001	3.10	2.90	56	2.99	0.28		
						2002	3.00	2.90	56	2.94	0.25		
						2003	2.90	2.90	56	2.90	0.27		
						2004	2.90	2.90	56	2.90	0.27		
						2005	4.00	5.00	49	4.52	0.12	MILL AND INLAY	2005
						2006	3.90	5.00	49	4.47	0.11		
6	U.S.-93	002220	331.792	337.000	N	1997	3.20	3.00	55	3.09	0.18		
						1998	3.20	3.00	55	3.09	0.19		
						1999	3.20	3.00	48	3.09	0.19	SEALCOAT	1999
						2000	3.30	3.00	48	3.14	0.19	SEALCOAT	2000
						2001	3.30	3.00	57	3.14	0.18		
						2002	3.10	3.00	57	3.04	0.18		
						2003	3.10	3.00	57	3.04	0.19		
						2004	3.00	3.00	57	3.00	0.18		
						2005	4.10	5.00	49	4.57	0.11	MILL AND INLAY	2005
						2006	3.90	5.00	49	4.47	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
6	U.S.-93	002220	337.000	341.100	N	1997	3.60	5.00	73	4.33	0.09	
						1998	3.70	5.00	73	4.38	0.06	
						1999	3.70	4.80	58	4.27	0.06	
						2000	3.60	4.80	58	4.23	0.08	SEALCOAT
						2001	3.70	4.80	64	4.27	0.06	
						2002	3.50	4.80	64	4.18	0.06	
						2003	3.50	4.80	64	4.18	0.08	
						2004	3.30	4.70	64	4.03	0.08	
						2005	3.40	4.70	49	4.08	0.10	
						2006	3.40	4.70	49	4.08	0.12	
6	U.S.-93	002220	341.100	347.837	N	1997	1.40	5.00	34	3.39	0.17	
						1998	3.50	5.00	73	4.28	0.07	
						1999	3.50	5.00	49	4.33	0.07	
						2000	3.40	5.00	49	4.28	0.10	SEALCOAT
						2001	3.40	5.00	62	4.28	0.08	
						2002	3.40	5.00	62	4.28	0.08	
						2003	3.40	5.00	62	4.28	0.07	
						2004	3.30	5.00	62	4.24	0.07	
						2005	3.30	5.00	49	4.24	0.08	
						2006	3.30	5.00	49	4.24	0.07	
6	U.S.-93	002220	347.837	350.819	N	1997	2.90	4.80	46	3.95	0.09	
						*1998	3.80	4.80	73	4.35	0.06	
						1999	3.60	4.80	39	4.26	0.06	
						2000	3.40	4.80	39	4.17	0.07	SEALCOAT
						2001	3.60	4.80	55	4.26	0.07	
						2002	3.40	4.80	55	4.17	0.06	
						2003	3.40	4.80	55	4.17	0.06	
						2004	3.40	4.80	55	4.17	0.06	
						2005	3.40	4.80	49	4.17	0.06	
						2006	3.40	4.80	49	4.17	0.06	
6	U.S.-93	002222	000.000	000.391	N	1997	3.00	5.00	46	4.23	0.05	
						1998	3.00	5.00	73	4.23	0.08	
						1999	3.10	5.00	39	4.27	0.09	
						2000	3.00	4.50	39	3.92	0.09	
						2001	3.20	4.50	55	4.00	0.09	
						2002	3.00	4.00	55	3.62	0.11	
						2003	3.10	4.00	55	3.65	0.12	
						2004	2.90	4.00	55	3.58	0.09	
						2005	2.90	4.00	49	3.58	0.11	
						2006	3.00	4.00	49	3.62	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
6	U.S.-93	002240	222.835	224.200	N	1997	3.30	5.00	37	4.19	0.11								
						1998	3.10	5.00	37	4.10	0.11								
						1999	3.30	5.00	69	4.19	0.11								
						2000	3.40	5.00	69	4.24	0.12								
						2001	3.30	5.00	61	4.19	0.13								
						2002	3.20	5.00	61	4.14	0.13								
						2003	3.30	5.00	61	4.19	0.12								
						2004	3.20	4.30	61	3.78	0.11								
						2005	3.20	4.30	57	3.78	0.14								
						2006	2.20	4.30	57	3.30	0.10	NEW CONST OR RECONST (FLEX)	2006						
						6	U.S.-93	002240	224.200	226.286	N	1997	3.20	2.20	36	2.67	0.18		
												1998	3.00	2.20	36	2.57	0.16		
1999	3.00	2.20	55	2.57	0.17							SEALCOAT	1999						
2000	3.20	2.20	55	2.67	0.15														
2001	3.20	2.20	55	2.67	0.15														
2002	3.00	2.20	55	2.57	0.15														
2003	2.90	2.20	55	2.53	0.16														
2004	2.80	2.10	55	2.43	0.16														
2005	2.80	2.10	57	2.43	0.19														
2006	4.00	5.00	57	4.52	0.20							NEW CONST OR RECONST (FLEX)	2006						
6	U.S.-93	002240	226.327	229.182	N							1997	3.20	2.20	36	2.67	0.18		
												1998	3.00	2.20	36	2.57	0.16		
						1999	3.00	2.20	55	2.57	0.17	SEALCOAT	1999						
						2000	3.20	2.20	55	2.67	0.15								
						2001	3.20	2.20	55	2.67	0.15								
						2002	3.00	2.20	55	2.57	0.15								
						2003	2.90	2.20	55	2.53	0.16								
						2004	2.80	2.10	55	2.43	0.16								
						2005	2.80	2.10	57	2.43	0.19								
						2006	4.00	5.00	57	4.52	0.23	NEW CONST OR RECONST (FLEX)	2006						
						6	U.S.-93	002240	229.182	233.000	N	1997	3.30	3.50	42	3.40	0.18		
												1998	3.20	3.50	42	3.35	0.20		
1999	3.30	3.50	55	3.40	0.16							SEALCOAT	1999						
2000	3.30	3.50	55	3.40	0.17														
2001	3.30	3.50	56	3.40	0.18														
2002	3.10	3.50	56	3.30	0.16														
2003	3.00	3.50	56	3.26	0.18														
2004	2.90	3.00	56	2.95	0.16														
2005	2.80	2.70	57	2.74	0.23														
2006	4.00	5.00	57	4.52	0.34							NEW CONST OR RECONST (FLEX)	2006						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
6	U.S.-93	002240	233.000	247.532	N	1997	3.10	3.00	47	3.04	0.14	
						1998	3.00	3.00	47	3.00	0.15	
						1999	3.00	3.00	61	3.00	0.14	SEALCOAT
						2000	3.00	3.00	61	3.00	0.16	
						2001	2.90	2.50	56	2.69	0.17	
						2002	2.80	2.50	56	2.64	0.16	
						2003	2.80	2.50	56	2.64	0.16	
						*2004	2.70	2.40	56	2.54	0.16	
						2005	3.50	5.00	57	4.28	0.04	C.R.A.B.S.
						2006	3.70	5.00	57	4.38	0.05	
6	U.S.-93	002240	247.532	247.786	N	1997	3.00	2.50	13	2.73	0.20	
						1998	2.90	2.50	13	2.69	0.22	
						1999	3.00	2.50	13	2.73	0.21	SEALCOAT
						2000	2.90	2.50	40	2.69	0.26	
						2001	2.90	2.50	50	2.69	0.26	
						2002	3.00	2.50	50	2.73	0.28	
						2003	3.00	2.50	50	2.73	0.23	
						2004	2.90	2.40	50	2.63	0.28	
						2005	3.70	5.00	57	4.38	0.04	C.R.A.B.S.
						2006	3.80	5.00	57	4.42	0.04	
6	U.S.-93	002240	247.786	248.277	N	1997	2.60	2.40	18	2.48	0.19	
						1998	2.40	2.20	18	2.28	0.17	
						1999	2.60	2.20	42	2.37	0.25	SEALCOAT
						2000	2.50	2.20	42	2.33	0.24	
						2001	2.40	2.20	52	2.28	0.23	
						2002	2.60	2.20	52	2.37	0.27	
						2003	2.50	2.20	52	2.33	0.25	MILL AND INLAY
						2004	3.20	5.00	52	4.19	0.13	
						2005	3.60	5.00	57	4.37	0.12	C.R.A.B.S.
						2006	3.70	5.00	57	4.41	0.11	
6	U.S.-93	002240	248.277	248.555	N	1997	2.20	2.40	24	2.31	0.12	
						1998	2.10	2.30	24	2.21	0.15	
						1999	1.80	2.30	44	2.07	0.15	SEALCOAT
						2000	2.00	2.30	44	2.16	0.15	
						2001	1.80	2.30	18	2.07	0.15	
						2002	2.00	2.30	18	2.16	0.29	
						2003	1.90	2.30	18	2.12	0.26	MILL AND INLAY
						2004	3.40	5.00	18	4.28	0.11	
						2005	3.60	5.00	57	4.37	0.11	
						2006	3.60	5.00	57	4.37	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT  
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----  
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------